

SPRAY GUNS, ACCESSORIES & COATING EQUIPMENT



2025 PRICE LIST



PROFESSIONAL COATING EQUIPMENT SPECIALIST



PASSION FOR PAINTING

We are passionate about painting and eager about creating; for this, we design spray guns which help you to cross any boundary.

YOUR CUSTOMERS, OUR MISSION.

GROUP

Anest Iwata carries more than 90 years-experience in the coating industry, combining the most sophisticated Japanese craftsmanship tradition to the continuous search for leading-edge technology.

PASSION & PERFORMANCE

As a global group we aim to deliver the most technically advanced spraying equipment on the market. When designing our products we think about highly professional and creative individual who have passion for painting and are looking for the greatest performance. With this in mind we always try to reach for the highest standards of sophistication, creativity and technical realization.

A WIDE RANGE

Our range of products varies from several spray gun lines, pumps and painting accessories, projected ad hoc for different paint application and to satisfy the customer in his research for the best solution.

CUSTOMER ORIENTED

The automotive refinish, together with the industrial and the wood sector are only few of the areas in which the Anest Iwata experience has found its appreciation between the users, not only for the excellence of our tools, but also for the attentive service our customers can count on. Anest Iwata effort in providing the best results in performance is also conceived for the optimization of the resources and materials in the optic of begin environmental-friendly.





JAPANESE HERITAGE & PIONEER MINDS

Whether it's
a first installation,
a self-repair
or a small retouch
(spot repair)
Anest Iwata has
always been the
point of reference
for professional
painters. The
experience in the
development of
varnishing guns
for the automotive
sector has
strengthened
its image
over time.



AUTOMOTIVE REFINISH



GETTING INTO SOLUTIONS

The automotive refinish is one of our most demanding fields in terms of surface quality considering colour reproduction, smoothness and layer thickness, our tools are designed to help you get the most faithful reproduction of the original colour.

FIND THE BEST TOOLS

Anest Iwata in collaboration with painting companies aims to provide the best tools to achieve a great performance in terms of functionality and also painting experience.

GENERAL INDUSTRY

A WIDE RANGE OF APPLICATION


Anest Iwata coating equipments are suitable for many fields of the industrial production such as electronic components, food, molding and metals.

OUR EXPERIENCE

Among the technology we carry a great experience in low pressure applications, airless and multi-spray to help you find the greatest solution for your needs.

FIND YOUR OPTION

We offer a wide range of manual and automatic spray guns that you can combine with our pumps or that you can mount on robots.



INDEX

1. MANUAL SPRAY GUN

CLEARCOAT
PREMIUM QUALITY
 WS-400 SERIES2 CLEAR - DIGITAL.....12
 WS-400 SERIES2 CLEAR - STANDARD....14
HIGH QUALITY
 W-400 WBX CLASSIC PLUS.....16
BASECOAT
PREMIUM QUALITY
 WS-400 SERIES2 BASE - DIGITAL.....18
 WS-400 SERIES2 BASE - STANDARD....20
 LS-400 SERIES2 BASE - DIGITAL.....22
 LS-400 SERIES2 BASE - STANDARD.....24
HIGH QUALITY
 W-400 WB1 | WB2 CLASSIC PLUS.....26
PRIMER
PREMIUM QUALITY
 WS-PRIMER.....28
 WS-PRIMER UV.....30
 W-400 BELLARIA CLASSIC PLUS.....32
HIGH QUALITY
 AZ3 HTE-S IMPACT.....34
SPRAY PUTTY | PRIMER
STANDARD QUALITY
 AZ3 HTE2 AV | AZ3 HTE2.....36
 AZ3 HTE P.A.S. CONCEPT.....38
SMART REPAIR
PREMIUM QUALITY
 W-300 WB UV CURED PAINTS.....40
 W-300 WB.....42
HIGH QUALITY
 W-300.....44
STANDARD QUALITY
 AZ4 HTE-S IMPACT JUNIOR.....46
SPOT REPAIR
PREMIUM QUALITY
 LPH-80 (LVLP).....48
HIGH QUALITY
 AZ4 HTE-S IMPACT JUNIOR.....50
UNIVERSAL
HIGH QUALITY
 W-400 CLASSIC PLUS.....52

2. LOW PRESSURE SPRAY GUN - MANUAL & AUTOMATIC

COMMERCIAL VEHICLE APPLICATION
PREMIUM QUALITY
 WS-200 SERIES.....56
HIGH QUALITY
 W-200 INTEGRA SERIES.....60
 WIDER1 CHROME SERIES.....68
 LW1-10E | LW1-18N EXTENSION NOZZLE GUN.....70
SPECIAL PURPOSE
 TOF-50 SERIES
 FOR MOLD RELEASE AGENTS.....72
PRESSURE AND SUCTION
 AZ1 HTE 2P.....74
 AZ1 HTE 2S.....76
GENERAL PURPOSE
 WA-200 SP INTEGRA |
 WA-200 FT INTEGRA | ZP2-A.....78
ROBOT APPLICATION
 WA-M220 SERIES.....80
SPECIAL PURPOSE
 TOF-5B & TOF 6B SERIES.....82
 SGA-3.....84

3. PAINT SUPPLY SYSTEM | LOW PRESSURE PNEUMATIC EQUIPMENTS

DOUBLE DIAPHRAGM PAINT PUMPS
 DPS-120C SERIES | DPS-90G SERIES |
 DPS-70C SERIES.....86
DIAPHRAGM PUMPS ACCESSORIES
 SUPPORTS & ACCESSORIES.....88
 SUCTION & DRAIN HOSE SET.....93
 DELIVERY PAINT FILTER SET.....93
 AIR REGULATOR SET.....93
 PAINT PRESSURE REGULATOR
 PR-5BL SERIES.....94
 BACK PRESSURE VALVE PR-B5 SERIES..94
 TWO-WAY REGULATOR SET.....95

PAINT FLOW CONTROL VALVE FCV-31 SERIES.....96
 PAINT FLOW CONTROL VALVE FCV-3..96
STAINLESS STEEL PRESSURE TANKS
 PET-10 (10 lt, 4.0 BAR).....97
 PET-SERIES (10, 30, 50 lt - 7 BAR).....98
 PRESSURE CONTAINER AT-2E.....100
 PRESSURIZED CONTAINER PC-18D....101

4. PAINT SUPPLY SYSTEM | HIGH PRESSURE MULTISPRAY EQUIPMENTS

MULTI SPRAY GUNS
 MSGS-200 EVO SERIES.....104
 NOZZLE TIP SELECTION CHART.....106
MULTI SPRAY PUMPS
 ICON-M433N (36:1) |
 ICON-M333N (32:1).....108
 ICON-M233N (ICON X-3 SERIES (30:1).116

5. PAINT SUPPLY SYSTEM | HIGH PRESSURE AIRLESS EQUIPMENTS

AIRLESS SPRAY GUNS
 AL96-S5 (AUTOMATIC).....124
 AL-G7 | AL-G72 TE WB AIRLESS SERIES.125
 FG-61 | FG-62 EXTRUSION SERIES.....126
 REVERSIBLE & FLAT AIRLESS TIPS.....127
 PRE-ATOMIZED REVERSIBLE & FLAT AIRLESS TIPS.....127
AIRLESS PUMPS
 ICON-A433N (36:1)
 ICON-A333N (32:1).....128
 ICON-A233N (ICON X-3 SERIES - 30:1).136

6. CUPS, ADAPTERS AND FILTERS

GRAVITY CUPS.....144
 ALUMINIUM GRAVITY CUPS.....146
 BLACK "UV" CUPS | SUCTION CUPS...147
 SUCTION CONTAINER.....148
 ADAPTERS 3M PPS 2.0.....149
 ADAPTERS MIRKA PCS.....149
 MICRON & MESH.....150
 HIGH T.E.C UNDER GUN FILTERS.....150
 PAINT FILTERS FOR
 AIRLESS & MULTI SPRAY UNITS.....151
 PAINT FILTERS FOR
 DIAPHRAGM PUMPS.....152

ANEST IWATA FILTERS.....153
 PAINT FILTER FOR SUCTION CUPS.....153
 PAINT FILTER FOR GRAVITY CUPS.....154
HOSES
 HIGH PRESSURE PAINT HOSE.....156
 HIGH PRESSURE TWIN HOSE.....156
 HIGH PRESSURE
 CONDUCTIVE HOSES for airless & multi spray units.....157
 PREMIUM ANTISTATIC AIR HOSE.....158
 BREATHING ANTISTATIC AIR HOSE...158
 AIR HOSE.....158
 PAINT HOSE.....158
 AIR HOSES.....159
 TEFLON HOSES.....159
 HOSE CLIPS.....159
COUPLINGS
 COUPLINGS.....160
 QUICK FLUID ADJUSTER.....161
PRESSURE SETTING
 HVC | HVC-2 |
 IMPACT CONTROLLER2.....162
AIR FILTERING
 AIR FILTER REGULATORS 1/2"
 SINGLE- | DOUBLE- | TRI-STAGE.....163

7. HEALTH PROTECTION

ANEST IWATA PREMIUM OVERALL...166
 VISIONSHIELD PROTECTIVE
 GOGGLES | GLASSES.....166
 AIRFED 2020 FULL FACE MASK.....167
 VIPER HALF FACE MASK.....167

8. CLEANING AND MAINTENANCE

CLEANING & MAINTENANCE
 INSTRUCTIONS.....168
SPRAY GUN CLEANING APPLICATORS
 PCA 12.0 | HCA12.0.....170
CLEANING AND MAINTENANCE TOOLS
 BRUSHES | SPANNER | GREASE |
 AIR DUSTER GUN.....171
SPRAY GUN SUPPORTS
 MAGNETIC SUPPORTS & GRAVITY GUN HOLDERS.....172
SPRAY CONTROL
 MAGNETIC SPRAY TESTER.....173

9. DRYING SYSTEM

ADG-1B AQUADRY PAINT DRYER.....174
 AI JET AIR NOOZLE DRYER.....174
DEMO TOOLS
 DEMO TROLLEY.....175
 MARKER CAPS.....175
OTHER ACCESSORIES
 MINI AIR DUSTER GUN.....175

10. GARAGE EQUIPMENT

AZ PVA | AZ PVA TN.....178
 P6 | PL6 | AE7.....179
 S8 | SP8.....180
 ST | ST1 | ST1 S.....181

11. SPECIAL PRODUCTS

FLOOR BOARD.....184
 TAK RAG.....184
 STICKY MAT.....184
 VISCOSITY METER.....184
 AGITATORS.....185
 TANK COVER.....185
 INDUSTRY KITS - LOW PRESSURE...186

12. GENERAL INFORMATION

ISO CERTIFICATE.....188
 SALES CONDITIONS.....189

ICONS

- NOZZLE SIZE
- AIR CAP SET
- AIR PRESSURE
- FLUID OUTPUT
- AIR CONSUMPTION
- PATTERN WIDTH



1

MANUAL
SPRAY GUNS



WS-400 SERIES2 CLEAR - DIGITAL

FEATURES



WS400 SR2



- The Anest Iwata WS-400 Series 2 CLEAR Superior range is perfectly placed for the application of clearcoats.
- Optimize setups available which cover a wide range application requirements, and variety of options available for different styles and speeds.
- Integrated quick detachable compact DPG-1 digital manometer system.
- Special black chrome body

TECHNICAL DATA

• HD (High Delivery) • Air Nipple: G1/4" • Fluid Nipple: G1/4"

setup	type	application speed	model name - digital	cap	bar*	NL/min	mm**
HD SETUP	1.2 HD	CONTROL	WS-400-SR2D-12HD	WS-400-03	2.0	370	245
	1.3 HD	STANDARD	WS-400-SR2D-13HD				250
	1.4 HD	SPEED	WS-400-SR2D-14HD				255
	1.5 HD	HIGH SPEED	WS-400-SR2D-15HD				260

*Suggested gun inlet pressure during spraying. **Fan width at a Spray distance of 150 mm.

ORDER INFORMATION

	HD SET UP				SEK
	1.2 HD	1.3 HD	1.4 HD	1.5 HD	
WS-400 CLEAR DIGITAL					
PRO SET	130193A0	130194A0	130195A0	130196A0	8 457
AIR CAP SET	93009030				1 476
FLUID NOZZLE & NEEDLE	93009140	93009060	93009160	93009180	1 643


SET OPTIONS & CONTENTS

★★
PRO SET



WS-400 Series 2 Clear Digital Spray Gun
600 ml Gravity Cup - DPG-1 Module - Cleaning Brushes
Universal Spanner - Trigger Clip/Pin Cap.


SPARE PARTS



REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
1	see table on left page	AIR CAP SET		16	93008890	TRIGGER	391
1-1	93009050	AIR CAP RING CLEAR (Grey)	682	17	93505860	TRIGGER STUD	83
1-2	93018310	AIR CAP PACKING SET (2 pcs.)	171	18	96612025	E STOPPER	35
2	see table on left page	FLUID NOZZLE + FLUID NEEDLE SET		19	93512741	TORX SOCKET COUNTERSUNK HEAD SCREWS (3 pcs./1 pk.)	175
3	03810620	NEEDLE PACKING SET	298	21	140081A0	PC-G600P-2 GRAVITY CUP 600 ml	847
5	93008420	PATTERN ADJ. SET	623	22	940222A0	LID	447
6	93009120	PATTERN ADJUSTMENT KNOB CLEAR (Grey)	264	23	940221A0	NON DRIP	25
7	93001640	AIR VALVE SEAT SET	355	24	930171A0	UNIVERSAL SPANNER	118
8	93001690	AIR VALVE	225	25	03506480K	TORX ALLEN KEY WRENCH T10 (3 pcs.)	86
9	93001700	AIR VALVE SPRING	134	26	W2COM6163	BRUSHES (5 pcs.)	159
10	93008840	FLUID ADJ. GUIDE SET	467	27	W2COM6162	TWISTED BRUSH Ø 10 mm (5 pcs.)	157
11	93002820	FLUID NEEDLE SPRING SET	225	28	930113A0	DIGITAL PRESSURE GAUGE DPG-1 (Includes BATTERY HOLDER and BATTERY Spares)	2 170
12	93505823	FLUID ADJ. SCREW	168	28-1	930325A0	DPG-1 BATTERY HOLDER	78
13	93009130	FLUID ADJUSTMENT KNOB CLEAR (Grey)	245	28-2	930083A0	DPG-1 BATTERY	106
14	93001790	AIR VALVE SHAFT	187	29	930357A0	TRIGGER CLIP	71
15	93008872	AIR ADJUSTMENT SET	722	30	930366A0	PROTECTIVE PIN CAP (5 pcs.)	53
				32	960024A0	SCREWDRIVER	58

OPTION AND ACCESSORIES

REF.	CODE	DESCRIPTION	SEK
	930443A0	REPAIRING KIT Includes: air valve seat set (7), air valve (8), air valve spring (9), fluid needle spring set (11), air valve shaft (14), fluid adj. guide set (10), trigger stud (17), e stopper (18), needle packing set (3).	1 317
-	W2KIT55SV	CLEANING KIT	886
3	93001410	SELF ADJUSTING NEEDLE PACKING (Opt.)	508
31	94011240	FILTER 60 Mesh (250µ)	36



WS-400 SERIES2 CLEAR

FEATURES



WS400 SR2



- The Anest Iwata WS-400 Series 2 CLEAR Superior range is perfectly placed for the application of clearcoats.
- Optimize setups available which cover a wide range application requirements, a variety of options available for different styles and speeds.
- HVC inline manometer is recommended and available for accurate performance and colour reproduction.

TECHNICAL DATA

• HD (High Delivery) • Air Nipple: G1/4" • Fluid Nipple: G1/4"

setup	type	application speed	model name - non digital	cap	bar*	NL/min	mm**
HD SETUP	1.2 HD	CONTROL	WS-400-SR2-12HD	WS-400-03	2.0	370	245
	1.3 HD	STANDARD	WS-400-SR2-13HD				250
	1.4 HD	SPEED	WS-400-SR2-14HD				255
	1.5 HD	HIGH SPEED	WS-400-SR2-15HD				260

*Suggested gun inlet pressure during spraying. **Fan width at a Spray distance of 150 mm.

ORDER INFORMATION

	HD SET UP				SEK
	1.2 HD	1.3 HD	1.4 HD	1.5 HD	
WS-400 CLEAR					
PRO SET	130615A0	130616A0	130617A0	130618A0	7 344
ECO SET	130261A0	130262A0	130263A0	130264A0	6 864
AIR CAP SET	93009030				1 476
FLUID NOZZLE & NEEDLE	93009140	93009060	93009160	93009180	1 643

SET OPTIONS & CONTENTS

★★
PRO SET



WS-400 Series 2 Clear Spray Gun
600 ml Gravity Cup - HVC Air Pressure Regulator
Cleaning Brushes - Universal Spanner.

★
ECO SET




WS-400 Serie 2 Clear Spray Gun
600 ml Gravity Cup
Cleaning brushes
Universal spanner

SPARE PARTS




WS/LS-400 SERIES2



REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
1	see table on left page	AIR CAP SET		14	93001790	AIR VALVE SHAFT	187
1-1	93009050	AIR CAP RING CLEAR (Grey)	682	15	93008872	AIR ADJUSTMENT SET	722
1-2	93018310	AIR CAP PACKING SET (2 pcs.)	171	16	93008890	TRIGGER	391
2	see table on left page	FLUID NOZZLE + FLUID NEEDLE SET		17	93505860	TRIGGER STUD	83
3	03810620	NEEDLE PACKING SET	298	18	96612025	E STOPPER	35
5	93008420	PATTERN ADJ. SET	623	19	93512741	TORX SOCKET COUNTERSUNK HEAD SCREWS (3 pcs./1 pk.)	175
6	93009120	PATTERN ADJUSTMENT KNOB CLEAR (Grey)	264	21	140081A0	PC-G600P-2 GRAVITY CUP 600 ml	847
7	93001640	AIR VALVE SEAT SET	355	22	940222A0	LID	447
8	93001690	AIR VALVE	225	23	940221A0	NON DRIP	25
9	93001700	AIR VALVE SPRING	134	24	930171A0	UNIVERSAL SPANNER	118
10	93008840	FLUID ADJ. GUIDE SET	467	25	03506480K	TORX ALLEN KEY WRENCH T10 (3 pcs.)	86
11	93002820	FLUID NEEDLE SPRING SET	225	26	W2COM6163	BRUSHES (5 pcs.)	159
12	93505823	FLUID ADJ. SCREW	168	27	W2COM6162	TWISTED BRUSH Ø 10 mm (5 pcs.)	157
13	93009130	FLUID ADJUSTMENT KNOB CLEAR (Grey)	245				

OPTION AND ACCESSORIES

REF.	CODE	DESCRIPTION	SEK
	930443A0	REPAIRING KIT Includes: air valve seat set (7), air valve (8), air valve spring (9), fluid needle spring set (11), air valve shaft (14), fluid adj. guide set (10), trigger stud (17), e stopper (18), needle packing set (3).	1 317
-	W2KIT55SV	CLEANING KIT	886
3	93001410	SELF ADJUSTING NEEDLE PACKING (Opt.)	508
28	94011240	FILTER 60 Mesh (250µ)	36
33	150003A0	HVC AIR PRESSURE REGULATOR	850



W-400 WBX CLASSIC PLUS - HIGH QUALITY

FEATURES



High Quality VOC-Compliant Professional Spray Gun for Car Refinish Clearcoat applications. Equipped with the exclusive Split Nozzle™ Technology. Fine atomization.

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid nipple: M16 x 1.5mm

model name	ø mm	cap	bar*	ml/min	Nl/min	mm (in)*
W-400 WBX-124G	1.2	WBX	2.0	150	370	360
W-400 WBX-134G	1.3			195		
W-400 WBX-144G	1.4			200		
W-400 WBX-164G	1.6			250		

*Suggested gun inlet pressure during spraying.



ORDER INFORMATION

	ø 1,2	ø 1,3	ø 1,4	ø 1,6	SEK
W-400 WBX - PRO KIT (CARTON BOX)	13241422P	13241423P	13241424P	13241426P	7 027
AIR CAP SET (WBX)	93622630				1 649
FLUID NOZZLE & NEEDLE	93627610	93634610	93628610	93622620	2 180


SET OPTIONS & CONTENTS

PRO KIT CARTON BOX



W-400 WBX Spray Gun
PCG 6 PE CUP - 600 ml
Cleaning Brushes - Universal Spanner

SPARE PARTS



REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
1	see table on left page	AIR CAP SET		19	W2COM6163	BRUSHES (5 pcs./1 pk.)	159
2-1+ 2-2	see table on left page	FLUID NOZZLE + FLUID NEEDLE SET		20	930171A0	UNIVERSAL SPANNER	118
5-1	03660300	AIR NIPPLE	127	22	14011001	PCG-6-PE GRAVITY CUP 600 ml	709
5-2	93650531	FLUID NIPPLE	924	22-1	04002300	LID	153
6	93842601	PATTERN ADJ. SET	597	22-2	04003320	NON DRIP	34
7	03843530	AIR VALVE SEAT SET	341				
7-1	06638008	'O' RING	37				
8	03591530	AIR VALVE	233				
9	03719530	AIR VALVE SPRING	104				
10	93844532	FLUID ADJ. GUIDE SET	518				
11	03593530	FLUID NEEDLE SPRING	109				
12	93594532	FLUID ADJ. KNOB	205				
13	93935430	AIR VALVE SHAFT	187				
14	93845531	AIR ADJ. SET	544				
15	03667360	TRIGGER STUD	52				
16	03517600	TRIGGER	252				
17	03912030	E STOPPER (2 pcs./1 pk.)	51				
18	035155005	FILTER 60 Mesh (250µ) (5 pcs./1 pk.)	140				
21	03810620	NEEDLE PACKING SET	298				

OPTION AND ACCESSORIES		
CODE	DESCRIPTION	SEK
03708240	AIR CAP PACKING (WHITE)	43
03512600	AIR CAP "L" PACKING (BLACK)	78
W2KIT555V	CLEANING KIT	886
W2COM6190	REPAIRING KIT 2 (includes: air valve seat set, air valve, air valve spring, fluid needle spring, fluid adj. guide set, air valve shaft, trigger stud, e stopper, needle packing cartridge).	1 658



WS-400 SERIES2 BASE - DIGITAL

FEATURES



WS400 SR2



- The Anest Iwata WS-400 Series 2 BASE superior range is ideal for wet on wet basecoat applications.
- Wide range of optimized nozzle configurations available for a variety of paint brands and different climates and conditions.
- Integrated quick detachable compact digital manometer DPG-1 system.
- Special black chrome body

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G1/4"

setup	type	description/climate	model name - digital	cap	bar**	NI/min	mm***
OBS SETUP	1.3 OBS-0	HUMID	WS-400-SR2D-OBS-0	WS-400-02-OBS	2.0	370	255
	1.3 OBS	STANDARD*	WS-400-SR2D-OBS				255
	1.3 OBS+1	DRY	WS-400-SR2D-OBS+1				260
BF SETUP	BF-S	STANDARD*	WS-400-SR2D-BF-S	WS-400-03-BF			250
	BF-40	DRY	WS-400-SR2D-BF-40				260

• OBS series: for type A wet on wet application • BF series: for type B wet on wet application
 *Standard climate range: 15-30°C with a humidity of 30% - 75% RH **Suggested gun inlet pressure during spraying. ***Fan width at a Spray distance of 150 mm.

ORDER INFORMATION

	OBS SET UP			BF SET UP		SEK
	1.3 OBS-0	1.3 OBS	1.3 OBS+1	BF-S	BF-40	
WS-400 BASE DIGITAL						
PRO SET	O.D.	130190A0	O.D.	130250A0	O.D.	8 457
AIR CAP SET		93008310		93018140		1 476
FLUID NOZZLE & NEEDLE	93008930	93008340	93008990	93018150	93021390	1 643

SET OPTIONS & CONTENTS




WS-400 Series 2 Base Digital Spray Gun
 600 ml Gravity Cup - DPG-1 Module - Cleaning Brushes
 Universal Spanner - Trigger Clip/Pin Cap.

QUICK FLUID ADJUSTER, SEE PAGE 161.

SPARE PARTS




WS/LS-400 SERIES2



REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
1	see table on left page	AIR CAP SET		16	93008890	TRIGGER	391
1-1	93008060	AIR CAP RING BASE (Blue)	682	17	93505860	TRIGGER STUD	83
1-2	93018310	AIR CAP PACKING SET (2 pcs.)	171	18	96612025	E STOPPER	35
2	see table on left page	FLUID NOZZLE + FLUID NEEDLE SET		19	93512741	TORX SOCKET COUNTERSUNK HEAD SCREWS (3 pcs./1 pk.)	175
3	03810620	NEEDLE PACKING SET	298	21	140081A0	PC-G600P-2 GRAVITY CUP 600 ml	847
5	93008420	PATTERN ADJ. SET	623	22	940222A0	LID	447
6	93008140	PATTERN ADJUSTMENT KNOB BASE (Blue)	264	23	940221A0	NON DRIP	25
7	93001640	AIR VALVE SEAT SET	355	24	930171A0	UNIVERSAL SPANNER	118
8	93001690	AIR VALVE	225	25	03506480K	TORX ALLEN KEY WRENCH T10 (3 pcs.)	86
9	93001700	AIR VALVE SPRING	134	26	W2COM6163	BRUSHES (5 pcs.)	159
10	93008840	FLUID ADJ. GUIDE SET	467	27	W2COM6162	TWISTED BRUSH Ø 10 mm (5 pcs.)	157
11	93002820	FLUID NEEDLE SPRING SET	225	28	930113A0	DIGITAL PRESSURE GAUGE DPG-1 (Includes BATTERY HOLDER and BATTERY Spares)	2 170
12	93505823	FLUID ADJ. SCREW	168	28-1	930325A0	DPG-1 BATTERY HOLDER	78
13	93008150	FLUID ADJUSTMENT KNOB BASE (Blue)	232	28-2	930083A0	DPG-1 BATTERY	106
14	93001790	AIR VALVE SHAFT	187	29	930357A0	TRIGGER CLIP	71
15	93008872	AIR ADJUSTMENT SET	722	30	930366A0	PROTECTIVE PIN CAP (5 pcs.)	53
				32	960024A0	SCREWDRIVER	58

OPTION AND ACCESSORIES

REF.	CODE	DESCRIPTION	SEK
	930443A0	REPAIRING KIT Includes: air valve seat set (7), air valve (8), air valve spring (9), fluid needle spring set (11), air valve shaft (14), fluid adj. guide set (10), trigger stud (17), e stopper (18), needle packing set (3).	1 317
-	W2KIT55SV	CLEANING KIT	886
3	93001410	SELF ADJUSTING NEEDLE PACKING (Opt.)	508
31	94011240	FILTER 60 Mesh (250µ)	36



WS-400 SERIES2 BASE

FEATURES



WS400 SR2



- The Anest Iwata WS-400 Series2 BASE superior range is ideal for wet on wet basecoat applications.
- Wide range of optimized nozzle configurations available for a variety of paint brands and different climates and conditions.
- HVC inline manometer is recommended and available for accurate performance and colour reproduction.

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G1/4"

setup	type	description/climate	model name - non digital	cap	bar**	NL/min	mm***
OBS SETUP	1.3 OBS-0	HUMID	WS-400-SR2-OBS-0	WS-400-02-OBS	2.0	370	255
	1.3 OBS	STANDARD*	WS-400-SR2-OBS				255
	1.3 OBS+1	DRY	WS-400-SR2-OBS+1				260
BF SETUP	BF-S	STANDARD*	WS-400-SR2-BF-S	WS-400-03-BF	2.0	370	250
	BF-40	DRY	WS-400-SR2-BF-40				260

• OBS series: for type A wet on wet application • BF series: for type B wet on wet application
 *Standard climate range: 15-30°C with a humidity of 30% - 75% RH **Suggested gun inlet pressure during spraying. ***Fan width at a Spray distance of 150 mm.

ORDER INFORMATION

	OBS SET UP			BF SET UP		SEK
	1.3 OBS-0	1.3 OBS	1.3 OBS+1	BF-S	BF-40	
WS-400 BASE						
PRO SET	O.D	130612A0	O.D	130614A0	O.D	7 344
ECO SET	130256A0	130257A0	130258A0	130259A0		6 864
AIR CAP SET		93008310		93018140		1 476
FLUID NOZZLE & NEEDLE	93008930	93008340	93008990	93018150	93021390	1 643

SET OPTIONS & CONTENTS

★★ PRO SET



WS-400 Series 2 Base Spray Gun
 600 ml Gravity Cup - HVC Air Pressure Regulator
 Cleaning Brushes - Universal Spanner.

★ ECO SET



WS-400 Serie 2 Base Spray Gun
 600 ml Gravity Cup
 Cleaning brushes
 Universal spanner




QUICK FLUID ADJUSTER.
 SEE PAGE 161.

SPARE PARTS




WS/LS-400 SERIES2



REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
1	see table on left page	AIR CAP SET		14	93001790	AIR VALVE SHAFT	187
1-1	93008060	AIR CAP RING BASE (Blue)	682	15	93008872	AIR ADJUSTMENT SET	722
1-2	93018310	AIR CAP PACKING SET (2 pcs.)	171	16	93008890	TRIGGER	391
2	see table on left page	FLUID NOZZLE + FLUID NEEDLE SET		17	93505860	TRIGGER STUD	83
3	03810620	NEEDLE PACKING SET	298	18	96612025	E STOPPER	35
5	93008420	PATTERN ADJ. SET	623	19	93512741	TORX SOCKET COUNTERSUNK HEAD SCREWS (3 pcs./1 pk.)	175
6	93008140	PATTERN ADJUSTMENT KNOB BASE (Blue)	264	21	140081A0	PC-G600P-2 GRAVITY CUP 600 ml	847
7	93001640	AIR VALVE SEAT SET	355	22	940222A0	LID	447
8	93001690	AIR VALVE	225	23	940221A0	NON DRIP	25
9	93001700	AIR VALVE SPRING	134	24	930171A0	UNIVERSAL SPANNER	118
10	93008840	FLUID ADJ. GUIDE SET	467	25	03506480K	TORX ALLEN KEY WRENCH T10 (3 pcs.)	86
11	93002820	FLUID NEEDLE SPRING SET	225	26	W2COM6163	BRUSHES (5 pcs.)	159
12	93505823	FLUID ADJ. SCREW	168	27	W2COM6162	TWISTED BRUSH Ø 10 mm (5 pcs.)	157
13	93008150	FLUID ADJUSTMENT KNOB BASE (Blue)	232				

OPTION AND ACCESSORIES

REF.	CODE	DESCRIPTION	SEK
	930443A0	REPAIRING KIT Includes: air valve seat set (7), air valve (8), air valve spring (9), fluid needle spring set (11), air valve shaft (14), fluid adj. guide set (10), trigger stud (17), e stopper (18), needle packing set (3).	1 317
-	W2KIT55SV	CLEANING KIT	886
3	93001410	SELF ADJUSTING NEEDLE PACKING (Opt.)	508
28	94011240	FILTER 60 Mesh (250µ)	36
33	150003A0	HVC AIR PRESSURE REGULATOR	850



LS-400 SERIES2 BASE - DIGITAL

FEATURES



LS400 SR2



- The Anest Iwata LS-400 Series 2 Base superior range is ideal for a wide range of basecoat applications.
- Wide range of optimized nozzle configurations available for a variety of paint brands and different climates and conditions.
- Integrated quick detachable compact DPG-1 digital manometer system.
- Special black chrome body

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G1/4"

setup	type	application speed	model name - digital	cap	bar*	NL/min	mm**	
ET SETUP STANDARD	1.2 ET	CONTROL	LS-400-SR2D-1206	LS-400-06	1.8	400	230	
	1.3 ET	STANDARD	LS-400-SR2D-1306				235	
	1.4 ET	SPEED	LS-400-SR2D-1406				240	
	1.5 ET	HIGH SPEED	LS-400-SR2D-1506				245	
ETS SETUP DRY	1.2 ETS	CONTROL	LS-400-SR2D-12S06				420	200
	1.3 ETS	STANDARD	LS-400-SR2D-13S06					205
	1.4 ETS	SPEED	LS-400-SR2D-14S06					210
	1.5 ETS	HIGH SPEED	LS-400-SR2D-15S06					215

* ET series: for standard climate application • ETS series: for dry climate application
 *Suggested gun inlet pressure during spraying. **Fan width at a Spray distance of 150 mm.

ORDER INFORMATION

	ET SET UP				ETS SET UP				SEK
	1.2 ET	1.3 ET	1.4 ET	1.5 ET	1.2 ETS	1.3 ETS	1.4 ETS	1.5 ETS	
LS-400 BASE DIGITAL									
PRO SET	130213A0	130214A0	130215A0	130216A0	130217A0	130218A0	130219A0	130220A0	8 457
AIR CAP SET	93008030								1 476
FLUID NOZZLE & NEEDLE	93008160	93008070	93008180	93008200	93008230	93008250	93008270	93008290	1 643

SET OPTIONS & CONTENTS

★★
PRO SET



LS-400 Series 2 Base Digital Spray Gun
 600 ml Gravity Cup - DPG-1 Module - Cleaning Brushes
 Universal Spanner - Trigger Clip/Pin Cap.




QUICK FLUID ADJUSTER,
SEE PAGE 161.

SPARE PARTS




WS/LS-400 SERIES2



REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
1	see table on left page	AIR CAP SET		16	93008890	TRIGGER	391
1-1	93008330	AIR CAP RING LS (Green)	682	17	93505860	TRIGGER STUD	83
1-2	93018310	AIR CAP PACKING SET (2 pcs.)	171	18	96612025	E STOPPER	35
2	see table on left page	FLUID NOZZLE + FLUID NEEDLE SET		19	93512741	TORX SOCKET COUNTERSUNK HEAD SCREWS (3 pcs./1 pk.)	175
3	03810620	NEEDLE PACKING SET	298	21	140081A0	PC-G600P-2 GRAVITY CUP 600 ml	847
5	93008420	PATTERN ADJ. SET	623	22	940222A0	LID	447
6	93008820	PATTERN ADJUSTMENT KNOB LS (Green)	264	23	940221A0	NON DRIP	25
7	93001640	AIR VALVE SEAT SET	355	24	930171A0	UNIVERSAL SPANNER	118
8	93001690	AIR VALVE	225	25	03506480K	TORX ALLEN KEY WRENCH T10 (3 pcs.)	86
9	93001700	AIR VALVE SPRING	134	26	W2COM6163	BRUSHES (5 pcs.)	159
10	93008840	FLUID ADJ. GUIDE SET	467	27	W2COM6162	TWISTED BRUSH Ø 10 mm (5 pcs.)	157
11	93002820	FLUID NEEDLE SPRING SET	225	28	930113A0	DIGITAL PRESSURE GAUGE DPG-1 (Includes BATTERY HOLDER and BATTERY Spares)	2 170
12	93505823	FLUID ADJ. SCREW	168	28-1	930325A0	DPG-1 BATTERY HOLDER	78
13	93008860	FLUID ADJUSTMENT KNOB LS (Green)	245	28-2	930083A0	DPG-1 BATTERY	106
14	93001790	AIR VALVE SHAFT	187	29	930357A0	TRIGGER CLIP	71
15	93008872	AIR ADJUSTMENT SET	722	30	930366A0	PROTECTIVE PIN CAP (5 pcs.)	53
				32	960024A0	SCREWDRIVER	58

OPTION AND ACCESSORIES

REF.	CODE	DESCRIPTION	SEK
	930443A0	REPAIRING KIT Includes: air valve seat set (7), air valve (8), air valve spring (9), fluid needle spring set (11), air valve shaft (14), fluid adj. guide set (10), trigger stud (17), e stopper (18), needle packing set (3).	1 317
-	W2KIT55SV	CLEANING KIT	886
3	93001410	SELF ADJUSTING NEEDLE PACKING (Opt.)	508
31	94011240	FILTER 60 Mesh (250µ)	36



LS-400 SERIES2 BASE

FEATURES



LS400 SR2



- The Anest Iwata LS-400 Series 2 BASE superior range is ideal for a wide range of basecoat applications.
- Wide range of optimized nozzle configurations available for a variety of paint brands and different climates and conditions.
- HVC inline manometer is recommended and available for accurate performance and colour reproduction.

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G1/4"

setup	type	application speed	model name - non digital	cap	bar*	NL/min	mm**	
ET SETUP STANDARD	1.2 ET	CONTROL	LS-400-SR2-1206	LS-400-06	1.8	400	230	
	1.3 ET	STANDARD	LS-400-SR2-1306				235	
	1.4 ET	SPEED	LS-400-SR2-1406				240	
	1.5 ET	HIGH SPEED	LS-400-SR2-1506				245	
ETS SETUP DRY	1.2 ETS	CONTROL	LS-400-SR2-12S06				420	200
	1.3 ETS	STANDARD	LS-400-SR2-13S06					205
	1.4 ETS	SPEED	LS-400-SR2-14S06					210
	1.5 ETS	HIGH SPEED	LS-400-SR2-15S06					215

• ET series: for standard climate application • ETS series: for dry climate application
*Suggested gun inlet pressure during spraying. **Fan width at a Spray distance of 150 mm.

ORDER INFORMATION

	ET SET UP				ETS SET UP				SEK
	1.2 ET	1.3 ET	1.4 ET	1.5 ET	1.2 ETS	1.3 ETS	1.4 ETS	1.5 ETS	
LS-400 BASE									
PRO SET	130619A0	130620A0	130621A0	130622A0	130623A0	130624A0	130625A0	130626A0	7 344
ECO SET	130265A0	130266A0	130267A0	130268A0	130269A0	130270A0	130271A0	130272A0	6 864
AIR CAP SET	93008030								1 476
FLUID NOZZLE & NEEDLE	93008160	93008070	93008180	93008200	93008230	93008250	93008270	93008290	1 643

SET OPTIONS & CONTENTS




LS-400 Series 2 Base Spray Gun
600 ml Gravity Cup - HVC Air Pressure Regulator
Cleaning Brushes - Universal Spanner.

LS-400 Serie 2 Base Spray Gun
600 ml Gravity Cup
Air Pressure Regulator HVC
Cleaning brushes - Universal spanner

QUICK FLUID ADJUSTER,
SEE PAGE 161.


SPARE PARTS



REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
1	see table on left page	AIR CAP SET		14	93001790	AIR VALVE SHAFT	187
1-1	93008330	AIR CAP RING LS (Green)	682	15	93008872	AIR ADJUSTMENT SET	722
1-2	93018310	AIR CAP PACKING SET (2 pcs.)	171	16	93008890	TRIGGER	391
2	see table on left page	FLUID NOZZLE + FLUID NEEDLE SET		17	93505860	TRIGGER STUD	83
3	03810620	NEEDLE PACKING SET	298	18	96612025	E STOPPER	35
5	93008420	PATTERN ADJ. SET	623	19	93512741	TORX SOCKET COUNTERSUNK HEAD SCREWS (3 pcs./1 pk.)	175
6	93008820	PATTERN ADJUSTMENT KNOB LS (Green)	264	21	140081A0	PC-G600P-2 GRAVITY CUP 600 ml	847
7	93001640	AIR VALVE SEAT SET	355	22	940222A0	LID	447
8	93001690	AIR VALVE	225	23	940221A0	NON DRIP	25
9	93001700	AIR VALVE SPRING	134	24	930171A0	UNIVERSAL SPANNER	118
10	93008840	FLUID ADJ. GUIDE SET	467	25	03506480K	TORX ALLEN KEY WRENCH T10 (3 pcs.)	86
11	93002820	FLUID NEEDLE SPRING SET	225	26	W2COM6163	BRUSHES (5 pcs.)	159
12	93505823	FLUID ADJ. SCREW	168	27	W2COM6162	TWISTED BRUSH Ø 10 mm (5 pcs.)	157
13	93008860	FLUID ADJUSTMENT KNOB LS (Green)	245				

OPTION AND ACCESSORIES

REF.	CODE	DESCRIPTION	SEK
	930443A0	REPAIRING KIT Includes: air valve seat set (7), air valve (8), air valve spring (9), fluid needle spring set (11), air valve shaft (14), fluid adj. guide set (10), trigger stud (17), e stopper (18), needle packing set (3).	1 317
-	W2KIT55SV	CLEANING KIT	886
3	93001410	SELF ADJUSTING NEEDLE PACKING (Opt.)	508
28	94011240	FILTER 60 Mesh (250µ)	36
33	150003A0	HVC AIR PRESSURE REGULATOR	850



W-400 WB1 & WB2 CLASSIC PLUS - HIGH QUALITY

FEATURES



High Quality VOC-Compliant Professional Spray Gun for Car Refinish Basecoat applications. Equipped with the exclusive Split Nozzle™ Technology. Fine atomization. Special for water base paints.

TECHNICAL DATA

• Air nipple: G1/4" • Fluid nipple: M16 x 1.5 mm


model name	ø mm	cap	bar*	ml/min	NI/min	mm (in)
W-400 WB-101G	1.0	WB1	1.8	90	230	230
W-400 WB-121G	1.2			120		260
W-400 WB-131G	1.3			140		280
W-400 WB-141G	1.4					
W-400 WB-122G	1.2	WB2	1.8	160	390	290
W-400 WB-132G	1.3					300
W-400 WB-142G	1.4					310
W-400 WB-162G	1.6					340

*Suggested gun inlet pressure during spraying.

Classic plus



SPARE PARTS



ORDER INFORMATION

	ø 1,0	ø 1,2	ø 1,3	ø 1,4	ø 1,2	ø 1,3	ø 1,4	ø 1,6	SEK
W-400 WB1 - PRO KIT	13241411P	13241412P	13241413P	13241414P	-	-	-	-	7 027
W-400 WB2 - PRO KIT					13241415P	13241416P	13241417P	13241418P	7 027
AIR CAP SET (WB1)	93896610			-				1 649	
AIR CAP SET (WB2)	-			93624620				1 649	
FLUID NOZZLE & NEEDLE	93626610	93627610	93634610	93628610	93627610	93634610	93628610	93622620	2 180

SET OPTIONS & CONTENTS

PRO KIT CARTON BOX



W-400 WB Spray Gun
PCG 6 PE CUP - 600 ml
Cleaning Brushes - Universal Spanner

REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
1	see table on left page	AIR CAP SET		19	W2COM6163	BRUSHES (5 pcs./1 pk.)	159
2-1+ 2-2	see table on left page	FLUID NOZZLE + FLUID NEEDLE SET		20	930171A0	UNIVERSAL SPANNER	118
5-1	03660300	AIR NIPPLE	127	22	14011001	PCG-6-PE GRAVITY CUP 600 ml	709
5-2	93650531	FLUID NIPPLE	924	22-1	04002300	LID	153
6	93842601	PATTERN ADJ. SET	597	22-2	04003320	NON DRIP	34
7	03843530	AIR VALVE SEAT SET	341				
7-1	06638008	'O' RING	37				
8	03591530	AIR VALVE	233				
9	03719530	AIR VALVE SPRING	104				
10	93844532	FLUID ADJ. GUIDE SET	518				
11	03593530	FLUID NEEDLE SPRING	109				
12	93594532	FLUID ADJ. KNOB	205				
13	93935430	AIR VALVE SHAFT	187				
14	93845531	AIR ADJ. SET	544				
15	03667360	TRIGGER STUD	52				
16	03517600	TRIGGER	252				
17	03912030	E STOPPER (2 pcs./1 pk.)	51				
18	035155005	FILTER 60 Mesh (250µ) (5 pcs./1 pk.)	140				
21	03810620	NEEDLE PACKING SET	298				

OPTION AND ACCESSORIES		
CODE	DESCRIPTION	SEK
03708240	AIR CAP PACKING (WHITE)	43
03512600	AIR CAP "L" PACKING (BLACK)	78
W2KIT55SV	CLEANING KIT	886
W2COM6190	REPAIRING KIT 2 (includes: air valve seat set, air valve, air valve spring, fluid needle spring, fluid adj. guide set, air valve shaft, trigger stud, e stopper, needle packing cartridge).	1 658



WS-PRIMER - PREMIUM QUALITY

Our first dedicated Primer Spray Gun

AVAILABLE IN TWO VERSION OPTIMIZED FOR THE MOST IMPORTANT PRIMER APPLICATIONS.

WET on WET: The Wet on Wet workflow is the go-to solution for efficiency and time-savings. No sanding required.

FILLER: The Filler workflow values quality and flexibility over efficiency. It delivers highest quality results.

FEATURES

- High material saving thanks to the Split Nozzle™ technology
- Form-fitting Trigger Stud
- Multi-fit Air Cap Design
- Low friction PTFE Trigger Pad
- Ergonomic Design
- Hard-Anodized Gun Body



*Suggested gun inlet pressure during spraying.
**Fan width at a Spray distance of 150 mm.

TECHNICAL DATA

Setup	model name	Ø mm	cap	bar*	NI/min	mm (in)**
WET on WET	WS-PRIMER-12	1.2	WS-PRIMER-01	2.0	370	150
	WS-PRIMER-13	1.3				180
	WS-PRIMER-14	1.4				190
FILLER	WS-PRIMER-14	1.4				190
	WS-PRIMER-16	1.6				210
	WS-PRIMER-18	1.8				235

• Air Nipple: G1/4" • Fluid Nipple: G1/4"




SPLIT NOZZLE™
PRE-ATOMIZATION
TECHNOLOGY




FILTER CUP

PROPER
ADJUSTMENT



PC-G600P-2 600 ml CUP



ORDER INFORMATION

	Ø 1,2	Ø 1,3	Ø 1,4	Ø 1,6	Ø 1,8	SEK
WS-PRIMER - WET on WET (600 ml CUP)	130811A0	130812A0	130813A0			3 995
WS-PRIMER - FILLER (600 ml CUP)			130830A0	130815A0	130816A0	3 995
AIR CAP SET (WS-PRIMER-01)	930769A0					1 430
FLUID NOZZLE & NEEDLE SET	930772A0	930773A0	930774A0	930776A0	930777A0	1 430



SET OPTIONS & CONTENTS

PRO KIT
CARTON BOX



WS-PRIMER Spray Gun
PC-G600P-2 CUP - 600 ml
Cleaning Brushes - Universal Spanner

**WET
on
WET**
VERSION

comes with
BLUE KNOB!



REF.	CODE	DESCRIPTION	SEK
1	see table on left page	AIR CAP SET	
1-1	930508A0	AIR CAP RING (Black)	650
1-2	93017700	AIR CAP PACKING SET (2 pcs./1 pk.)	136
2 + 2-1	see table on left page	FLUID NOZZLE + FLUID NEEDLE SET	
3	93001410	SELF ADJUSTING NEEDLE PACKING SET	508
3	03810620	NEEDLE PACKING SET (OPTIONAL)	298
5	930685A0	PATTERN ADJUSTMENT SET	585
6	93001790	AIR VALVE SHAFT	187
7	930789A0	AIR VALVE SEAT SET	436
8	93001690	AIR VALVE	225
9	93001700	AIR VALVE SPRING	134
10	930700A0	FLUID ADJUSTMENT GUIDE SET	520
11	93002820	NEEDLE SPRING	225
12	930682A0	FLUID ADJUSTMENT KNOB (Black)	195
12	930806A0	FLUID ADJUSTMENT KNOB (Blue)	195
13	930684A0	AIR ADJUSTMENT SET	520
14	960081A0	TRIGGER SCREW	62

REF.	CODE	DESCRIPTION	SEK
15	930510A0	TRIGGER	351
16	93001870	TRIGGER STUD	110
18	W2COM6163	BRUSHES (5 pcs./1 pk.)	159
19	930171A0	UNIVERSAL SPANNER	118
20	140081A0	PC-G600P-2 GRAVITY CUP (600 ml)	847
20-1	940222A0	LID	447
20-2	940221A0	NON DRIP	225

OPTION AND ACCESSORIES

CODE	DESCRIPTION	SEK
94011240	FILTER 60 Mesh (250µ)	36
W2KIT55SV	CLEANING KIT	886
930783A0	REPAIRING KIT (includes: air valve seat set, air valve, air valve spring, fluid needle spring, air valve shaft, fluid adj. guide set, trigger stud, trigger screw, needle packing cartridge).	1 430



W-400 BELLARIA CLASSIC PLUS - PREMIUM QUALITY

FEATURES



Classic plus
Bellaria



High Quality VOC-Compliant Professional Spray Gun for Car Refinish Primer-coat applications. Maximum performance thanks to the Flat & Thin air caps Technology.

TECHNICAL DATA

• Air nipple: G1/4" • Fluid nipple: M16 x 1.5 mm

model name	∅ mm	cap	bar*	ml/min	NI/min	mm (in)
W-400-104G	1.0	BA4-1	2.0	130	250	200
W-400-124G	1.2			180		220
W-400-134G	1.3			220		280
W-400-144G	1.4	BA4-2		250	270	300
W-400-164G	1.6			285		330
W-400-184G	1.8			360		375
W-400-204G	2.0		375	390		

*Suggested gun inlet pressure during spraying.

ORDER INFORMATION

	∅ 1,0	∅ 1,2	∅ 1,3	∅ 1,4	∅ 1,6	∅ 1,8	∅ 2,0	SEK
W-400 BELLARIA - PRO KIT	13328511P	13328512P	13328513P	13328514P	13328516P	13328518P	13328519P	6 087
AIR CAP SET (BA4-1)	93611700		-					1 649
AIR CAP SET (BA4-2)	-		93611710					1 649
FLUID NOZZLE & NEEDLE SET	93611720	93611730	93611740	93611750	93611760	93611770	93611780	1 666

SET OPTIONS & CONTENTS

PRO KIT CARTON BOX




W-400 Bellaria Spray Gun
PCG 6 PE CUP - 600 ml
Cleaning Brushes - Universal Spanner

SPARE PARTS



PCG-6 PE
GRAVITY CUP
600 ml



REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
1	see table on left page	AIR CAP SET		19	W2COM6163	BRUSHES (5 pcs./1 pk.)	159
2-1+ 2-2	see table on left page	FLUID NOZZLE + FLUID NEEDLE SET		20	930171A0	UNIVERSAL SPANNER	118
5-1	03660300	AIR NIPPLE	127	22	14011001	PCG-6-PE GRAVITY CUP 600 ml	709
5-2	93650531	FLUID NIPPLE	924	22-1	04002300	LID	153
6	93611930	PATTERN ADJ. SET	627	22-2	04003320	NON DRIP	34
7	03843530	AIR VALVE SEAT SET	341				
7-1	06638008	'O' RING	37				
8	03591530	AIR VALVE	233				
9	03719530	AIR VALVE SPRING	104				
10	93844532	FLUID ADJ. GUIDE SET	518				
11	03593530	FLUID NEEDLE SPRING	109				
12	93611900	FLUID ADJ. KNOB	209				
13	93935430	AIR VALVE SHAFT	187				
14	93611940	AIR ADJ. SET	575				
15	03667360	TRIGGER STUD	52				
16	03517600	TRIGGER	252				
17	03912030	E STOPPER (2 pcs./1 pk.)	51				
18	035155005	FILTER 60 Mesh (250µ) (5 pcs./1 pk.)	140				
21	03810620	NEEDLE PACKING SET	298				


OPTION AND ACCESSORIES

CODE	DESCRIPTION	SEK
03708240	AIR CAP PACKING (WHITE)	43
03512600	AIR CAP "L" PACKING (BLACK)	78
W2KIT555V	CLEANING KIT	886
W2COM6190	REPAIRING KIT 2 (includes: air valve seat set, air valve, air valve spring, fluid needle spring, fluid adj. guide set, air valve shaft, trigger stud, e stopper, needle packing cartridge).	1 658



AZ3 HTE-S IMPACT - HIGH QUALITY

FEATURES



Standard Quality Spray Gun for Car Refinish Primer-coat applications. Equipped with the HTE air caps Technology, which leads to guarantee maximum performance with homogeneous and fine atomization.

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G1/4"

model name	Ø mm	cap	bar*	ml/min	NI/min	mm (in)
AZ3 HTE-S IMPACT	1.2	HTE-S1	2.0	240	325	190
	1.3			265		210
	1.4			279		230
	1.6	HTE-S2		289	312	250
	1.8			322		270
	2.0			361		

*Suggested gun inlet pressure during spraying.



ORDER INFORMATION

	Ø 1,2	Ø 1,3	Ø 1,4	Ø 1,6	Ø 1,8	Ø 2,0	SEK
AZ3 HTE-S IMPACT BLACK VERSION with 600 ml cup	W0SPG90AG12C	W0SPG90AG13C	W0SPG90AG14C	W0SPG90AG16C	W0SPG90AG18C	W0SPG90AG20C	2 467
AZ3 HTE-S IMPACT CHROME VERSION with 600 ml cup	W0SPG91AG12C	W0SPG91AG13C	W0SPG91AG14C	W0SPG91AG16C	W0SPG91AG18C	W0SPG91AG20C	2 467
AIR CAP SET (HTE-S1)	W2CAP90AG12			-			894
AIR CAP SET (HTE-S2)	-			W2CAP90AG16			894
FLUID NOZZLE & NEEDLE	W2ADU90AG12	W2ADU90AG13	W2ADU90AG14	W2ADU90AG16	W2ADU90AG18	W2ADU90AG20	548


SET OPTIONS & CONTENTS

CARTON BOX



AZ3 HTE-S Impact Spray Gun
PCG-6P-2 AZ CUP - 600 ml
Universal Spanner

SPARE PARTS



REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
1	see table on left page	AIR CAP SET		D	W2KIT33	SLIDE RING SET (10 pcs./1 pk.)	173
2+9	see table on left page	FLUID NOZZLE + FLUID NEEDLE SET		E	W2KIT37	AIR VALVE SHAFT TIP SET (5 pcs./1 pk.)	67
3	W3COM3050	NOZZLE HOLDER	431	18	W0CUPAZ90	PCG-6P-2-AZ GRAVITY CUP 600 ml	431
5	93842601	PATTERN ADJ. SET	597	B	W2KIT07	NON DRIP SET (5 pcs./1 pk.)	103
6	W2COM6077	FLUID NEEDLE ADJ. KNOB	56	F	W2KIT06	FILTER SET 50 MESH (297µ) (5 pcs./1 pk.)	310
7	W2010140900	FLUID NEEDLE GUIDE	43	19	930171A0	UNIVERSAL SPANNER	118
8	W2010140800	FLUID NEEDLE SPRING	7				
10	W2010140600	FLUID NEEDLE PACKING NUT	16				
11	W2COM6080	AIR VALVE SET	153				
11-1	W2010141700	AIR VALVE SPRING	20				
11-2	W2010130600	AIR VALVE	48				
11-3	W2010130500	AIR VALVE SEAT	79				
12	W2COM4041	TRIGGER STUD	67				
13	W2COM6051	TRIGGER	62				
14	93845531	AIR ADJ. SET	544				
15	W3COM5038	THREADED BUSHING	216				
16	W2COM5004	SCREW	6				
16-1	W2COM6050	PLUG	26				
17	W2COM5039	AIR NIPPLE	67				
C	W2KIT56	PACKING SET (3 pcs./1 pk.)	55				

OPTION AND ACCESSORIES

CODE	DESCRIPTION	SEK
W2KIT55SV	CLEANING KIT	886



W-300 WB UV CURED PAINTS - PREMIUM QUALITY

FEATURES



Premium Quality Professional Spray Gun, specific for UV cured paints applications, equipped with the exclusive Split Nozzle™ Technology and with a Black cup and an anti-UV air cap cover to prevent paint exposure to UV rays. Very fine atomization.

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G1/4"

nome modello	ø mm	ugello aria	bar*	ml/min	NI/min	mm (in)
W-300 WB - 101G	1.0	WB1	1.5	65	190	230
W-300 WB - 121G	1.2			100		240

*Suggested gun inlet pressure during spraying.



AIR CAP PROTECTION

ORDER INFORMATION

	ø 1,0	ø 1,2	SEK
W-300 WB UV - PRO KIT (200 ml CUP)	130709A0	130068A0	5 880
AIR CAP SET (WB1)	930149A0		1 718
FLUID NOZZLE + FLUID NEEDLE SET	93602620	93591620	2 180

SET OPTIONS & CONTENTS

PRO KIT CARTON BOX




W-300 WB UV Spray Gun
PCG-2P-2-S1 CUP - 200 ml Black Gravity Cup
Cleaning Brushes - Universal Spanner

SPARE PARTS



PCG-2P-2-S1 200 ml BLACK GRAVITY CUP



REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
1	see table on left page	AIR CAP SET		21	140025A0	PCG-2P-2-S1 BLACK GRAVITY CUP 200 ml with Fluid Joint in INOX	511
2-1 + 2-2	see table on left page	FLUID NOZZLE + FLUID NEEDLE SET		21-1	W2KIT07	NON DRIP SET (5 pcs./1pk.)	103
5-1	03660300	AIR NIPPLE	127	21-2	W2KIT06	FILTER 50 Mesh (297µ) (5 pcs./1pk.)	310
5-2	03575620	FLUID NIPPLE	1 411	22	W2COM6163	BRUSHES (5 pcs./1 pk.)	159
6	930151A0	PATTERN ADJ. SET	788	23	930171A0	UNIVERSAL SPANNER	118
7	03843530	AIR VALVE SEAT SET	341	24	930147A0	AIR CAP PROTECTION	258
7-1	06638008	'O'RING	37				
8	03591530	AIR VALVE	233				
9	03719530	AIR VALVE SPRING	104				
10	93844532	FLUID ADJ. GUIDE SET	518				
11	03593530	FLUID NEEDLE SPRING	109				
12	930150A0	FLUID ADJ. KNOB	261				
13	93935430	AIR VALVE SHAFT	187				
14	930152A0	AIR ADJ. SET	621				
15	03667360	TRIGGER STUD	52				
16	930197A0	TRIGGER	255				
17	03912030	E STOPPER (2 pcs./1 pk.)	51				
20	03810620	NEEDLE PACKING SET	298				

OPTION AND ACCESSORIES

CODE	DESCRIPTION	SEK
03608320	AIR CAP PACKING (WHITE)	43
03576530	AIR CAP "L" PACKING (BLACK)	78
W2KIT55SV	CLEANING KIT	886
W2COM6190	REPAIRING KIT 2 (includes: air valve seat set, air valve, air valve spring, fluid needle spring, air valve shaft, fluid adj. guide set, trigger stud, e stopper, needle packing cartridge).	1 658
94011240	FILTER 60 Mesh (250µ)	36



W-300 - HIGH QUALITY

FEATURES



Standard Quality VOC-Compliant Professional Spray Gun for Car Refinish Smart Repair applications. Equipped with conventional Standard Nozzle Technology. Fine atomization.

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G1/4"

model name	ø mm	cap	bar*	ml/min	NI/min	mm (in)
W-300-081G	0.8	E1	2.5	60	80	100
W-300-101G	1.0	K1		100	145	130
W-300-132G	1.3	H2		160	225	175

*Suggested gun inlet pressure during spraying.



ORDER INFORMATION

	ø 0,8	ø 1,0	ø 1,0	ø 1,3	SEK
W-300 PRO KIT (200 ml CUP)	13241825P	13241815P	13241816P	13241805P	4 799
AIR CAP SET	E1 93689610	-	-	-	1 211
AIR CAP SET	-	-	-	H2 93696610	1 233
AIR CAP SET	-	K1 93735610	H4 93662610	-	1 428
FLUID NOZZLE & NEEDLE SET	93590621	93600621		-	1 903
FLUID NOZZLE & NEEDLE SET	-	-	-	93666610P	1 437


SET OPTIONS & CONTENTS

PRO KIT
CARTON BOX - B



W-300 Spray Gun
PCG 2P-2 CUP - 200 ml
Cleaning Brushes - Universal Spanner

SPARE PARTS



PCG 2P-2
200 ml CUP

REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
1	see table on left page	AIR CAP SET E1		20	03810620	NEEDLE PACKING SET	298
1	see table on left page	AIR CAP SET H2		21	W0CUPA-Z40IN	PCG-2P-2 GRAVITY CUP 200 ml	511
1	see table on left page	AIR CAP SET K1/ H4		21-1	W2KIT07	NON DRIP SET (5 pcs./1pk.)	103
2-1 + 2-2	see table on left page	FLUID NOZZLE + FLUID NEEDLE SET		21-2	W2KIT06	FILTER 50 Mesh (297µ) (5 pcs./1pk.)	310
2-1 + 2-2	see table on left page	FLUID NOZZLE + FLUID NEEDLE SET		22	W2COM6163	BRUSHES (5 pcs./1 pk.)	159
5-1	03660300	AIR NIPPLE	127	23	930171A0	UNIVERSAL SPANNER	118
5-2	03575620	FLUID NIPPLE	1 411				
6	03577620	PATTERN ADJ. SET	722				
7	03843530	AIR VALVE SEAT SET	341				
7-1	06638008	O'RING	37				
8	03591530	AIR VALVE	233				
9	03719530	AIR VALVE SPRING	104				
10	93844532	FLUID ADJ. GUIDE SET	518				
11	03593530	FLUID NEEDLE SPRING	109				
12	93594532	FLUID ADJ. KNOB	205				
13	93935430	AIR VALVE SHAFT	187				
14	93845531	AIR ADJ. SET	544				
15	03667360	TRIGGER STUD	52				
16	03597530	TRIGGER	205				
17	03912030	E STOPPER (2 pcs./1 pk.)	51				

OPTION AND ACCESSORIES

CODE	DESCRIPTION	SEK
03608320	AIR CAP PACKING (WHITE)	43
03576530	AIR CAP "L" PACKING (BLACK)	78
W2KIT55SV	CLEANING KIT	886
W2COM6190	REPAIRING KIT 2 (includes: air valve seat set, air valve, air valve spring, fluid needle spring, air valve shaft, fluid adj. guide set, trigger stud, e stopper, needle packing cartridge).	1 658
94011240	FILTER 60 Mesh (250µ)	36



AZ4 HTE-S IMPACT JUNIOR - STANDARD QUALITY

FEATURES



Standard Quality Spray Gun, ideal for both water and solvent base paints. This version with Anodized Gray air cap has been Specially designed for General Industry applications. High Transfer Efficiency and Fine Atomization.

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G1/4"

			bar (PSI/Mpa)*		l/min (cfm)	mm (in)
AZ3 HTE-S	1.3	AZ4-2	2.5	140	235	150
	1.5			195	240	165
	1.8			275	245	185


*Suggested gun inlet pressure during spraying.



SPARE PARTS



PCG-6P-2-AZ
GRAVITY CUP
600 ml



ORDER INFORMATION

	ø 1,3	ø 1,5	ø 1,8	SEK
AZ4 HTE-S with 600 ml CUP	13001155	13001160	13001170	1 926
AIR CAP SET (AZ4-2)		93003750		540
FLUID NOZZLE & NEEDLE	93004610	93004620	93005650	358

REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
1	See left	AIR CAP SET		PCG - 6P - 2 - AZ GRAVITY CUP 600 ml			
2+7	See left	FLUID NOZZLE + NEEDLE SET		19	W0CUPAZ90	PCG-6P-2-AZ GRAVITY CUP 600 ml	431
3	93842601	PATTERN ADJUSTMENT SET	597	B	W2KIT07	NON DRIP SET (5pcs./1 pk.)	103
4	W2010141000	FLUID NEEDLE ADJ. KNOB	31	E	W2KIT06	FILTER SET 50 Mesh (297µ) (5pcs./1 pk.)	310
5	W2010140900	FLUID NEEDLE GUIDE	43				
6	W2010140800	FLUID NEEDLE SPRING	7				
8	W2COM3011	FLUID NEEDLE PACKING NUT	22				
9	W2COM6080	AIR VALVE SET	153				
9-1	W2010141700	AIR VALVE SPRING	20				
9-2	W2010130600	AIR VALVE	48				
9-3	W2010130500	AIR VALVE SEAT	79				
10	W2COM4001	TRIGGER STUD	16				
11	93003810	TRIGGER	68				
12	93845531	AIR ADJUSTMENT SET	544				
13	W2COM6050	PLUG	26				
14	W3COM5038	THREADED BUSHING	216				
15	W2COM5000	AIR NIPPLE G1/4"	51				
17	W2COM2006	FLUID NEEDLE PACKING	16				
C	93005550	PACKING SET (3 pcs./1 pk.)	55				
D	W2KIT37	AIR VALVE SHAFT TIP SET (5 pcs./1 pk.)	67				
				OPTION AND ACCESSORIES			
				CODE	DESCRIPTION		SEK
				W2KIT55SV	CLEANING KIT		886
				93505910	UNIVERSAL SPANNER		116

SET OPTIONS & CONTENTS

CARTON BOX - A



LPH-80 (LVLP) - PREMIUM QUALITY

FEATURES



Premium Quality Spray Gun for Spot Repair applications. Specially designed for small repair jobs and hard-to-reach areas.

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G1/8"

model name	ø mm	cap	bar*	ml/min	NI/min	mm (in)
LPH-80 - 044G	0.4	E4	1.0	10	60	55
LPH-80 - 064G	0.6			30		80
LPH-80 - 084G	0.8			45		100
LPH-80 - 104G	1.0			60		130
LPH-80 - 124G	1.2			75		140

*Suggested gun inlet pressure during spraying.



ORDER INFORMATION

	ø 0,4	ø 0,6	ø 0,8	ø 1,0	ø 1,2	SEK
LPH-80 - (with 250 ml +70 ml CUPS)	131807071	131807171	131807471	131807271	131807371	4 934
AIR CAP SET (E4)	93662600					1 186
FLUID NOZZLE SET	93570600	93568600	93761530	93560600	93760530	1 149
FLUID NEEDLE SET	93891600	93890600		93886600		488

SET OPTIONS & CONTENTS


CARTON BOX




SPARE PARTS



PCG-3P-1 250 ml GRAVITY CUP



PCG-1P-1 70 ml GRAVITY CUP



REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
1	see table on left page	AIR CAP SET		20	03162890	TRIGGER	181
4	see table on left page	FLUID NOZZLE SET		21	03912030	E STOPPER (2 pcs./1 pk.)	51
5	see table on left page	FLUID NEEDLE SET		22	W2COM6163	BRUSHES (5 pcs./1 pk.)	159
2	03558600	AIR CAP PACKING	44	23	13678980	PCG-1P-1 GRAVITY CUP 70 ml + NON DRIP SET	269
3	93559601	AIR CAP COVER	227	D	W2KIT52	NON DRIP SET (3 pcs./1 pk.)	101
7	93940890	NEEDLE PACKING SET	302	24	VPE250	PCG-3P-1 GRAVITY CUP 250 ml	211
8-1	93753530	FLUID NIPPLE	619				
8-2	03660300	AIR NIPPLE	127				
9	93748530	PATTERN ADJ. SET	556				
10	03912880	AIR VALVE SEAT SET	503				
10-1	06638005	O'RING	22				
11	03011880	AIR VALVE SEAT SCREW	74				
12	03013880	AIR VALVE	236				
13	03012880	AIR VALVE SPRING	52				
14	03936880	FLUID ADJ. GUIDE SET	503				
15	03015880	FLUID NEEDLE SPRING	110				
16	93754530	FLUID ADJ. KNOB	128				
17	03006880	AIR VALVE SHAFT	193				
18	93845531	AIR ADJ. SET	544				
19	03167890	TRIGGER STUD	82				

OPTION AND ACCESSORIES

CODE	DESCRIPTION	SEK
W2KIT55SV	CLEANING KIT	886
W2COM6191	REPAIRING KIT 3 (includes: air valve seat set, air valve, air valve spring, fluid needle spring, air valve shaft, fluid adj. guide set, trigger stud, e stopper, needle packing cartridge).	1 694
93280881	SPANNER for LPH-80	237



AZ4 HTE-S IMPACT JUNIOR - HIGH QUALITY

FEATURES



Standard Quality Spray Gun, ideal for both water and solvent base paints. Designed for Car Refinish application to achieve small and medium repairs on a vehicle body. Fine atomization.

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G1/4"


model name	ø mm	cap	bar*	ml/min	NI/min	mm (in)
AZ4 HTE-S	0.8	AZ4-1	1.0	50	105	120
	1.0			65		150
	1.2			80		160
	1.3	AZ4-2		2.5		140

*Suggested gun inlet pressure during spraying.



Impact Junior
200 ml
GRAVITY CUP

SPARE PARTS



PCG-2P-2
GRAVITY CUP
200 ml

ORDER INFORMATION

	ø 0,8	ø 1,0	ø 1,2	ø 1,3	SEK
AZ4 HTE-S with 200 ml CUP	13000710	13000720	13000730	13000740	1 926
AIR CAP SET (AZ4-1)		93003740		93003750	540
FLUID NOZZLE & NEEDLE SET	93004580	93004590	93004600	93004610	358

REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
1	see table on left page	AIR CAP SET		16	W0CUPAZ40IN	PCG-2P-2 GRAVITY CUP 200 ml	511
2+7	see table on left page	FLUID NOZZLE + FLUID NEEDLE SET		B	W2KIT07	NON DRIP SET (5pcs./1 pk.)	103
3	93842601	PATTERN ADJUSTMENT SET	597	E	W2KIT06	FILTER SET 50 Mesh (297µ) (5pcs./1 pk.)	310
4	W2010141000	FLUID NEEDLE ADJ. KNOB	31				
5	W2010140900	FLUID NEEDLE GUIDE	43				
6	W2010140800	FLUID NEEDLE SPRING	7				
8	W2COM3011	FLUID NEEDLE PACKING NUT	22				
9	W2COM6080	AIR VALVE SET	153				
9-1	W2010141700	AIR VALVE SPRING	20				
9-2	W2010130600	AIR VALVE	48				
9-3	W2010130500	AIR VALVE SEAT	79				
10	W2COM4001	TRIGGER STUD	16				
11	93003810	TRIGGER	68				
12	93845531	AIR ADJUSTMENT SET	544				
13	W2COM6050	PLUG	26				
14	W3COM5038	THREADED BUSHING	216				
15	W2COM5000	AIR NIPPLE G1/4"	51				
17	W2COM2006	FLUID NEEDLE PACKING	16				
C	93005550	PACKING SET (3 pcs./1 pk.)	55				
D	W2KIT37	AIR VALVE SHAFT TIP SET (5 pcs./1 pk.)	67				

OPTION AND ACCESSORIES

CODE	DESCRIPTION	SEK
W2KIT55SV	CLEANING KIT	886

SET OPTIONS & CONTENTS

CARTON BOX - A



AZ4 HTE-S Spray Gun
PCG-2P-2 CUP - 200 ml



W-400 CLASSIC PLUS - HIGH QUALITY

FEATURES



High Quality VOC-Compliant Professional Spray Gun for Car Refinish Basecoat applications. Fine atomization.

TECHNICAL DATA

• Air nipple: G1/4" • Fluid nipple: M16 x 1.5 mm

model name	ø mm	cap	bar*	ml/min	NI/min	mm (in)
W-400-082G	0.8	LV2	2.0	60	280	80
W-400-102G	1.0			95		150
W-400-122G	1.2			100		175
W-400-132G	1.3			160		225
W-400-142G	1.4			210		255
W-400-162G	1.6			240		270
W-400-182G	1.8	LV1	3.0	320	290	260
W-400-202G	2.0	R2		460	360	320
W-400-251G	2.5	W1		360	360	340

*Suggested gun inlet pressure during spraying.


Classic plus



SPARE PARTS



PCG-6 PE
GRAVITY CUP
600 ml



ORDER INFORMATION

	ø 0,8	ø 1,0	ø 1,2	ø 1,3	ø 1,4	SEK
W-400 PRO KIT	13241401P	13241402P	13241403P	13241404P	13241405P	6 152
AIR CAP SET (LV2)	93830610B					1 649
FLUID NOZZLE & NEEDLE SET	93889610	93890610	93891610	93881610	-	1 666
FLUID NOZZLE & NEEDLE SET	-	-	-	-	93831610	1 700

ORDER INFORMATION

	ø 1,6	ø 1,8	ø 2,0	ø 2,5	SEK
W-400 PRO KIT	13241406P	13241407P	13241408P	13241409P	6 152
AIR CAP SET	LV2 93830610B	LV1 93859611	R2 93814610B	W1 93813610B	1 649
FLUID NOZZLE & NEEDLE SET	93832610	-	-	-	1 666
FLUID NOZZLE & NEEDLE SET	-	93821610	93820610	93819610	1 700

SET OPTIONS & CONTENTS

PRO KIT
CARTON BOX



W-400 Classic Plus Spray Gun
PCG 6 PE CUP - 600 ml
Cleaning Brushes - Universal Spanner

REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
1	see table on left page	AIR CAP SET		21	03810620	NEEDLE PACKING SET	298
2-1+ 2-2	see table on left page	FLUID NOZZLE + FLUID NEEDLE SET ø 0,8 - ø 1,0 - ø 1,2 - ø 1,3 - ø 1,6		19	W2COM6163	BRUSHES (5 pcs./1 pk.)	159
2-1+ 2-2	see table on left page	FLUID NOZZLE + FLUID NEEDLE SET ø 1,4 - ø 1,8 - ø 2,0 - ø 2,5		20	930171A0	UNIVERSAL SPANNER	118
5-1	03660300	AIR NIPPLE	127	22	14011001	PCG-6-PE GRAVITY CUP 600 ml	709
5-2	93650531	FLUID NIPPLE	924	22-1	04002300	LID	153
6	93842601	PATTERN ADJ. SET	597	22-2	04003320	NON DRIP	34
7	03843530	AIR VALVE SEAT SET	341				
7-1	06638008	'O' RING	37				
8	03591530	AIR VALVE	233				
9	03719530	AIR VALVE SPRING	104				
10	93844532	FLUID ADJ. GUIDE SET	518				
11	03593530	FLUID NEEDLE SPRING	109				
12	93594532	FLUID ADJ. KNOB	205				
13	93935430	AIR VALVE SHAFT	187				
14	93845531	AIR ADJ. SET	544				
15	03667360	TRIGGER STUD	52				
16	03517600	TRIGGER	252				
17	03912030	E STOPPER (2 pcs./1 pk.)	51				
18	035155005	FILTER 60 Mesh (250µ) (5 pcs./1 pk.)	140				



OPTION AND ACCESSORIES

CODE	DESCRIPTION	SEK
03708240	AIR CAP PACKING (WHITE)	43
03512600	AIR CAP "L" PACKING (BLACK)	78
W2KIT555V	CLEANING KIT	886
W2COM6190	REPAIRING KIT 2 (includes: air valve seat set, air valve spring, fluid needle spring, fluid adj. guide set, air valve shaft, trigger stud, e stopper, needle packing cartridge).	1 658



2

LOW PRESSURE
SPRAY GUNS
- manual &
automatic



WS-200 SP - PREMIUM QUALITY

FEATURES



Premium Quality New Generation Pressure Spray Gun, special for industrial applications, is equipped with the exclusive Split Nozzle™ Technology.

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G3/8"

model name	ø mm	cap	bar*	ml/min	NI/min	mm (in)
WS-200SP-0801	0.8	WS-200SP-01	2.5	200	435	210
WS-200SP-1001	1.0			250		230
WS-200SP-1201	1.2			300		240
WS-200SP-1401	1.4			350		255
WS-200SP-1601	1.6			400		265
WS-200SP-1801	1.8					

*Suggested gun inlet pressure during spraying.

ORDER INFORMATION

	ø 0,8	ø 1,0	ø 1,2	ø 1,4	ø 1,6	ø 1,8	SEK
WS-200 SP SPRAY GUN	13000120	13000130	13000140	13000680	13000690	13000700	7 980
AIR CAP SET (WS-200 SP-01)	93001300						1 766
FLUID NOZZLE & NEEDLE SET	93007240	93007490	93007550	93007620	93007650	93007660	3 287


SET OPTIONS & CONTENTS

CARTON BOX



WS-200 SP Pressure Spray Gun
Universal Spanner
Cleaning Brushes

SPARE PARTS



<p>1-1 Air Cap Packing White Seals air cap to tightening nut</p>	<p>1-2 Air Cap Packing Transparent Seals air cap to gun body (transparent seal must be visible from the inside of the air cap)</p>	<p>TIPP Change always both air cap packings as a couple</p>	<p>13.1 Lock Fluid Adjustment*</p>	<p>7.1 Quick Fan Pattern Control*</p>	<p>7.2 Push Pull Pattern Adjustment Set*</p>	<p>7.3 Lock Pattern Adjustment*</p>	<p>19.1 Spanner For Lock Pattern Adjustment and Lock Fluid Adjustment</p>
---	---	--	---	--	---	--	--

REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
1	see left	AIR CAP SET WS-200SP-01		15	93001801	AIR ADJUSTMENT SET	567
1-1	93505330	AIR CAP PACKING (WHITE)	84	15-1	93625370	PLUG	337
1-2	93001330	AIR CAP PACKING (TRANSPARENT)	74	16	93001820	TRIGGER SET	297
2-1 + 2-2	see left	FLUID NOZZLE + NEEDLE SET WS-200SP		17	93001870	TRIGGER STUD	110
2-2	93001380	SPECIAL NEEDLE with TIP in DELRIN ø 0.8; 1.0; 1.2	1 611	18	93001960	HEX. SOCKET BUTTON BOLT	37
2-2	93005700	SPECIAL NEEDLE with TIP in DELRIN ø 1.4; 1.6; 1.8	1 611	19	930171A0	UNIVERSAL SPANNER	118
4	93007750	BAFFLE RING SET (BAFFLE RING + PACKING)	2 297	19-1	93003340	SPANNER for LOCK PATTERN ADJUSTMENT and for LOCK FLUID ADJUSTMENT	239
6	03810620	NEEDLE PACKING SET	298	20	W2COM6163	BRUSHES (5 pcs.)	159
7	93001561	PATTERN ADJUSTMENT	604		93005690	REPAIRING KIT WS-200 includes: Needle packing set ref. 6; Air valve seat set ref.8; Air valve ref.9; Air valve spring ref.10; Fluid adj. guide set ref.11; Needle spring ref. 12; Air valve shaft ref.14; Trigger stud ref.17; Hex. socket button bolt ref.18	1 826
7-1	93003300	QUICK PATTERN ADJUSTMENT (opt.)*	2 654	21	W2COM6162	TWISTED BRUSHES ø10 mm (5 pcs.)	157
7-2	93003270	PUSH PATTERN ADJUSTMENT (opt.)*	2 426	22	W2COM5052	PAINT TUBE 3/8" Stainless Steel (opt.)	745
7-3	93003240	LOCK PATTERN ADJUSTMENT (opt.)*	1 919	23	93001540	AIR NIPPLE G1/4"	127
8	93001640	AIR VALVE SEAT SET	355				
8-1	93001680	O RING	56				
9	93001690	AIR VALVE	225				
10	93001700	AIR VALVE SPRING	134				
11	93001710	FLUID ADJUSTMENT GUIDE SET	518				
12	93002820	NEEDLE SPRING SET	225				
12-1	93593530	NEEDLE SPRING	104				
12-2	93001760	NEEDLE SPRING PACKING	44				
13	93001780	FLUID ADJUSTMENT KNOB	219				
13-1	93003200	LOCK FLUID ADJUSTMENT (opt.)**	1 006				
14	93001790	AIR VALVE SHAFT	187				

OPTION AND ACCESSORIES

REF.	CODE	DESCRIPTION	SEK
	PJQ-03P	QUICK JOINT NIPPLE 3/8" IG	3 725
	PJQ-03S	QUICK JOINT 3/8" AG	5 730
	14375800	"L" ROTATING AIR HOSE JOINT	366



WS-200 FT - PREMIUM QUALITY

FEATURES



Premium Quality New Generation Pressure Spray Gun, special for industrial applications, is equipped with traditional Flat Tip Nozzle (Round nozzle) delivering high quality results.

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G3/8"

model name	ø mm	cap	bar*	ml/min	NI/min	mm (in)
WS-200FT-0801	0.8	WS-200FT-01	2.5	200	380	240
WS-200FT-1001	1.0					210
WS-200FT-1201	1.2					240
WS-200FT-1401	1.4					240
WS-200FT-1601	1.6					240
WS-200FT-1801	1.8	WS-200FT-02	3.0	300	475	215
WS-200FT-0802	0.8					250
WS-200FT-1002	1.0					250
WS-200FT-1202	1.2					255
WS-200FT-1402	1.4					270
WS-200FT-1601	1.6					270
WS-200FT-1802	1.8					285

*Suggested gun inlet pressure during spraying.

ORDER INFORMATION

	ø 0,8	ø 1,0	ø 1,2	ø 1,4	ø 1,6	ø 1,8	SEK
WS-200FT-01 SPRAY GUN	13000150	13000160	13000170	13000600	13000610	13000620	6 628
WS-200FT-02 SPRAY GUN	13000180	13000190	13000200	13000630	13000640	13000650	6 628
AIR CAP SET (WS-20FT-01)	93002070						1 649
AIR CAP SET (WS-20FT-02)	93002190						1 649
FLUID NOZZLE & NEEDLE SET	93002180	93002150	93002130	93003420	93003480	93003500	1 666

SET OPTIONS & CONTENTS


CARTON BOX



WS-200 FT Pressure Spray Gun
Universal Spanner
Cleaning Brushes



SPARE PARTS



1-1 Air Cap Packing White Seals air cap to tightening nut	1-2 Air Cap Packing Transparent Seals air cap to gun body (transparent seal must be visible from the inside of the air cap)	TIPP Change always both air cap packings as a couple	13.1 Lock Fluid Adjustment*	7.1 Quick Fan Pattern Control*	7.2 Push Pull Pattern Adjustment Set*	7.3 Lock Pattern Adjustment*	19.1 Spanner For Lock Pattern Adjustment and Lock Fluid Adjustment
--	--	--	---------------------------------------	--	---	--	--

REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
1	see left	AIR CAP SET WS-200FT-01 and WS-200FT-02		15	93001801	AIR ADJUSTMENT SET	567
1-1	93505330	AIR CAP PACKING (WHITE)	84	15-1	93625370	PLUG	337
1-2	93001330	AIR CAP PACKING (TRANSPARENT)	74	16	93001820	TRIGGER SET	297
2-1 + 2-2	see left	FLUID NOZZLE + NEEDLE SET WS-200FT		17	93001870	TRIGGER STUD	110
2-2	93001380	SPECIAL NEEDLE with TIP in DELRIN ø 0.8; 1.0; 1.2	1 611	18	93001960	HEX. SOCKET BUTTON BOLT	37
2-2	93005700	SPECIAL NEEDLE with TIP in DELRIN ø 1.4; 1.6; 1.8	1 611	19	930171A0	UNIVERSAL SPANNER	118
4	93007750	BAFFLE RING SET (BAFFLE RING + PACKING)	2 297	19-1	93003340	SPANNER for LOCK PATTERN ADJUSTMENT and for LOCK FLUID ADJUSTMENT	239
6	03810620	NEEDLE PACKING SET	298	20	W2COM6163	BRUSHES (5 pcs.)	159
7	93001561	PATTERN ADJUSTMENT	604	○	93005690	REPAIRING KIT WS-200 includes: Needle packing set ref. 6; Air valve seat set ref.8; Air valve ref.9; Air valve spring ref.10; Fluid adj. guide set ref.11; Needle spring ref. 12; Air valve shaft ref.14; Trigger stud ref.17; Hex. socket button bolt ref.18	1 826
7-1	93003300	QUICK PATTERN ADJUSTMENT (opt.)*	2 654				
7-2	93003270	PUSH PATTERN ADJUSTMENT (opt.)*	2 426				
7-3	93003240	LOCK PATTERN ADJUSTMENT (opt.)*	1 919				
8	93001640	AIR VALVE SEAT SET	355	21	W2COM6162	TWISTED BRUSHES ø10 mm (5 pcs.)	157
8-1	93001680	O RING	56	22	W2COM5052	PAINT TUBE 3/8" Stainless Steel (opt.)	745
9	93001690	AIR VALVE	225	23	93001540	AIR NIPPLE G1/4"	127
10	93001700	AIR VALVE SPRING	134				
11	93001710	FLUID ADJUSTMENT GUIDE SET	518				
12	93002820	NEEDLE SPRING SET	225				
12-1	93593530	NEEDLE SPRING	104				
12-2	93001760	NEEDLE SPRING PACKING	44				
13	93001780	FLUID ADJUSTMENT KNOB	219				
13-1	93003200	LOCK FLUID ADJUSTMENT (opt.)**	1 006				
14	93001790	AIR VALVE SHAFT	187				

OPTION AND ACCESSORIES

REF.	CODE	DESCRIPTION	SEK
	PJQ-03P	QUICK JOINT NIPPLE 3/8" IG	3 725
	PJQ-03S	QUICK JOINT 3/8" AG	5 730
	14375800	"L" ROTATING AIR HOSE JOINT	366



W-200 INTEGRA SP - HIGH QUALITY

FEATURES



W-200 INTEGRA



High Quality New Generation Pressure Spray Gun, born from the renewed design of previous W-200 version, it's the result of a perfect harmony between experience and technology, equipped with the exclusive Split Nozzle™ Technology is special for industrial applications.

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G3/8"

model name	ø mm	cap	bar*	ml/min	NI/min	mm (in)
W-200SP-08WB1P	0.8	WB1	2.0 ~ 2.5	200	425 ~ 531	360
W-200SP-10WB1P	1.0			250		380
W-200SP-12WB1P	1.2			300		390
W-200SP-14WB1P	1.4			350		390
W-200SP-08WBSP	0.8	WBS	2.0 ~ 2.5	200	463 ~ 578	310
W-200SP-10WBSP	1.0			250		320
W-200SP-12WBSP	1.2			300		330
W-200SP-14WBSP	1.4			350		340

*Suggested gun inlet pressure during spraying.

ORDER INFORMATION

	ø 0,8	ø 1,0	ø 1,2	ø 1,4	SEK
W-200 INTEGRA SPRAY GUN - WB1	130451A0	130452A0	130453A0	130454A0	6 898
W-200 INTEGRA SPRAY GUN - WBS	130455A0	130456A0	130457A0	130458A0	6 898
AIR CAP SET - WB1	93017310				1 766
AIR CAP SET - WBS	93017430				1 766
FLUID NOZZLE & NEEDLE SET	93012030	93012020	93012010	93017330	2 180

SET OPTIONS & CONTENTS

CARTON BOX




W-200 INTEGRA SP Pressure Spray Gun
Universal Spanner
Cleaning Brushes

SPARE PARTS



W-200 INTEGRA SP - FT



OPTIONS & ACCESSORIES:

LOCK FLUID ADJUSTMENT



QUICK FAN PATTERN ADJUSTMENT



SPANNER for Lock Fluid Adjustment & Lock Pattern Adjustment



"L" ROTATING AIR HOSE JOINT



LOCK PATTERN ADJUSTMENT



PUSH-PULL PATTERN ADJUSTMENT SET



FLUID TUBE 3/8" in Stainless Steel



REF.	CODE	DESCRIPTION	SEK
1	see left	AIR CAP SET (WB1 - WBS1)	
1-1	93017700	CAP COVER PACKING SET	136
1-2	93016870	AIR CAP RING Blue	583
2 + 2-1	see left	FLUID NOZZLE + NEEDLE SET	
3	03810620	NEEDLE PACKING SET	298
4	93011630	PATTERN ADJUSTMENT	543
5	93001640	AIR VALVE SEAT SET	355
6	93001690	AIR VALVE	225
7	93001700	AIR VALVE SPRING	134
8	93012630	FLUID ADJUSTMENT GUIDE SET	466
9	93002820	NEEDLE SPRING SET	225
10	93012650	FLUID ADJUSTMENT KNOB	186
11	93001790	AIR VALVE SHAFT	187
12	93012660	AIR ADJUSTMENT SET	491
13	93014500	TRIGGER SET	310
14	93013810	TRIGGER SET	96

OPTION AND ACCESSORIES

CODE	DESCRIPTION	REF.	SEK
W2COM6163	BRUSHES (5 PCS/1PK)	15	159
930171A0	UNIVERSAL SPANNER	16	118
930356A0	REPAIRING KIT includes: needle packing set (3), air valve seat set (5), air valve (6), air valve spring (7), fluid adj. guide set (8), needle spring set (9), air valve shaft (11), trigger stud set (14).		1 940
14375800	"L" ROTATING AIR HOSE JOINT		366
W-200-X1	QUICK FAN PATTERN ADJUSTMENT		2 560
93895611	PUSH-PULL PATTERN ADJUSTMENT SET		2 421
93018430	LOCK FLUID ADJUSTMENT		641
93018420	LOCK PATTERN ADJUSTMENT		1 336
93280082	SPANNER for Lock Fluid Adj. & Lock Pattern Adj.		85
W2COM5052	FLUID TUBE 3/8" Stainless Steel		745



W-200 INTEGRA FT - HIGH QUALITY

FEATURES



W-200 INTEGRA



High Quality New Generation Pressure Spray Gun, born from the renewed design of previous W-200 version, it's the result of a perfect harmony between experience and technology, equipped with traditional Flat Tip Nozzle, is special for industrial applications.

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G3/8"

model name	ø mm	cap	bar*	ml/min	NI/min	mm (in)
W-200FT-08LV2P	0.8	LV2	2.0 ~ 2.5	70	240 ~ 300	140
W-200FT-10LV2P	1.0			110		170
W-200FT-12LV2P	1.2			150		220
W-200FT-15LV2P	1.5			250		270
W-200FT-16LV2P	1.6			300		280
W-200FT-18LV2P	1.8			400		290
W-200FT-08G2P	0.8	G2P	3.0 ~ 3.5	500	500 ~ 583	400
W-200FT-10G2P	1.0					
W-200FT-12G2P	1.2					

*Suggested gun inlet pressure during spraying.

ORDER INFORMATION

	ø 0,8	ø 1,0	ø 1,2	ø 1,5	ø 1,6	ø 1,8	SEK
W-200 INTEGRA SPRAY GUN - LV2	130459A0	130460A0	130461A0	130463A0	130506A0	130507A0	5 275
W-200 INTEGRA SPRAY GUN - G2P	130464A0	130465A0	130466A0	-	-	-	5 275
AIR CAP SET - LV2	93017360						1 649
AIR CAP SET - G2P	93011670						1 649
FLUID NOZZLE & NEEDLE SET	93017270	93017280	93011570	93011680	93018270	93011730	1 666


SET OPTIONS & CONTENTS

CARTON BOX



W-200 INTEGRA FT Pressure Spray Gun
Universal Spanner
Cleaning Brushes

SPARE PARTS



OPTIONS & ACCESSORIES:

LOCK FLUID ADJUSTMENT



QUICK FAN PATTERN ADJUSTMENT



SPANNER for Lock Fluid Adjustment & Lock Pattern Adjustment



"L" ROTATING AIR HOSE JOINT



LOCK PATTERN ADJUSTMENT



PUSH-PULL PATTERN ADJUSTMENT SET



FLUID TUBE 3/8" in Stainless Steel



REF.	CODE	DESCRIPTION	SEK
1	see left	AIR CAP SET (LV2)	
1	see left	AIR CAP SET (G2P)	
1-1	93017700	CAP COVER PACKING SET	136
1-2	93011560	AIR CAP RING Silver	543
2 + 2-1	see left	FLUID NOZZLE + NEEDLE SET	
3	03810620	NEEDLE PACKING SET	298
4	93011630	PATTERN ADJUSTMENT	543
5	93001640	AIR VALVE SEAT SET	355
6	93001690	AIR VALVE	225
7	93001700	AIR VALVE SPRING	134
8	93012630	FLUID ADJUSTMENT GUIDE SET	466
9	93002820	NEEDLE SPRING SET	225
10	93012650	FLUID ADJUSTMENT KNOB	186
11	93001790	AIR VALVE SHAFT	187
12	93012660	AIR ADJUSTMENT SET	491
13	93014500	TRIGGER SET	310
14	93013810	TRIGGER SET	96

OPTION AND ACCESSORIES

CODE	DESCRIPTION	REF.	SEK
W2COM6163	BRUSHES (5 PCS/1PK)	15	159
930171A0	UNIVERSAL SPANNER	16	118
930356A0	REPAIRING KIT includes: needle packing set (3), air valve seat set (5), air valve (6), air valve spring (7), fluid adj. guide set (8), needle spring set (9), air valve shaft (11), trigger stud set (14).		1 940
14375800	"L" ROTATING AIR HOSE JOINT		366
W-200-X1	QUICK FAN PATTERN ADJUSTMENT		2 560
93895611	PUSH-PULL PATTERN ADJ. SET		2 421
93018430	LOCK FLUID ADJUSTMENT		641
93018420	LOCK PATTERN ADJUSTMENT		1 336
93280082	SPANNER for Lock Fluid Adj. & Lock Pattern Adj.		85
W2COM5052	FLUID TUBE 3/8" Stainless Steel		745



W-200 INTEGRA SP - HIGH QUALITY

FEATURES



W-200 INTEGRA



High Quality New Generation Suction Spray Gun, born from the renewed design of previous W-200 version, it's the result of a perfect harmony between experience and technology, equipped with the exclusive Split Nozzle™ Technology is special for industrial applications.

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G3/8"

model name	ø mm	cap	bar*	ml/min	NI/min	mm (in)
W-200SP-16WB2S	1.6	WB2	2.0 ~ 2.5	170	480	315
W-200SP-18WB2S	1.8			200	538	330

*Suggested gun inlet pressure during spraying.

ORDER INFORMATION

	ø 1,6	ø 1,8	SEK
W-200 INTEGRA - Spray Gun Only	130471A0	130472A0	6 898
W-200 INTEGRA - With PCL-10B3 Cup	130478A0	130479A0	8 023
AIR CAP SET - WB2	93017460		1 766
FLUID NOZZLE & NEEDLE SET	93017480	93017490	2 180


SET OPTIONS & CONTENTS

CARTON BOX - A



W-200 INTEGRA SP
Suction Spray Gun
PCL-10B3 CUP - 1L

SPARE PARTS



OPTIONS & ACCESSORIES:

LOCK FLUID ADJUSTMENT



QUICK FAN PATTERN ADJUSTMENT



SPANNER for Lock Fluid Adjustment & Lock Pattern Adjustment



"L" ROTATING AIR HOSE JOINT



LOCK PATTERN ADJUSTMENT



PUSH-PULL PATTERN ADJUSTMENT SET



REF.	CODE	DESCRIPTION	SEK
1	see left	AIR CAP SET (WB2)	
1-1	93017700	CAP COVER PACKING SET	136
1-2	93016870	AIR CAP RING Blue	583
2 + 2-1	see left	FLUID NOZZLE + NEEDLE SET	
3	03810620	NEEDLE PACKING SET	298
4	93011630	PATTERN ADJUSTMENT	543
5	93001640	AIR VALVE SEAT SET	355
6	93001690	AIR VALVE	225
7	93001700	AIR VALVE SPRING	134
8	93012630	FLUID ADJUSTMENT GUIDE SET	466
9	93002820	NEEDLE SPRING SET	225
10	93012650	FLUID ADJUSTMENT KNOB	186
11	93001790	AIR VALVE SHAFT	187
12	93012660	AIR ADJUSTMENT SET	491
13	93014500	TRIGGER SET	310
14	93013810	TRIGGER SET	96

OPTION AND ACCESSORIES

CODE	DESCRIPTION	REF.	SEK
W2COM6163	BRUSHES (5 PCS/1PK)	15	159
930171A0	UNIVERSAL SPANNER	16	118
14018621	PCL 10 B3 SUCTION CONTAINER 1 litre		1 124
930356A0	REPAIRING KIT includes: needle packing set (3), air valve seat set (5), air valve (6), air valve spring (7), fluid adj. guide set (8), needle spring set (9), air valve shaft (11), trigger stud set (14).		1 940
14375800	"L" ROTATING AIR HOSE JOINT		366
W-200-X1	QUICK FAN PATTERN ADJUSTMENT		2 560
93895611	PUSH-PULL PATTERN ADJ. SET		2 421
93018430	LOCK FLUID ADJUSTMENT		641
93018420	LOCK PATTERN ADJUSTMENT		1 336
93280082	SPANNER for Lock Fluid Adj. & Lock Pattern Adj.		85



W-200 INTEGRA FT - HIGH QUALITY

FEATURES



W-200 INTEGRA



High Quality New Generation Suction Spray Gun, born from the renewed design of previous W-200 version, it's the result of a perfect harmony between experience and technology, equipped with traditional Flat Tip Nozzle, is special for industrial applications.

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G3/8"

model name	ø mm	cap	bar*	ml/min	NI/min	mm (in)
W-200FT-14S	1.4	LV2	2.0 ~ 2.5	240	240 ~ 300	260
W-200FT-15S	1.5	K2		290	220 ~ 275	290
W-200FT-18S	1.8			350	240 ~ 300	290
W-200FT-20S	2.0	R2		440		280
W-200FT-25S	2.5	W1				

*Suggested gun inlet pressure during spraying.

ORDER INFORMATION

	ø 1,4	ø 1,5	ø 1,8	ø 2,0	ø 2,5	SEK
W-200 INTEGRA - Spray Gun Only	130473A0	130474A0	130475A0	130476A0	130477A0	5 275
W-200 INTEGRA - With PCL-10B3 Cup	130480A0	130481A0	130482A0	130483A0	130484A0	6 087
AIR CAP SET	LV2 93017360	K2 93011710		R2 93011790	W1 93011820	1 649
FLUID NOZZLE & NEEDLE SET	93017370	93011680	93011730	93011740	93011810	1 666


SET OPTIONS & CONTENTS

CARTON BOX - A



W-200 INTEGRA FT
Suction Spray Gun
PCL-10B3 CUP - 1L

SPARE PARTS



OPTIONS & ACCESSORIES:

LOCK FLUID ADJUSTMENT



QUICK FAN PATTERN ADJUSTMENT



SPANNER for Lock Fluid Adjustment & Lock Pattern Adjustment



"L" ROTATING AIR HOSE JOINT



LOCK PATTERN ADJUSTMENT



PUSH-PULL PATTERN ADJUSTMENT SET



REF.	CODE	DESCRIPTION	SEK
1	see left	AIR CAP SET (LV2 - K2 - R2 - W1)	
1-1	93017700	CAP COVER PACKING SET	136
1-2	93011560	AIR CAP RING Silver	543
2 + 2-1	see left	FLUID NOZZLE + NEEDLE SET	
3	03810620	NEEDLE PACKING SET	298
4	93011630	PATTERN ADJUSTMENT	543
5	93001640	AIR VALVE SEAT SET	355
6	93001690	AIR VALVE	225
7	93001700	AIR VALVE SPRING	134
8	93012630	FLUID ADJUSTMENT GUIDE SET	466
9	93002820	NEEDLE SPRING SET	225
10	93012650	FLUID ADJUSTMENT KNOB	186
11	93001790	AIR VALVE SHAFT	187
12	93012660	AIR ADJUSTMENT SET	491
13	93014500	TRIGGER SET	310
14	93013810	TRIGGER SET	96

OPTION AND ACCESSORIES

CODE	DESCRIPTION	REF.	SEK
W2COM6163	BRUSHES (5 PCS/1PK)	15	159
930171A0	UNIVERSAL SPANNER	16	118
14018621	PCL 10 B3 SUCTION CONTAINER 1 litre		1 124
930356A0	REPAIRING KIT includes: needle packing set (3), air valve seat set (5), air valve (6), air valve spring (7), fluid adj. guide set (8), needle spring set (9), air valve shaft (11), trigger stud set (14).		1 940
14375800	"L" ROTATING AIR HOSE JOINT		366
W-200-X1	QUICK FAN PATTERN ADJUSTMENT		2 560
93895611	PUSH-PULL PATTERN ADJ. SET		2 421
93018430	LOCK FLUID ADJUSTMENT		641
93018420	LOCK PATTERN ADJUSTMENT		1 336
93280082	SPANNER for Lock Fluid Adj. & Lock Pattern Adj.		85



WIDER1 - HIGH QUALITY

FEATURES



Quality and experience are key points for the development of this new proposal for industrial coating applications. Suitable for different applications and evolving paints, this pressure model has been developed for best finish in the large surface.



TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G1/4"


model name	ø mm	cap	bar*	ml/min	NI/min	mm (in)
WIDER1-08E2P	0.8	E2P	3.0	150	270	190
WIDER1-10E2P	1.0			200		220
WIDER1-13E2P	1.3		2.5	250	220	210
WIDER1-15E2P	1.5					240

*Suggested gun inlet pressure during spraying.

ORDER INFORMATION

	ø 0,8	ø 1,0	ø 1,3	ø 1,5	SEK
WIDER1 CHROME Pressure Spray Gun	WIDER1-08E2P-M	WIDER1-10E2P-M	WIDER1-13E2P-M	WIDER1-15E2P-M	4 495
AIR CAP SET - E2P	93012200				1 273
FLUID NOZZLE & NEEDLE SET	93012390	93012430	93012350	93012460	1 244

SPARE PARTS



SET OPTIONS & CONTENTS

CARTON BOX



WIDER1 CHROME Pressure Spray Gun
Universal Spanner
Cleaning Brushes

REF.	CODE	DESCRIPTION	SEK	CODE	DESCRIPTION	REF.	SEK
1	see left	AIR CAP SET E2P		W2COM6163	BRUSHES (5 PCS/1PK)	15	159
1-1	93012170	AIR CAP COVER	564	930171A0	UNIVERSAL SPANNER	16	118
1-2	93017680	AIR CAP PACKING	141	930355A0	REPAIRING KIT includes: needle packing set (3), air valve seat set (5), air valve (6), air valve spring (7), fluid adj. guide set (8), needle spring set (9), air valve shaft (11), trigger stud set (14).		2 186
2 + 2-1	see left	FLUID NOZZLE + NEEDLE SET					
3	93765610	NEEDLE PACKING SET	310				
4	93012580	PATTERN ADJUSTMENT	558				
5	93001640	AIR VALVE SEAT SET	355				
6	93001690	AIR VALVE	225				
7	93001700	AIR VALVE SPRING	134				
8	93012630	FLUID ADJUSTMENT GUIDE SET	466				
9	93002820	NEEDLE SPRING SET	225				
10	93012650	FLUID ADJUSTMENT KNOB	186				
11	93001790	AIR VALVE SHAFT	187				
12	93012660	AIR ADJUSTMENT SET	491				
13	93013800	TRIGGER SET	301				
14	93013810	TRIGGER SET	96				



LW1-10E | LW1-18N EXTENSION NOZZLE GUN

FEATURES



Manual pressure extension nozzle spray gun based on the Wider1 series, is special for internal surfaces painting of pipes and other hard to reach surfaces. Its extensions length and its head angles are available in different sizes. Extension length 150/300 /500 mm - Head angles 0°/45°/90°.



TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G1/4"


model name	Head Angle mm	Air Pipe Length mm	ø mm	cap	bar*	ml/min	NI/min	mm (in)
LW1-10E - SPRAY DISTANCE 200 mm								
LW1-10E1-0015	0°	150	1.0	E1	3.0	150	90	175
LW1-10E1-4515	45°							
LW1-10E1-9015	90°							
LW1-10E1-0030	0°	300						
LW1-10E1-4530	45°							
LW1-10E1-9030	90°							
LW1-10E1-0050	0°	500						
LW1-10E1-4550	45°							
LW1-10E1-9050	90°							
LW1-18N - SPRAY DISTANCE 250 mm								
LW1-18N1-0015	0°	150	1.8	N1	3.5	250	210	185
LW1-18N1-4515	45°							
LW1-18N1-9015	90°							
LW1-18N1-0030	0°	300						
LW1-18N1-4530	45°							
LW1-18N1-9030	90°							
LW1-18N1-0050	0°	500						
LW1-18N1-4550	45°							
LW1-18N1-9050	90°							

*Suggested gun inlet pressure during spraying.


ORDER INFORMATION

LW1-10E	CODE	DESCRIPTION	SEK	LW1-18N	CODE	DESCRIPTION	SEK
ø 1.0 - E1	LW1-10E1-0015	EXTENSION NOZZLE GUN	12 926	ø 1.8 - N1	LW1-18N1-0015	EXTENSION NOZZLE GUN	14 151
	LW1-10E1-4515						
	LW1-10E1-9015						
	LW1-10E1-0030						
	LW1-10E1-4530						
	LW1-10E1-9030						
	LW1-10E1-0050						
LW1-10E1-4550							
LW1-10E1-9050							

SPARE PARTS



HOW TO READ MODEL NAMES



REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
1	93012230	AIR CAP SET E1	1 228	10	93001690	AIR VALVE	225
1	93012270	AIR CAP SET N1	1 228	11	93001700	AIR VALVE SPRING	134
2	93012450	FLUID NOZZLE 10 Nozzle size 1.0mm	1 191	12	93012630	FLUID ADJ GUIDE SET	466
2	93012490	FLUID NOZZLE 18 Nozzle size 1.8mm	1 191	13	93015380	FLUID NEEDLE ASSY 15 150 mm	2 820
3	93015200	AIR PIPE ASSY 0015 Angle 0°, length 150mm	7 482	13	93015370	FLUID NEEDLE ASSY 30 300 mm	3 034
3	93015210	AIR PIPE ASSY 0030 Angle 0°, length 300mm	7 482	13	93015390	FLUID NEEDLE ASSY 50 500 mm	3 101
3	93015230	AIR PIPE ASSY 0050 Angle 0°, length 500mm	7 482	14	93002820	NEEDLE SPRING SET	225
3	93015180	AIR PIPE ASSY 4515 Angle 45°, length 150mm	7 482	15	93012650	FLUID ADJ KNOB	186
3	93015170	AIR PIPE ASSY 4530 Angle 45°, length 300mm	7 482	16	93012660	AIR ADJ SET	491
3	93015190	AIR PIPE ASSY 4550 Angle 45°, length 500mm	7 482	17	93013800	TRIGGER SET	301
3	93015240	AIR PIPE ASSY 9015 Angle 90°, length 150mm	7 482	18	93013810	TRIGGER SET	96
3	93015250	AIR PIPE ASSY 9030 Angle 90°, length 300mm	7 482	19	93596610	FLUID NEEDLE GUIDE SPRING only for 500 mm needle	281
3	93015260	AIR PIPE ASSY 9050 Angle 90°, length 500mm	7 482	20	930171A0	UNIVERSAL SPANNER	118
4	96638004	O RING	30				
5	93835610	FLUID PIPE SET	3 527				
6	93765610	NEEDLE PACKING SET	310				
7	93625371	PLUG	524				
8	93001790	AIR VALVE SHAFT	187				
9	93001640	AIR VALVE SEAT SET	355				



TOF-50 | TOF-50R For mold release agents

FEATURES



TOF-50

Compact Mold Release Agent Spray Gun available in two versions with flat pattern (TOF-50) & with round pattern (TOF-50R). Ideal for release agents spraying in the Die Casting Molds, Rubber, Plastic Molds and Sport Shoes Sole Industry.



TOF-50
Flat Pattern

TECHNICAL DATA

Connection hose: Outside ø 6 mm - Inside ø 4 mm


model name	ø mm	cap	bar*	ml/min	NI/min	mm (in)
TOF-50 with FLAT PATTERN						
TOF-50-022P	0.2	E2	1.0	20	50	120
TOF-50-032P	0.3			50		140
TOF-50-042P	0.4			130		150
TOF-50-062P	0.6			180		
TOF-50-082P	0.8			220		
TOF-50-102P	1.0			280		
TOF-50-122P	1.2	350	180			
TOF-50-142P	1.4	E5	1.5	500	65	230
TOF-50R with ROUND PATTERN						
TOF-50R-022P	0.2	1	0.5	20	20	40
TOF-50R-032P	0.3		1.0	30	70	
TOF-50R-042P	0.4		1.5	40		
TOF-50R-062P	0.6		2.0	50		
TOF-50R-082P	0.8		2.5	55		
TOF-50R-102P	1.0		3.5	75	80	
TOF-50R-122P	1.2	2	3.5	350	75	80
TOF-50R-142P	1.4			500		

*Suggested gun inlet pressure during spraying.

ORDER INFORMATION

	ø 0,2	ø 0,3	ø 0,4	ø 0,6	ø 0,8	ø 1,0	ø 1,2	ø 1,4	REF.	SEK
TOF-50 FLAT PATTERN	13608920	13608940	13608880	13608860	13608960	13608980	13609000	13609120	-	3 623
TOF-50R ROUND PATTERN	13609040	13609050	13609060	13609070	13609080	13609090	13609100	13609110	-	3 623
AIR CAP SET - TOF-50	93557600							93021960	1	1 186
AIR CAP SET - TOF-50R	93030380							93021970	1-2	1 128
FLUID NOZZLE & NEEDLE	93030930	93031220	93030820	93030780	93030990	93031040	93031120	93031170	5 + 5-1	1 319

SPARE PARTS




REF.	CODE	DESCRIPTION	SEK
2	see left	AIR CAP SET	
2-1	see left	AIR CAP SET (Round Pattern)	
5 + 5-1	see left	NOZZLE + NEEDLE SET	
3	03558600	AIR CAP PACKING	44
4	93559601	AIR CAP COVER	227
4-1	93030370	CAP GUARD	576
6	93030411	NEEDLE PACKING SET	385
9	93030800	PISTON ASSY	673
9-1	96997086	'O' RING	252
9-2	96997085	'O' RING	141
10	93030630	FLUID NEEDLE SPRING	116
11	93030640	PISTON SPRING	116
12	93030810	FLUID ADJ. ASSY	922
13	96361061	HEXAGON NUT	22
14	93030710	PATTERN ADJ. SET	576
15	9MS-5H-6	HOSE NIPPLE	289
17	93030660	TRIGGER STUD	88
18	93030651	TRIGGER	483
19	96612025	E STOPPER	35
20	93030591	PUSHING BAR	289
25	96612050	E STOPPER	59
26	W2COM6163	BRUSHES (5 pcs./1 pk.)	159
27	96991305	HEXAGON WRENCH	59
22 Opt.	93018920	HOOK SET	289
28 Opt.	93027880	PLUG	230



AZ1 HTE 2P - STANDARD QUALITY

FEATURES



Pressure spray gun with new designed air caps from Air Gunsa, develop a long and tulip shaped spray pattern with an extra fine particle distribution and very little overspray. Flat and long spray pattern, even spraying heavy materials. Ideal for commercial vehicle refinishing and Industrial applications.

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G3/8"

model name	Ø mm	cap	bar*	ml/min	NI/min	mm (in)
AZ1 HTE 2P PRESSURE LONG PATTERN	1.0	HTE-P2	2.5	400	416	390
	1.3					400
	1.5 - 1.8 - 2.0	HTE-P3				410
	2.5 - 3.0 - 3.5					333

*Suggested gun inlet pressure during spraying.

ORDER INFORMATION

	Ø 1,0	Ø 1,3	Ø 1,5	Ø 1,8	SEK
AZ1 HTE 2P- Long Pattern	W0SPG73AG10C	W0SPG73AG13C	W0SPG73AG15C	W0SPG73AG18C	1 813
AIR CAP SET - Long Pattern	W2CAP73AG13				752
FLUID NOZZLE & NEEDLE	W2ADU72AG10	W2ADU72AG13	W2ADU72AG15	W2ADU72AG18	621

ORDER INFORMATION

	Ø 2,0	Ø 2,5	Ø 3,0	Ø 3,5	SEK
AZ1 HTE 2P- Long Pattern	W0SPG73AG20C	W0SPG73AG25C	W0SPG73AG30C	W0SPG73AG35C	1 813
AIR CAP SET - Long Pattern	W2CAP73AG13	W2CAP70AG25			752
FLUID NOZZLE & NEEDLE	W2ADU72AG20	W2ADU72AG25	W2ADU72AG30	W2ADU72AG35	621


SET OPTIONS & CONTENTS

CARTON BOX



AZ1 HTE 2P Spray Gun
Universal Spanner

SPARE PARTS



REF.	CODE	DESCRIPTION	QTY.	SEK	REF.	CODE	DESCRIPTION	QTY.	SEK
1	see table on left page	AIR CAP SET			E	W2KIT43	FILTER SET	(5 pcs./1pk)	165
2+9	see table on left page	FLUID NOZZLE + NEEDLE SET			F	W2KIT42	LID PACKING SET	(2 pcs./1pk)	63
3	W3COM3052	NOZZLE HOLDER		322	20	930171A0	UNIVERSAL SPANNER		118
5	93842601	PATTERN ADJUSTMENT SET		597					
6	W2010141000	FLUID NEEDLE ADJ. KNOB		31					
7	W2010140900	FLUID NEEDLE GUIDE		43					
8	W2010140800	FLUID NEEDLE SPRING		7					
10	W2010140600	FLUID NEEDLE PACKING NUT		16					
11	W2010120100	AIR VALVE SET		139					
11-1	W2010141700	AIR VALVE SPRING		20					
11-2	W2010130600	AIR VALVE		48					
11-3	W2010130500	AIR VALVE SEAT		79					
12	W2COM4001	TRIGGER STUD		16					
13	W2COM6051	TRIGGER		62					
14	93845531	AIR ADJUSTMENT SET		544					
15	W2COM5048	FLUID NIPPLE G3/8"		31					
16	W2COM5004	SCREW		6					
16-1	W2COM6050	PLUG		26					
17	W2COM5000	AIR NIPPLE G1/4"		51					
19	W2COM5052	PAINT TUBE (OPTION)		745					
C	W2KIT56	PACKING SET	(3 pcs./1pk)	55					
D	W2KIT33	SLIDE RING SET	(10 pcs./1pk)	173					

OPTION AND ACCESSORIES

CODE	DESCRIPTION	SEK
W2KIT55SV	CLEANING KIT	886



AZ1 HTE 2S - STANDARD QUALITY

FEATURES



Suction spray gun with new designed air caps from Air Gunsa, develop a long and tulip shaped spray pattern with an extra fine particle distribution and very little overspray. Flat and long spray pattern, even spraying heavy materials. Ideal for commercial vehicle refinishing and Industrial applications.

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G3/8"

model name	ø mm	cap	bar*	ml/min	NI/min	mm (in)
AZ1 HTE 2S SUCTION	1.0	HTE-P0	2.5	66	184	170
	1.3			80		190
	1.5			113		200
	1.8			154		220
	2.0	HTE-P3		169	230	
	2.5			167	250	
	3.0			205	290	
	3.5			217	300	

*Suggested gun inlet pressure during spraying.

ORDER INFORMATION

	ø 1,0	ø 1,3	ø 1,5	ø 1,8	SEK
AZ1 HTE 2S with 1lt. CUP	W0SPG70AG10C	W0SPG70AG13C	W0SPG70AG15C	W0SPG70AG18C	2 209
AIR CAP SET	W2CAP70AG13				752
FLUID NOZZLE & NEEDLE	W2ADU83AG10	W2ADU83AG13	W2ADU83AG15	W2ADU83AG18	561

ORDER INFORMATION

	ø 2,0	ø 2,5	ø 3,0	ø 3,5	SEK
AZ1 HTE 2S with 1lt. CUP	W0SPG70AG20C	W0SPG70AG25C	W0SPG70AG30C	W0SPG70AG35C	2 209
AIR CAP SET	W2CAP70AG13	W2CAP70AG25			752
FLUID NOZZLE & NEEDLE	W2ADU83AG20	W2ADU83AG25	W2ADU83AG30	W2ADU83AG35	561


SET OPTIONS & CONTENTS

CARTON BOX



AZ1 HTE 2S Spray Gun
AG-1 Suction Container 1lt.
Universal Spanner

SPARE PARTS



REF.	CODE	DESCRIPTION	QTY.	SEK	REF.	CODE	DESCRIPTION	QTY.	SEK
1	see table on left page	AIR CAP SET			18	04006100	AG-1 CONTAINER SET	1 lt.	522
2+9	see table on left page	FLUID NOZZLE + NEEDLE SET			18-1	04006110	LID SET		252
3	W3COM3052	NOZZLE HOLDER		322	18-2	04006130	CONTAINER 1 lt.		282
5	93842601	PATTERN ADJUSTMENT SET		597	18-3	04010000	SUCTION TUBE		64
6	W2010141000	FLUID NEEDLE ADJ. KNOB		31	E	W2KIT43	FILTER SET	(5 pcs./1pk)	165
7	W2010140900	FLUID NEEDLE GUIDE		43	F	W2KIT42	LID PACKING SET	(2 pcs./1pk)	63
8	W2010140800	FLUID NEEDLE SPRING		7	20	930171A0	UNIVERSAL SPANNER		118
10	W2010140600	FLUID NEEDLE PACKING NUT		16					
11	W2010120100	AIR VALVE SET		139					
11-1	W2010141700	AIR VALVE SPRING		20					
11-2	W2010130600	AIR VALVE		48					
11-3	W2010130500	AIR VALVE SEAT		79					
12	W2COM4001	TRIGGER STUD		16					
13	W2COM6051	TRIGGER		62					
14	93845531	AIR ADJUSTMENT SET		544					
15	W2COM5048	FLUID NIPPLE G3/8"		31					
16	W2COM5004	SCREW		6					
16-1	W2COM6050	PLUG		26					
17	W2COM5000	AIR NIPPLE G1/4"		51					
C	W2KIT56	PACKING SET	(3 pcs./1pk)	55					
D	W2KIT33	SLIDE RING KIT	(10 pcs./1pk)	173					

OPTION AND ACCESSORIES

CODE	DESCRIPTION	SEK
W2KIT55SV	CLEANING KIT	886



WA-200SP INTEGRA | WA-200FT INTEGRA | ZP2-A

SPARE PARTS



FULL SIZE AUTOMATIC SPRAY GUN

FEATURES




WA-200FT INTEGRA full size automatic spray gun series represents the updating of the WA-200 series of which it maintains features such as high reliability and vast field of applications in the industrial sectors, optimizing some details of regulation and construction in general. It satisfies all the new application requirements on automatic lines or robots for wood, plastic, metal and leather surfaces. The WA-200SP INTEGRA version, equipped with the exclusive Split Nozzle™ Pre-atomization Technology, is specific for the application of water-based paints. The ZP2-A is the updated version of the WA-200 ZP specific for coatings with abrasive materials such as ceramic.

TECHNICAL DATA


- Trigger Air Inlet "CYL": ø 6 or G1/4" • Atomize Air Inlet "CAP": ø 8 or G1/4"
- WA-200FT INTEGRA / WA-200SP INTEGRA Material (Fluid) Inlet: G1/4" • ZP2-A Material (Fluid) Inlet: G3/8"

model name	ø mm	air cap	bar*	ml/min	NI/min	mm (in)
WA-200SP-08WB1P	0.8	WB1	1.6	200	340	360
WA-200SP-10WB1P	1.0					
WA-200SP-12WB1P	1.2					
WA-200SP-14WB1P	1.4					
WA-200SP-16WB1P	1.6					
WA-200FT-06LV2	0.6	LV2	2.0	255	270	280
WA-200FT-08LV2	0.8					
WA-200FT-10LV2	1.0					
WA-200FT-12LV2	1.2					
WA-200FT-15LV2	1.5					
WA-200FT-08G2P	0.8	G2P	3.0	500	530	400
WA-200FT-10G2P	1.0					
WA-200FT-12G2P	1.2					
WA-200FT-15K2	1.5					
WA-200FT-20R2	2.0					
WA-200FT-25W1	2.5	W1	3.4	400	360	320
ZP2-A20	2.0			500	330	330
ZP2-A25	2.5	ZP2-R1Z	3.4	760	500	380

*Suggested gun inlet pressure during spraying.



SYSTEM DIAGRAM



DIMENSIONS

ALL MODELS	A	B	C	D*	E	F
	30.5	46.5	89	160	36	77.5

WA-200SP INTEGRA FULL SIZE AUTOMATIC SPRAY GUN (WB version)

ORDER INFORMATION	ø 0,8	ø 1,0	ø 1,2	ø 1,4	ø 1,6	SEK
WA-200SP WB1	130699A0	130700A0	130701A0	130702A0	130703A0	9 835
AIR CAP SET - WB1						1 766
FLUID NOZZLE & FLUID NEEDLE	93021860	93021870	93021920	93021930	93021950	3 108

WA-200FT INTEGRA FULL SIZE AUTOMATIC SPRAY GUN

ORDER INFORMATION	ø 0,6	ø 0,8	ø 1,0	ø 1,2	ø 1,5	ø 2,0	ø 2,5	SEK
WA-200FT (LV2)	130784A0	130691A0	130692A0	130693A0	130694A0			10 010
AIR CAP SET - LV2								1 613
FLUID NOZZLE & FLUID NEEDLE	93022800	93021790	93021800	93013570	93013630			1 770
	ø 0,8	ø 1,0	ø 1,2	ø 1,5	ø 2,0	ø 2,5	SEK	
WA-200FT (G2P/K2/R2/W1)	130685A0	130686A0	130687A0	130688A0	130689A0	130690A0	8 655	
AIR CAP SET - G2P	G2P 93021240			-	-	-	1 692	
AIR CAP SET - K2 / R2 / W1	-			K2 93021810	R2 93021820	W1 93021840	1 663	
FLUID NOZZLE & FLUID NEEDLE	93021790	93021800	93013570	93013630	93013640	93013670	1 770	

ZP2-A FULL SIZE CERAMIC AUTO SPRAY GUN

ORDER INFORMATION	ø 2,0	ø 2,5	SEK
ZP2-A	130786A0	130787A0	14 366
AIR CAP SET - ZP2-R1Z	93018540		7 338
FLUID NOZZLE & FLUID NEEDLE	93022020	93022130	9 775

REF.	CODE	DESCRIPTION	SEK
1	see left	AIR CAP SET WB1	
1	see left	AIR CAP SET LV2 - G2P - K2 - R2 - W1	
1	see left	AIR CAP SET G2P	
1	see left	AIR CAP SET ZP2-R1Z	
1-1	93016870	AIR CAP RING (Blue) WA-200 SP WB	583
1-1	93021270	AIR CAP RING (Chrome) WA-200 INTEGRA	747
1-2	93017700	AIR CAP PACKING	136
2-1 + 2-2	see left	FLUID NOZZLE + FLUID NEEDLE SET (WA-200SP)	
2-1 + 2-2	see left	FLUID NOZZLE + FLUID NEEDLE SET (WA-200 INTEGRA)	
2-1 + 2-2	see left	FLUID NOZZLE + FLUID NEEDLE SET (ZP2-A)	
3-1	93502621	AIR NIPPLE G 1/4"	198
4	93021700	PATTERN ADJUSTMENT SET	629
5	93013700	AIR VALVE SEAT SET	1 141
5-1	93849620	'O' RING SET	216
6-1	93511580	PISTON	898
6-2	93903441	"Y" PISTON PACKING SET (2 pcs./1 pk.)	361
7	93514580	NEEDLE SPRING	82
8	93513580	PISTON SPRING	104

REF	CODE	DESCRIPTION	SEK
9	93021750	FLUID ADJUSTMENT SET	2 400
10	93811580	FIXING BOLT	407
11	93810620	NEEDLE PACKING SET	298
12	93013510	PROTECTION COVER	275
15	96802000	HALF UNION ø 6 mm (for "CYL")	189
16	96802001	HALF UNION ø 8 mm (for "CAP")	189
	W2COM6163	BRUSHES (5 pcs./ 1pk.)	159
	930171A0	UNIVERSAL SPANNER	118



WA-M220 SERIES

FEATURES



Premium Quality Automatic Spray Gun equipped with the exclusive Split Nozzle™ Technology. High air atomization thanks to the latest air caps developed by ANEST IWATA. Capable to spraying the most difficult water-based and solvent-based materials with reduced overspray. Significant reduction in downtime, thanks to the quick disconnection and connection system. Ideal to be installed in different application lines such as: special machines, rotary machines and robotics and other automatic installations. Available with small atomizer.

TECHNICAL DATA

• Air & Fluid Manifold Connection: Rc 1/8"

model name	ø mm	cap	bar*	ml/min	NI/min	mm (in)
WA-M220 with STANDARD VERSION (without MANIFOLD)						
WA-M220	0.4 - 0.6 - 0.8 - 1.0 - 1.2	LV2	2.4	100	360	155
WA-M220	0.4 - 0.6 - 0.8 - 1.0 - 1.2 1.5 - 1.6	GP2	2.4	500	530	400
WA-M220 WB WATER BASED VERSION (without MANIFOLD)						
WA-M220 WB-081	0.8	WB1	1.5	200	340	300
WA-M220 WB-101	1.0			250		320
WA-M220 WB-121	1.2			300		330
WA-M220 WB-141	1.4			340		340
WA-M220 WB-161	1.6			350		350
WA-M220 L with SMALL SIZED ATOMIZER (without MANIFOLD)						
WA-M220-L044	0.4	E4	0.8	10	60	55
WA-M220-L064	0.6			30		80
WA-M220-L084	0.8			45		100
WA-M220-L104	1.0			60		130
WA-M220-L124	1.2			75		140

*Suggested gun inlet pressure during spraying.

ORDER INFORMATION

	ø 0,4	ø 0,6	ø 0,8	ø 1,0	ø 1,2	ø 1,5	ø 1,6	REF.	SEK	
WA-M220 (LV2) without MANIFOLD	13640320	13640330	13640060	13640070	13640080	-	-	-	12 244	
WA-M220 (G2P) without MANIFOLD	13640360	13640370	13640010	13640020	13640000	13640340	13640350	-	12 244	
AIR CAP SET - LV2	93006500						-	-	1	1 310
AIR CAP SET - G2P	93006460						-	-	1	1 673
FLUID NOZZLE & NEEDLE SET	93006850	93006860	93006660	93006670	93006650	93006680	93006870	2	1 512	
	ø 0,8	ø 1,0	ø 1,2	ø 1,4	ø 1,6	REF.				
WA-M220 WB without MANIFOLD	13640400	13640410	13640420	13640430	13640440	12 244				
AIR CAP SET - WB1	93006520						-	-	1	1 997
FLUID NOZZLE & NEEDLE SET	93006750	93006760	93006770	93006780	93006790	2				2 571
	ø 0,4	ø 0,6	ø 0,8	ø 1,0	ø 1,2	REF.				
WA-M220 L without MANIFOLD	13640551	13640561	13640571	13640581	13640591	-				16 197
AIR CAP SET - E4	93662600						-	-	1	1 186
FLUID NOZZLE & NEEDLE SET	93984890	93984900	93984910	93984920	93984930	2				2 888
AIR CAP CONVERSION KIT with Small Sized Atomizer for WA-M 220L	ø 0,4	ø 0,6	ø 0,8	ø 1,0	ø 1,2	REF.				
	93984830	93984840	93984850	93984860	93984870	21+21-1+1+2				5 155



WA-M220 with Manifold



WA-M220 L with Manifold and Small Atomizer



SPARE PARTS




EASY TO MAINTAIN

Simple quick disassembling from manifold
Fluid needle and air piston disassembled from rear of spray gun
Needle packing with automating compensation of wearing
Smooth stainless steel fluid passages to comply with all water based materials




EASY TO USE


No need to use solenoid valve: atomization & fan air close together with air piston
Quick air cap disassembly
Index (90°- 180°) air cap
16 position fluid needle adjustment



WA-M220L SMALL ATOMIZER



DIMENSIONS:



REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
21	93984880	AIR CAP COVER SET - WA-M220L	2 270	7	93565630	FLUID ADJUSTMENT SET	1 649
21-1	03512600	AIR CAP PACKING - WA-M220L	78	7-1	96666015	BALL	145
	13640800	MANIFOLD UNIT SET	4 497	7-2	03104420	FLUID ADJUSTMENT SPRING	135
3-1	06639506	'O' RING FOR FLUID BLOCK	152	8	93010400	FILLER NUT BLOCK	728
3-2	93570630	PLUG	346	9	03009680	WING BOLT SET	641
3-3	93570640	'O' RING (for plug)	127	10	03009690	WASHER	173
3-4	03810620	NEEDLE PACKING SET	298	11	03009620	PATTERN ADJ. SET	200
3-5	93008640	SPRAY GUN UNIT SEAL	333	13	03009580	TURN SHAFT WASHER	72
3-6	96365043	HEX SOCKET HEAD BOLT	196	14	W3COM2051	RETAINING RING	7
4	93008650	PISTON SET	2 690	15	03009640	MANIFOLD SEAL	19
4-1	03903440	PISTON PACKING SET (2 pcs./1 pk.)	361	16	W2COM6056	HEX. BOLT M8x10 INOX	6
4-2	96631005	'O' RING	37	17	W2COM6057	PLUG RC1/8" INOX	23
4-3	93008670	AIR VALVE	878	19	06172529	SCREW	15
5	03514580	NEEDLE SPRING	82	20	93625370	PLUG	337
6	03513580	PISTON SPRING	103				



TOF-5B | TOF-5RB | TOF-6B | TOF-6RB

FEATURES



TOF-5B/TOF-6B

The automatic mini-atomizers TOF Series have been designed to atomize liquids such as water, oil, ink, adhesives and other chemicals. The low overspray and the soft yet perfectly controllable fan pattern of this series make it possible to apply thinnest release agent films. This series is available with different options, with Standard or Round Patterns models, and with 2-ways or 3-ways versions.

TECHNICAL DATA

Air nipple: G 1/8" | Fluid nipple: G 1/8"

model name	ø mm	cap	ml/min	NI/min	FAN		ROUND	
TOF-5B/5RB TOF-6B/6RB	0.5	05	60	60	40	200	50	
TOF-5B/5RB TOF-6B/6RB	1.0	10	250	80	50	250	70	
TOF-5B/5RB TOF-6B/6RB	1.3	13	360	100	55	350	80	
TOF-5B/5RB TOF-6B/6RB	2.0	20	600	140	85	400	90	



TOF-5B & TOF-5RB
Simplified Model - 2-ways
TOF-6B & TOF-6RB
Standard Model 3-ways




TOF-5RB & TOF-6RB
With Round Pattern

ORDER INFORMATION

	ø 0,5	ø 1,0	ø 1,3	ø 2,0	REF.	SEK
TOF-5B AUTOMATIC SPRAY GUN	13608501	13608511	13608521	13608531		5 471
TOF-5RB AUTOMATIC SPRAY GUN	13608601	13608611	13608621	13608631		5 471
TOF-6B AUTOMATIC SPRAY GUN	13608551	13608561	13608571	13608581		6 047
TOF-6RB AUTOMATIC SPRAY GUN	13608651	13608661	13608671	13608681		6 047
AIR CAP SET TOF-5B/6B	93031982	93038982	93001982	93047982	1	1 228
AIR CAP SET TOF-5RB/6RB	93061982	93063982	93055982	93065982	1-2	1 297
FLUID NOZZLE & NEEDLE SET	93002800	93002710	93002600	93002750	2	1 981

SPARE PARTS



PREVIOUS



REF.	CODE	DESCRIPTION	SEK
4	93015980	O-RING SEAT	56
5	93195980	PISTON SPRING	79
6-1	93002650	PATTERN ADJ. SET	253
6-2	93057980	PLUG	167
7	93002671	HOLDER	434
8	03213981	HEXAGON NUT	123
9	96350612	BOLT	201
10	93023980	NIPPLE	163
11	96997085	O-RING	141
12	93024980	JAM NUT	215
13	93002680	FLUID ADJ. KNOB	361
14	93002660	SPRING	110

SPARE PARTS of PREVIOUS VERSION

6-1	93016980	PATTERN ADJUSTMENT SET	401
14	93028980	NUT	108
15	93030980	JOINT	115



SGA-3 SPECIAL PURPOSE

FEATURES



PAINT
SUPPLY
SYSTEM

LOW PRESSURE
PNEUMATIC
EQUIPMENTS

TECHNICAL DATA

Air nipple: G 1/4" | Fluid nipple: G 1/4"

model name	ø mm	cap	bar*	ml/min	NI/min	mm (in)
SGA-3	1.0	E1	2.5	95	80	250

*Suggested gun inlet pressure during spraying.

SGA-3


The automatic mini-atomizer SGA-3 for intermittent coating, has been designed to apply mold-release agent for metal mold castings and for applying mold-wash, anti-spatter agent, water, oil, paint, air-refresher and lubricant.

ORDER INFORMATION

CODE	DESCRIPTION	SEK
SGA-3	AUTOMATIC SPRAY GUN	4 610

KNURLING Air Cap **Design**

SPARE PARTS



REF.	CODE	DESCRIPTION	SEK
1	93014820	AIR CAP SET	1 565
2	93044980	FLUID NOZZLE	1 776
3	93902980	PACKING SET (2 pcs.)	283
4	94013152	JOINT	256
5	93091980	NUT	120
6	93220980	PISTON	294
7	93014810	FLUID ADJ. KNOB	714
8	93024980	JAM NUT	215
9	93120981	SPREAD ADJ. VALVE	173
10	93213981	HEXAGON NUT	120
11	93240981	BOLT	413
12	93060980	FLUID NEEDLE	259
13	93223980	SPRING	179
14	93248980	SPRING	97
15	93903980	O-RING (2 pcs.)	120
16	93093160	NEEDLE PACKING SEAT	188
17	93502540	BACK RING	48
18	96997085	O-RING	141



DPS-120 | DPS-90 | DPS-70 PUMP UNITS



FEATURES



Diaphragm Paint Pumps for low pressure applications are ideally suited to General Industry sector requirements. Fully pneumatic pump control with double spool air circuit. Available in different in 3 versions (Aluminium; Aluminium Anodized and Stainless Steel)

TECHNICAL DATA

	DDP-120B.TE	DDP-90F.TE	DDP-70B.TE	
Ratio	1:1			
Paint Filter	Delivery Paint Filter	100 mesh		
	Fluid Suction Filter	50 mesh		
Max. Working Pressure	7.0 bar (0.7 MPa)			
Working Temperature	5~40 °C			
Fluid Output	at 30 cyc./min.	4.5 lt./min	1.5 lt./min	--
	at 200cyc./min. max	30 lt./min	10 lt./min	6 LT
Paint Viscosity	85 sec./Ford#4		60 sec./Ford#4	

Our CONFIGURATIONS

Pump Unit
DDP-70B.TE
up to 6 l/min



Pump Unit
DDP-90F.TE
up to 10 l/min



Pump Unit
DDP-120B.TE
up to 30 l/min



On TANK Mount

On WALL Mount

DPS-70 - 2C.TE
DPS-90 - 2G.TE
DPS-120 - 2C.TE

DPS 70 - 4C.TE
DPS 90 - 4G.TE
DPS 120 - 4C.TE

PAINT PRESSURE REGULATORS



PR-5BL
14608200
for Aluminium Version

PR-5BL-WB
14608220
for Aluminium Anodized Version

PR-5BLN
14068210
for Stainless Steel Version

BENEFITS

- High quality construction
- Quick washing thanks to the reduction of dead volumes
- Available with stainless steel or aluminium paint connections
- With air regulator (for pump and gun)
- Suction pipe with paint filter
- Paint recirculation
- 1 over-pressure valve
- 1 ball valve with drain hole
- Compressed air circuit compliant with UNI EN 12621 safety standard



On STAND

On CART

On CART + HOPPER 6lt.

DPS 70 - 1C.TE
DPS 90 - 1G.TE
DPS 120 - 1C.TE

DPS 70 - 3C.TE
DPS 90 - 3G.TE
DPS 120 - 3C.TE

DPS 70 - 36C.TE
DPS 90 - 36G.TE
DPS 120 - 36C.TE

VERSIONS	DESCRIPTION	SEK	DESCRIPTION	SEK	DESCRIPTION	SEK
Versions DDP 70	Aluminium Version DDP-70B.TE (14068640)	7 244	Aluminium Version DPS-702C.TE (14069140)	17 163	Aluminium Version DPS-704C.TE (14069300)	16 285
	Stainless Steel Version DDP-70BN.TE (14068650)	12 674	Stainless Steel Version DPS-702CN.TE (14069150)	22 558	Stainless Steel Version DPS-704CN.TE (14069310)	22 086
	Aluminium Version DDP-90F.TE (14068660)	7 866	Aluminium Version DPS-902G.TE (14069080)	16 775	Aluminium Version DPS-904G.TE (14069240)	16 988
Versions DDP 90	Aluminium Anodized Version DDP-90F-WB.TE (14068680)	9 130	Aluminium Anodized Version DPS-902G-WB.TE (14069100)	18 317	Aluminium Anodized Version DPS-904G-WB.TE (14069260)	19 461
	Stainless Steel Version DDP-90FN.TE (14068670)	14 608	Stainless Steel Version DPS-902GN.TE (14069090)	22 499	Stainless Steel Version DPS-903GN.TE (14069250)	23 642
	Aluminium Version DDP-120B.TE (14068690)	9 906	Aluminium Version DPS-1202C.TE (14069110)	17 925	Aluminium Version DPS-1204C.TE (14069270)	18 226
Versions DDP 120	Aluminium Anodized Version DDP-120B-WB.TE (14068710)	11 378	Aluminium Anodized Version DPS-1202C-WB.TE (14069130)	19 443	Aluminium Anodized Version DPS-1204C-WB.TE (14069290)	24 439
	Stainless Steel Version DDP-120BN.TE (14068700)	19 517	Stainless Steel Version DPS-1202C.NTE (14069120)	25 749	Stainless Steel Version DPS-1204CN.TE (14069280)	26 894

DESCRIPTION	SEK	DESCRIPTION	SEK	DESCRIPTION	SEK
Aluminium Version DPS-701C.TE (14069060)	15 544	Aluminium Version DPS-703C.TE (14069220)	18 744	Aluminium Version DPS-7036C.TE (14069380)	20 652
Stainless Steel Version DPS-701CN.TE (14069070)	21 042	Stainless Steel Version DPS-703CN.TE (14069230)	24 627	Stainless Steel Version DPS-7036CN.TE (14069390)	26 496
Aluminium Version DPS-901G.TE (14069000)	16 192	Aluminium Version DPS-903G.TE (14069160)	19 113	Aluminium Version DPS-9036G.TE (14069320)	19 394
Aluminium Anodized Version DPS-901G-WB.TE (14069020)	18 539	Aluminium Anodized Version DPS-903G-WB.TE (14069180)	21 576	Aluminium Anodized Version DPS-9036G-WB.TE (14069340)	20 677
Stainless Steel Version DPS-901GN.TE (14069010)	22 483	Stainless Steel Version DPS-903GN.TE (14069170)	25 749	Stainless Steel Version DPS-9036GN.TE (14069330)	24 843
Aluminium Version DPS-1201C.TE (14069030)	17 322	Aluminium Version DPS-1203C.TE (14069190)	20 647	Aluminium Version DPS-12036C.TE (14069350)	20 647
Aluminium Anodized Version DPS-1201C-WB.TE (14069050)	19 597	Aluminium Anodized Version DPS-1203C-WB.TE (14069210)	22 634	Aluminium Anodized Version DPS-12036C-WB.TE (14069370)	22 634
Stainless Steel Version DPS-1201CN.TE (14069040)	25 443	Stainless Steel Version DPS-1203CN.TE (14069200)	25 749	Stainless Steel Version DPS-12036CN.TE (14069360)	28 786




DPS-120C | C-WB | CN - DPS-90G | G-WB | GN

SPARE PARTS




REF.	CODE	DESCRIPTION	FOR MODEL	SEK
PUMP UNIT CONFIGURATION ACCESSORIES (see next page for drawing reference)				
A	14608200	PAINT REGULATOR SET PR-5BL	for Aluminium	4 330
A	14608220	PAINT REGULATOR SET PR-5BL-WB	for Aluminium Anodized	5 396
A	14608210	PAINT REGULATOR SET PR-5BLN		7 547
C	94493020	PAINT FILTER SET		3 024
E	06859803	SWIVEL JOINT	for DPS 120-1C/-2C/-3C/-4C/-36C_DPS 90-1G/-2G/-3G/-4G/-36G	90
E	06859591	SWIVEL JOINT	for DPS 120-1CN/-2CN/-3CN/-4CN/-36CN and -WB_DPS 90-1GN/-2GN/3GN/-4GN/-36GN and -WB	833
F	06357501	HEX. SOCKET BOLT WITH WASHER		23
G	04493000	CONNECTING BOLT		217
I	06642002	NIPPLE		133
M	04432650	BALL VALVE		217
M	04433630	BALL VALVE	for DPS120-1C/-2C/-3C/-4C/-36C and DPS90-1G/-2G/-3G/-4G/-36G	651
N	04343310	JOINT G1/4"R1/4"	for DPS 120-1CN/-2CN/-3CN/-4CN/-36CN and -WB_DPS 90-1GN/-2GN/3GN/-4GN/-36GN and -WB	217
O	04494040	TUBE	for DPS 120-1CN/-2CN/-3CN/-4CN/-36CN and -WB_DPS 90-1GN/-2GN/-3GN/-4GN/-36GN and -WB	24
P	06994758	WASHER BOLT		14
S	06859563	ELBOW UNION	for DPS 120-4C/-4CN and DPS 90-4G/-4GN	217

PUMP UNIT ACCESSORIES



PUMP UNIT SPARE PARTS



REF.	CODE	DESCRIPTION	Q.TY	DDP -90F	DDP -90FN	DDP -90F-WB	DDP -120B	DDP -120BN	DDP -120B-WB	SEK
1	94410622	MAIN BODY		X	X	X				3 048
1	94437632	MAIN BODY					X	X	X	4 033
2	94456582	LID		X						1 686
2	94414592	LID			X					2 772
2	94456640	LID				X				1 880
2	94439631	LID					X			1 766
2	94453660	LID						X		2 995
2	94439650	LID							X	1 930
3	94452640	UPPER ADAPTOR		X			X			1 738
3	94414650	UPPER ADAPTOR			X			X		2 436
3	94452650	UPPER ADAPTOR in P.T.F.E.				X			X	1 766
4	06990413	HEXAGON SOCKET PLUG		X			X			66
4	06367202	HEXAGON SOCKET PLUG			X	X		X	X	152
5	94441630	LOWER ADAPTOR		X			X			1 766
5	94416592	LOWER ADAPTOR			X			X		2 772
5	94441640	LOWER ADAPTOR in P.T.F.E.				X			X	1 930
6	04935620	PACKING SET	(2 pcs.)	X	X	X				208
6	94933290	PACKING SET	(2 pcs.)				X	X	X	308
7	04931630	EXHAUST VALVE	(2 pcs.)	X	X	X				737
7	94935290	EXHAUST VALVE	(2 pcs.)				X	X	X	983
8	04932630	'O'RING SET	(2 pcs.)	X	X	X				73
8	94930300	'O'RING SET	(2 pcs.)				X	X	X	66
9	04930630	STEEL BALL SET	(2 pcs.)	X	X	X				270
9	94934290	STEEL BALL SET	(2 pcs.)				X	X	X	542
10	04492830	GROUND WIRE		X	X	X	X	X	X	133
11	04933630	INTAKE VALVE	(2 pcs.)	X	X	X				747
11	94446630	INTAKE VALVE	(2 pcs.)				X	X	X	833
12	96357500	HEX. SOCKET BOLT WITH WASHER		X	X	X	X	X	X	23
13	96357502	HEX. SOCKET BOLT WITH WASHER		X	X	X	X	X	X	27
14	94490632	AIR OPERATING VALVE SET		X	X	X	X	X	X	2 605
15	06361081	HEX. NUT		X	X	X	X	X	X	19
16	06362080	SPRING WASHER		X	X	X	X	X	X	6
17	04414600	DIAPHRAGM HOLDER (OUTER)		X	X	X				280
17	94448630	DIAPHRAGM HOLDER (OUTER)					X	X	X	299
18	94453581	DIAPHRAGM HOLDER (INNER)		X	X	X				195
18	94449631	DIAPHRAGM HOLDER (INNER)					X	X	X	422
19	94931621	DIAPHRAGM SET	(2+2 pcs.)	X	X	X				1 230
19	94932301	DIAPHRAGM SET	(2+2 pcs.)				X	X	X	1 243
21	06996610	'Y'PACKING		X	X	X	X	X	X	137
22	06630011	'O'RING		X	X	X	X	X	X	24
23	06630008	'O'RING		X	X	X	X	X	X	23
24	06630004	'O'RING		X	X	X				10
24	06630006	'O'RING					X	X	X	14
25	04431590	ROD		X	X	X	X	X	X	2 323
27	04432590	MUFFLER		X	X	X	X	X	X	58
28	04456570	BLANKING COVER		X	X	X	X	X	X	188
29	06234002	TAPPING SCREW		X	X	X	X	X	X	12
30	06800202	ELBOW UNION		X	X	X	X	X	X	217
31	04427640	JOINT		X			X			187
31	04428640	JOINT			X	X		X	X	471
32	94444630	PIN					X	X	X	53



DPS-70 C and DPS-70 CN

ORDER INFORMATION


REF.	CODE	DESCRIPTION	FOR MODELS	SEK
PUMP UNIT CONFIGURATION ACCESSORIES				
A	14608200	PAINT REGULATOR SET PR-5BL	for Aluminium	4 330
A	14608210	PAINT REGULATOR SET PR-5BLN	for Stainless Steel	7 547
D	06646002	STREET ELBOW		434
E	06859557	MALE-FEMALE UNION	DPS 701C/702C/704C	217
E	06859558	MALE-FEMALE UNION	DPS 701CN/702CN/703CN/7036CN/704CN	833
F	06357501	HEX. SOCKET BOLT WITH WASHER		23
M	04432650	BALL VALVE	DPS 701C/702C/703C/704C/7036C	217
M	04433630	BALL VALVE	DPS 701CN/702CN/703CN/7036CN/704CN	651
N	04343310	JOINT G1/4" R1/4"		217
O	04492930	TUBE		24
P	06994756	WASHER BOLT		14
R	06859538	ELBOW UNION 1/4" M - 1/4" M	DPS 701C/702C/704C	90
Q	04435630	ELBOW UNION 1/4" M - 1/4" M	DPS 701CN/702CN/703CN/7036CN/704CN	701
S	06859563	ELBOW UNION Rc1/4" F - 1/4" M	DPS 704C/704CN	217
T	04492790	ELBOW UNION Rc 3/8" F - 3/8" M	DPS 702C/702CN	757

REF.	CODE	DESCRIPTION	QTY.	DDP-70B	DDP-70BN	SEK
SPARE PARTS						
1	94943570	MAIN BODY		X	X	2 420
2	94402581	LID		X		1 683
2	94409720	LID			X	2 593
3	94400583	ADAPTOR		X		1 541
3	94409710	ADAPTOR			X	2 352
4	06990412	HEXAGON SOCKET PLUG		X		90
4	96367201	HEXAGON SOCKET PLUG			X	267
5	94932320	PACKING SET	(4 pcs./1 pk.)	X	X	300
9	94932330	STEEL BALL SET	(2 pcs./1 pk.)	X	X	208
10	04492830	GROUND WIRE		X	X	133
12	06357501	HEX. SOCKET BOLT WITH WASHER		X	X	23
13	96357500	HEX. SOCKET BOLT WITH WASHER		X	X	23
14	94409651	AIR OPERATING VALVE SET		X	X	2 514
15	06361060	HEX. NUT		X	X	24
16	06362060	SPRING WASHER		X	X	23
17	94401592	DIAPHRAGM HOLDER (outer)		X	X	254
18	04402592	DIAPHRAGM HOLDER (inner)		X	X	252
19	94932340	DIAPHRAGM SET (outer)	(2 pcs./1 pk.)	X	X	714
20	94932310	SEAT	(2 pcs./1 pk.)	X	X	422
21	06996611	'Y'PACKING		X	X	134
22	06996640	PSD PACKING		X	X	134
23	06630006	'O' RING		X	X	14
24	96356503	BOLT WITH HEX. HOLE		X	X	19
25	04405581	ROD		X	X	1 767
27	04432590	MUFFLER		X	X	58
28	04944571	SUB PLATE		X	X	422
29	04405591	GASKET		X	X	129
30	96801202	HALF UNION		X	X	104
31	94409660	PACKING		X	X	87



SPARE PARTS



ACCESSORIES



"S" ELBOW UNION FOR AIR CONNECTION








SUPPORTS & ACCESSORIES

ORDER INFORMATION

CODE	DESCRIPTION	SEK
FOR ALL STAND TYPES (Pic. B):		
04493810	STAND SET	1 296
FOR ALL CART TYPES (Pic. A):		
94492770	WHEEL CART SET	3 775
04493910	AXLE	1 651
06991938	"U" BOLT	2 434
06659020	SNAP PIN	3 14
06475122	WASHER	4 14
07990213	SOLID TIRE	5 434
04493920	HANDLE	6 1 947
06994758	BOLT + WASHER	7 14
06382082	HEX. NUT	8 15
06357501	HEX. SOCKET BOLT WITH WASHER	9 23
06382062	HEX. NUT	10 14
FOR ALL TANK TYPES (Pic. C):		
94492780	LID SET	2 914
FOR ALL WALL BRACKET TYPES (Pic. D):		
04459630	WALL MOUNTING BRACKET	1 296
06859563	ELBOW UNION (for Air connection)	217
FOR HOPPER TYPE WITH CART (Pic. E):		
0102000602	HOPPER SET + TUBE + FILTER DPS-12036C/ CN/ C-WB & DPS-9036G/ GN/ G-WB	3 242
0102000603	HOPPER SET + TUBE + FILTER DPS-7036C/ CN	3 672
VFM61000	HOPPER SET 6 LT. WITHOUT HOSE	Plastic 1 678
0040720100	FILTER 50 MESH	103
UL300472	CONVERSION JOINT for DPS-7036C/ CN	Stainless Steel 434
VFM610021	"U" HOSE	M 36x2 F 1/2" Stainless Steel 1 581
VFM610031	"U" HOSE	M 36x2 F 3/4" Stainless Steel 1 653
VFM610041	"U" HOSE	M 36x2 F 36x2 Stainless Steel 1 700

ACCESSORIES Available Until Stock Last

CODE	DESCRIPTION	SEK
VFM61001	SPRING	ø 87,5 mm 42
VFM61002	"L" HOSE	M 36x2 F 1/2" 1 104
VFM61003	"L" HOSE	M 36x2 F 3/4" 1 389
VFM61004	"L" HOSE	M 36x2 F 36x2 1 347
14388000	Y SHAPED FLUID NIPPLE TJ-2 G3/8"	502
04470100	HANDLE	497



ACCESSORIES

SUCTION HOSE & DRAIN HOSE SET


CODE	DESCRIPTION	REF.	SEK
SUCTION HOSE SET FOR CART TYPE (A) - STAND TYPE (B) - WALL BRACKET TYPE (D)			
04493830	SUCTION HOSE FOR ALUMINUM MODEL	Pic. A	1 975
04494060	SUCTION HOSE FOR STAINLESS STEEL AND ANODIZED ALUMINUM MODEL	Pic. A	3 271
04437930	SUCTION HOSE FOR DPS 701C/703C/704C/7036C- /CN STAINLESS STEEL	Pic. A	1 837
SUCTION PIPE SET FOR TANK TYPE (C)			
04493670	SUCTION PIPE FOR ALUMINUM MODEL	Pic. B	975
04404210	SUCTION PIPE FOR STAINLESS STEEL & ANODIZED ALUMINUM MODEL	Pic. B	1 407
04437830	SUCTION PIPE FOR DPS 704C- /CN STAINLESS STEEL	Pic. B	1 407
SUCTION FILTER SET FOR ALL TYPES			
04637780	SUCTION FILTER SET 50 MESH	Pic. C	325
0040720100	FILTER (50 mesh)	1	103
00407203	FILTER STOPPER	2	53
DRAIN HOSE SET FOR CART TYPE (A) - STAND TYPE (B) - WALL BRACKET TYPE (D)			
04493850	DRAIN HOSE FOR ALUMINUM MODEL	Pic. D	434
04494090	DRAIN HOSE DPS 90/120	Pic. D	651
DRAIN HOSE SET FOR TANK TYPE (C)			
04493571	DRAIN HOSE FOR ALUMINUM MODEL	Pic. E	434
04494220	DRAIN HOSE DPS 90/120	Pic. E	651
DRAIN HOSE SET FOR HOPPER TYPE (E)			
04400280	DRAIN HOSE	Pic. F	235

DELIVERY PAINT FILTER


CODE	DESCRIPTION	SEK
04493020	DELIVERY PAINT FILTER SET	3 016
04493030	BODY	1 866
04493040	FILTER BOLT	2 217
04493050	CYLINDER	3 779
04493060	CYLINDER CAP	4 434
04493070	PACKING	5 67
04493080	PACKING	6 67
04493090	JOINT	7 1 293
04493800	BOLT CAP	8 108
06583006	SPRING PIN	9 24
VFM2503	FILTER (100 MESH)	10 76

AIR REGULATOR SET


CODE	DESCRIPTION	SEK
04492860	PANEL	1 1 080
04492870	AIR REGULATOR SET (2 REGULATORS SET)	2 2 807
04492890	AIR REGULATOR (SINGLE)	1 1 191
04492910	PRESSURE GAUGE	3 413
06858202	ELBOW R1/4" G1/4"	4 90
06859538	ELBOW R1/4" R1/4"	5 90
04492920	BALL VALVE RC1/4" R1/4"	6 325
06809136	FEMALE UNION Ø10 X RC1/4"	7 175
04492940	SAFETY VALVE	8 434
04494110	SPACER	9 480



DELIVERY PAINT FILTER



AIR REGULATOR Single



PAINT PRESSURE REGULATORS


PR-5BL | PR-5BL WB | PR-5BL N PAINT PRESSURE REGULATOR

CODE	DESCRIPTION	TYPE	REF.	SEK
14608200	PR-5BL PAINT PRESSURE REGULATOR	ALUMINIUM		4 330
14608220	PR-5BL-WB PAINT PRESSURE REGULATOR	ALUMINIUM ANODIZED		5 396
14608210	PR-5BLN PAINT PRESSURE REGULATOR	STAINLESS STEEL		7 547
04700450	JOINT		1	1 570
04701451	VALVE SPRING		2	249
04702450	TUNGSTEN CARBIDE BALL		3	275
96639514	'O' RING		4	275
94703450	CARBIDE SEAT		5	1 080
94704450	PACKING		6	23
04731450	HEXAGON NUT		7	172
94705451	BODY	PR-5BL.TE	8	2 613
94724451	MAIN BODY	PR-5BLN.TE	8	3 775
94705460	MAIN BODY	PR-5BL-WB.TE	8	2 865
04754450	JOINT 1/4" - G 3/8"	Stainless Steel	9	325
04707450	DIAPHRAGM BOLT		10	912
04708450	DIAPHRAGM HOLDER		11	286
04976440	DIAPHRAGM		12	631
04709451	DIAPHRAGM STOPPER		13	228
06995905	'O' RING		14	63
06500802	SPRING WASHER		15	15
06383086	HEX.NUT		16	15
96357480	BOLT WITH HEX HOLE		17	24
94720440	ADJ.SPRING		18	400
04711451	DIAPHRAGM CAP		19	514
04713450	SPRING HOLDER		20	468
04717501	HEX NUT		21	58
04970440	HANDLE SET		22	548
04725450	RISING PIPE		23	1 185
04755451	PRESSURE GAUGE		24	350

TECHNICAL DATA	
Max. Flow rate:	1.5 lt./min
Max. Primary Pressure:	7.0 bar
Secondary Pressure range:	0.0~3.0 bar
Fluid IN/OUT Joint:	G3/8"
Mass:	850 g



Paint Pressure Regulator




PR-B5 | PR-B5 BN BACK PRESSURE VALVE FOR PAINT RECIRCULATION

CODE	DESCRIPTION	REF.	SEK
14418851	PR-B5 B BACK PRESSURE VALVE		7 507
14418861	PR-B5 BN BACK PRESSURE VALVE (STAINLESS STEEL)		9 498
04700450	JOINT	1	1 570
96639514	'O' RING	4	275
94703450	CARBIDE SEAT	5	1 080
94704450	PACKING	6	23
04731450	HEXAGON NUT	7	172
04737450	DIAPHRAGM BOLT	10	271
04708450	DIAPHRAGM HOLDER	11	286
04976440	DIAPHRAGM	12	631
04709451	DIAPHRAGM STOPPER	13	228
06995905	'O' RING	14	63
06500802	SPRING WASHER	15	15
06383086	HEXAGON NUT	16	15
96357480	HEXAGON SOCKET BOLT + WASHER	17	24
94720440	ADJUSTING SPRING	18	400
04711451	DIAPHRAGM CAP	19	514
04713450	SPRING HOLDER	20	468
04717501	HEXAGON NUT	21	58
04970440	HANDLE SET	22	548
04725450	RISING PIPE	23	1 185
04755451	PRESSURE GAUGE	24	350
UL30010600	JOINT RC. 1/4" - G 3/8"	25	98

TECHNICAL DATA	
Max. Flow rate:	2.0 lt./min
Max. Primary Pressure:	6.0 bar
Fluid Inlet Joint:	G1/4"B
Fluid Outlet Joint:	G3/8"B
Mass Aluminium version:	850 g
Mass Stainless Steel version:	1020 g



Paint Pressure Regulator




ACCESSORIES


TWO-WAY REGULATOR SET

CODE	DESCRIPTION	REF.	ALU.	SS	SEK
04493970	2-WAY REGULATOR SET		1		6 481
04493980	2-WAY REGULATOR SET			1	8 637
14608200	PAINT REGULATOR	1	1		4 330
14608210	PAINT REGULATOR	1		1	7 547
06859153	JOINT	2	1		175
06859594	JOINT	2		1	651
06678403	T-JOINT	3	1		197
06641003	T-JOINT	3		1	542
06859546	ELBOW UNION	4	2		175
06646003	STREET ELBOW	5		2	350
06859591	SVIVEL JOINT	6		2	833
04494080	SUB PLATE	7	1	1	108
06357507	BOLT WITH HEX. HOLE	8	4	4	14
04494050	PLATE	9	1	1	325
04492910	PRESSURE GAUGE	10	1	1	413
06800202	ELBOW UNION	11	2	2	217
04494040	TUBE	12	1	1	24
04493010	PLATE (GUN)	13	1	1	46
04492890	AIR REGULATOR (SINGLE)	14	1	1	1 191
06858202	ELBOW	15	2	2	90
06678402	T-JOINT	16	1	1	175
06859002	UNION JOINT M-F	17	1	1	175


ALUMINIUM TYPE



STAINLESS STEEL TYPE



ALL MODELS




PAINT FLOW CONTROL VALVES

FCV-31 | FCV-31N-S1 | FCV-31N-S1-R4 | FCV-31N-S1-R8

CODE	DESCRIPTION	TYPE	REF.	SEK
14418560	FCV-31 PAINT FLOW CONTROL VALVE			7 836
14418940	FCV-31N-S1 PAINT FLOW CONTROL VALVE (STAINLESS STEEL)			10 482
14418950	FCV 31N-S1-R4 PAINT FLOW CONTROL VALVE (STAINLESS STEEL)			10 482
14418960	FCV 31N-S1-R8 PAINT FLOW CONTROL VALVE (STAINLESS STEEL)			10 482
04700450	JOINT		1	1 570
04701451	VALVE SPRING		2	249
04702450	CARBIDE BALL		3	275
96639514	'O' RING		4	275
94703450	CARBIDE SEAT		5	1 080
94704450	PACKING		6	23
04731450	HEXAGON NUT		7	172
94705451	BODY		8	2 613
04707450	DIAPHRAGM BOLT		9	912
04708450	DIAPHRAGM HOLDER		10	286
04976440	DIAPHRAGM		11	631
04709451	DIAPHRAGM STOPPER		12	228
06995905	'O' RING		13	63
06500802	SPRING WASHER		14	15
06383086	HEXAGON NUT		15	15
96801161	HALF UNION		16	190
94757410	DIAPHRAGM CAP		17	1 842
06990412	HEX SOCKET SCREW	(FCV-31)	18	90
06367201	PLUG WITH HEX. HOLE	(FCV-31N-S1)	18	267
94758410	DIAPHRAGM HOLDER (2) (1 pc.)	(FCV-31N-S1)	19	961
94768410	PISTON	(FCV-31N-S1-R4)	19-1	484
94766410	DIAPHRAGM HOLDER (2) (1 pc.)	(FCV-31N-S1-R4)	19-2	961
94769410	PISTON	(FCV-31N-S1-R8)	19-3	484
94767410	DIAPHRAGM HOLDER (2) (1 pc.)	(FCV-31N-S1-R8)	19-4	963
94759410	DIAPHRAGM (2) (1 pc.)		20	413
94760410	DIAPHRAGM CAP (2) (1 pc.)		21	1 581
96350540	BOLT WITH HEX.HOLE		22	16
96500502	SPRING WASHER		23	14
96809452	ELBOW UNION		24	220


TECHNICAL DATA	
Max. Flow rate:	2.0 lt./min
Max. Primary Pressure:	25 bar
Adj. Air Pressure:	0.0-6.0 bar
Fluid Inlet Joint:	G3/8"B
Fluid Outlet Joint:	Rc 1/4"
Air Hose:	ø6x4 mm
Mass Aluminium version:	750 g
Mass Stainless Steel version:	950 g



FCV-3 PAINT FLOW CONTROL VALVE

CODE	DESCRIPTION	REF.	SEK
14418540	FCV-3 PAINT FLOW CONTROL VALVE		6 687
04700450	JOINT	1	1 570
04701451	VALVE SPRING	2	249
04702450	CARBIDE BALL	3	275
96639514	'O' RING	4	275
94703450	CARBIDE SEAT	5	1 080
94704450	PACKING	6	23
04731450	HEXAGON NUT	7	172
94705451	BODY	8	2 613
04707450	DIAPHRAGM BOLT	9	912
04708450	DIAPHRAGM HOLDER	10	286
04976440	DIAPHRAGM	11	631
04709451	DIAPHRAGM STOPPER	12	228
06995905	'O' RING	13	63
06500802	SPRING WASHER	14	15
06383086	HEXAGON NUT	15	15
96357480	HEXAGON SOCKET BOLT + WASHER	16	24
94757400	DIAPHRAGM CAP	17	367
06990412	HEX SOCKET SCREW	18	90
96801161	HALF UNION	19	190

TECHNICAL DATA	
Max. Flow rate:	2.0 lt./min
Max. Primary Pressure:	25 bar
Adj. Air Pressure:	6.0 bar
Fluid Inlet Joint:	G3/8"B
Fluid Outlet Joint:	Rc 1/4"
Air Hose:	ø6x4 mm
Mass:	850 g



PAINT PRESSURE TANK PET10

(max 4.0 bar)



FEATURES




The PET10 Pressure Tank is a valid system for feeding paint for the spray guns and other pneumatic equipments. The system allows the correct feeding of the fluid output at a stable pressure and it is used for a large amount of applications.

TECHNICAL DATA	
Max. Working Pressure	4.0 bar
Air Inlet Joint	G 1/4"M
Fluid Outlet Joint	G 3/8"M
Working Temperature	5-40 °C
Tank Capacity	10 lt.
Inner Tank Capacity	8.5 lt. (in Stainless Steel)
Mass	11 kg
Dimensions	310x310x565 mm

ORDER INFORMATION

REF.	CODE	DESCRIPTION	SEK
	14972400	PET-10 PRESSURE TANK 10 lt.	8 213
3	94020200	LID PACKING	434
4	94020020	HANDLE	342
6	94020030	EXHAUST VALVE	162
7	94020210	AIR INLET JOINT / OUTLET JOINT G1/4"	137
10	94008260	PRESSURE REGULATOR (FOR TANK)	1 025
22	94016391	SAFETY VALVE	342
24	94020040	FLUID OUTLET CONNECTING JOINT SUS 303	456
25	94016020	PRESSURE GAUGE	321
29	94020190	HANDLE BOLT	92
30	94020060	WASHER	15
31	94020070	THUMB NUT	456
32	94020220	E-STOPPER	15
33	94020230	STUD	58
34	94020090	SUCTION PIPE SUS 303	678
39	94016310	AIR FLOW GUIDE	183
45	94020100	ADAPTER	183
46	94020110	ADAPTER	195
47	94020120	ADAPTER	82
48	94020130	PRESSURE REGULATOR (FOR GUN)	1 025
49	94020140	FLUID OUTLET JOINT SUS 303 3/8"	162
50	94020160	NUT	15
51	94020170	INNER TANK SUS 304	1 993



PAINT PRESSURE TANKS PET SERIES (max 7.0 bar)

FEATURES



The PET pressure tanks series are a valid system for feeding paint for the spray guns and other pneumatic equipments. The system allows the correct feeding of the fluid output at a stable pressure and it is used for a large amount of applications. Available in three different capacities: 50lt., 30lt. and 10lt, they can be supplied with pneumatic agitator for constant mixing of the product to be dispensed.

TECHNICAL DATA				
Max. Working Pressure	7.0 bar			
Air Inlet Joint	G 1/4" M			
Fluid Outlet Joint	G 3/8" M			
Working Temperature	5~40 °C			
Mass	PET 10 N	15.3 Kg	PET 10 MN	17.5 Kg
	PET 30 N	20.4 Kg	PET 30 MN	22.6 Kg
	PET 50 N	115.3 Kg	PET 50 MN	28.2 Kg
Dimensions	PET 10 N /-10 MN		540 x 330 mm	
	PET 30 N /-30 MN		710 x 415 mm	
	PET 50 N /-50 MN		810 x 470 mm	





Model PET MN:
version with
Pneumatic Agitator
AM-6B

ORDER INFORMATION

CODE	DESCRIPTION	SEK
14972600	PET-10 N PRESSURE TANK 10 lt.	20 794
14972620	PET-10 N PRESSURE TANK 10 lt. w/pneumatic agitator	29 539
14972630	PET-30 N PRESSURE TANK 30 lt.	30 329
14972650	PET-30 N PRESSURE TANK 30 lt. w/pneumatic agitator	35 831
14972660	PET-50 N PRESSURE TANK 50 lt.	35 925
14972680	PET-50 N PRESSURE TANK 50 lt. w/pneumatic agitator	43 285

Model PET N:
version without
Pneumatic Agitator



SPARE PARTS



REF.	CODE	DESCRIPTION	10N	10MN	30N	30MN	50N	50MN	SEK
3	04015110	LID PACKING	X	X					368
3	04015240	LID PACKING			X	X			488
3	04016170	LID PACKING					X	X	731
4	04015250	HANDLE			X	X			1 699
4	04019250	HANDLE	X	X					1 211
4	04016180	HANDLE					X	X	2 177
5	04015140	HEXAGON NUT	X	X	X	X	X	X	10
6	04015150	EXHAUST VALVE	X	X	X	X	X	X	162
8	04015460	ELBOW	X		X		X		107
9	04015170	TWO WAY VALVE (Air Inlet)	X	X	X	X	X	X	166
10	94015180	AIR PRESSURE REGULATOR	X	X	X	X	X	X	1 025
16	04019040	HEAD BOLT		X		X		X	15
21	04019100	SEALING RING	X	X	X	X	X	X	124
22	94002211	SAFETY VALVE	X	X	X	X	X	X	369
23	04015450	TWO WAY VALVE (Fluid outlet)	X	X	X	X	X	X	607
24	04015470	FLUID OUTLET ADAPTER	X	X	X	X	X	X	488
25	04016190	PRESSURE GAUGE	X	X	X	X	X	X	185
26	04016400	ROD + COUPLING (56+57+58)		X					792
26	04016410	ROD + COUPLING (56+57+58)				X			924
26	04016420	ROD + COUPLING (56+57+58)						X	1 213
27	04019120	FIXING NUT	X	X	X	X	X	X	451
28	04016430	PROPELLER		X		X		X	208
29	04015490	SWING BOLT	X	X	X	X	X	X	367
30	04016200	WASHER	X	X	X	X	X	X	52
31	04016210	THUMB NUT	X	X	X	X	X	X	486
32	94020220	E-STOPPER	X	X	X	X	X	X	15
33	94020230	STUD	X	X	X	X	X	X	58
33-1	04016440	PIN (SUS)	X	X	X	X	X	X	80
34	04016450	SUCTION PIPE	X	X					773
34	04016460	SUCTION PIPE			X	X			947
34	04016470	SUCTION PIPE					X	X	1 227
35	04015270	FILTER COVER			X	X	X	X	208
35	04016260	FILTER COVER	X	X					162
36	04015280	FILTER BASE			X	X	X	X	62
36	04016270	FILTER BASE	X	X					52
37	04015290	FILTER (40 Mesh)			X	X	X	X	62
37	04016280	FILTER (40 Mesh)	X	X					52
38	04015300	FILTER STOPPER			X	X	X	X	62
38	94016290	FILTER STOPPER	X	X					57
39	94016310	AIR FLOW GUIDE	X	X	X	X	X	X	183
43	06990412	HEX. SOCKET SCREW			X	X	X	X	90
44	06500804	SPRING WASHER	X	X	X	X	X	X	8
53	04016480	HEAD BOLT	X		X		X		1 211
55	AM-6B	PNEUMATIC AIR MOTOR		X		X		X	6 933
59	04017410	PACKING SEAT		X		X		X	233
60	04017420	"V" PACKING FEMALE ADAPTOR		X		X		X	69
61	04017430	"V" PACKING		X		X		X	144
62	04017440	"V" PACKING MALE ADAPTOR		X		X		X	69
63	04017450	O-RING		X		X		X	52
64	04017460	AIR MOTOR SUPPORT		X		X		X	3 155
65	04017470	HEX. NUT		X		X		X	10
66	04017480	HEAD BOLT		X		X		X	15
67	04017490	QUICK COUPLING		X		X		X	75
68	04018100	AIR HOSE		X		X		X	99
69	04018110	SPEED CONTROLLER		X		X		X	437
70	04018120	ADAPTER		X		X		X	99
71	04018130	ADAPTER	X	X	X	X	X	X	219
72	04018140	SCREW	X	X	X	X	X	X	6
73	04018150	GROUND WIRE	X	X	X	X	X	X	62



PRESSURIZED CONTAINER

AT-2E PRESSURE CONTAINER - ORDER INFORMATION


CODE	DESCRIPTION	SEK
AT-2E	PRESSURE CONTAINER AT-2E 2-liters	6 371

SPARE PARTS - ORDER INFORMATION

CODE	DESCRIPTION	REF	SEK
AT2E-01	AT2E HOOK	1	81
AT2E-02	AT2E NUT	2	20
AT2E-03	AT2E OUTLET FITTING	3	183
AT2E-06	AT2E ADJUSTING SCREW	6	51
AT2E-07	AT2E SPRING	7	22
AT2E-08	AT2E BALL	8	22
AT2E-11	AT2E AIR OUTLET	11	22
AT2E-12	AT2E AIRPRESSURE GAUGE	12	202
AT2E-13	AT2E AIR INLET	13	22
AT2E-14	AT2E SPRING	14	22
AT2E-15	AT2E VALVE STEM	15	51
AT2E-16	AT2E VALVE SCREW	16	45
AT2E-17	AT2E SCREW	17	34
AT2E-18	AT2E DIAPHRAGMA	18	51
AT2E-19	AT2E SCREW	19	34
AT2E-20	AT2E SPRING	20	22
AT2E-21	AT2E WASHER	21	17
AT2E-22	AT2E LOCK NUT	22	139
AT2E-23	AT2E ADJUSTING NUT	23	23
AT2E-24	AT2E ADJUSTING SCREW	24	67
AT2E-25	AT2E ADAPTER	25	48
AT2E-26	AT2E AIR RELEASE VALVE	26	55
AT2E-27	AT2E COVER	27	1 178
AT2E-27K	AT2E COMPLETE COVER		2 611
AT2E-28	AT2E GASKET	28	58
AT2E-29	AT2E SCREW	29	66
AT2E-30	AT2E NUT	30	34
AT2E-31	AT2E SPRING	31	31
AT2E-32	AT2E GASKET	32	44
AT2E-33	AT2E VALVE	33	34
AT2E-29S	AT2E RETURN VALVE COMPLETE		208
AT2E-34	AT2E TUBE	34	160
AT2E-35	AT2E CUP	35	997
AT-2E-12A	COMPLETE REGULATOR		1 260



AT-2E



PRESSURIZED CONTAINER

PC-18D (max.3.5 bar)



FEATURES




The small Paint Pressurized Container PC-18D in Aluminum, offers a faster application as it retains a large volume of paint inside (2 lt.), it is also equipped with a pressure gauge and a fluid pressure regulator for an accurate setting of the material flow rate.

TECHNICAL DATA	
Max. Working Pressure	3.5 bar
Air Inlet Joint	G 1/4"
Fluid Outlet Joint	G 3/8"
Working Temperature	5~40 °C
Tank Capacity	2 lt.

ORDER INFORMATION


REF.	CODE	DESCRIPTION	SEK
	14018900	PC-18D PRESSURIZED CONTAINER	8 786
1	94056350	FLUID JOINT	563
2	94055350	HANDLE	1 051
3	94057350	HANDLE JOINT	421
4	94003350	AIR RELEASE VALVE	128
5	94053350	LID	3 141
6	94900210	LID PACKING (2 pcs./1 pk.)	93
7	94001350	SUCTION PIPE	244
8	94000351	CONTAINER SET	4 158
9	94007350	SAFETY VALVE	522
9-1	04012350	PLUG	77
9-2	04011350	NUT	124
9-3	04010350	SAFETY VALVE SPRING	79
9-4	04009350	SAFETY VALVE SPRING SEAT	77
9-5	04008350	SAFETY VALVE BODY	230
10	94048400	PRESSURE GAUGE	1 040
11	94027350	JOINT	212
12	94049350	AIR REGULATOR BODY SET	2 995
13	06631012	'O'RING	20
14	04016350	SPRING	77
15	04017350	REGULATOR SEAT	136
16	04018350	GUIDE	172
17	04019350	DIAPHRAGM SET	303
18	04023350	DIAPHRAGM SET SPRING	71
19	04038350	SPRING HOLDER	296
20	04024350	CAP	407
21	04025350	NUT	88
22	04026350	KNOB	164
23	94058350	NUT	104
24	94069350	VALVE	1 051



4

PAINT
SUPPLY SYSTEM

MULTISPRAY
EQUIPMENTS



MSGGS-200 EVO MULTI SPRAY GUN SERIES



MSGGS-200 EVO

MULTI SPRAY GUN with SHORT & LONG FILTER

Premium Quality Multi Spray Gun series. The MSGGS-200 combines the advantage of Airless Technology (speed, low overspray) with the advantages of HVLP Technology, resulting in a product with high Transfer Efficiency and excellent finish quality. Available in two different version: with short filter for standard application and with long filter for intensive applications.



Long
FILTER

Short
FILTER

TECHNICAL DATA	LONG FILTER	SHORT FILTER
Max. Fluid Pressure:	(250 bar)	
Max. Air Pressure:	7.0 bar	
Air inlet joint:	G1/4"	
Fluid inlet joint:	(NPSM 1/4") or (JIC 1/2")	
Paint filter:	100 Mesh (standard)	
Working Temperature range:	5~40 °C	




**Smart
Spray Tip Guard**

**DON'T USE
MORE THAN 50 Bar!**

ORDER INFORMATION 250 bar

MSGGS-200 EVO - NPSM 1/4"		Type	bar	SEK
13001060	MSGGS-200 EVO 250 SN MULTI SPRAY GUN	SHORT	250	O.D
13001070	MSGGS-200 EVO 250 LN MULTI SPRAY GUN	LONG		8 020

SPARE PARTS



ADAPTER G1/4" F
NPSM 1/4" M
Ref. 35



HIGH PRESSURE
swivel joint
Ref. 34
(up to 250 bar)



ORDER INFORMATION

REF.	CODE	DESCRIPTION	MODEL	SEK	REF.	CODE	DESCRIPTION	MODEL	SEK
1	93004420	AIR CAP COVER		391	21	93004380	FILTER SPRING		151
1-1	93004430	AIR CAP PROTECTION		136	22	93004360	FILTER JOINT G1/4"		722
1	93004490	AIR CAP COVER	SHORT TYPE	389		93002270	FILTER JOINT JIC 1/2"	LONG FILTER	722
1-1	93004500	AIR CAP PROTECTION	Less than 50 bar!	135		93005670	FILTER JOINT NPSM 1/4"		722
2	93004320	AIR CAP		1 370	23*	930138A0	FILTER NUT		298
3		NOZZLE TIP - ALL SIZES in the TIP CHART (see next pages)			24	93004350	SCREW		108
4	93004160	FLUID NOZZLE + FLUID NEEDLE SET		1 730	25	93004340	AIR NIPPLE G1/4"		183
4-1	93004170	FLUID NOZZLE		644	26	93004530	FLUID JOINT		232
4-2	93004450	FLUID NEEDLE		1 166	27	93004130	FLUID TUBE		1 613
4-3	930336A0	NEEDLE PROTECTION SET		188	28	93514240	NUT		167
5	93004230	NOZZLE HOLDER		998	29	93004140	PLATE		293
6	93004310	PLUG		136	30	93514230	SHORT FILTER CASE		902
7	93004300	NUT		168		VFM2801/S	FILTER 60 MESH	SHORT FILTER	257
8	93004410	NEEDLE PACKING SET		895		VFM2802/S	FILTER 100 MESH		275
9	93004200	TRIGGER SET		426		VFM2803/S	FILTER 200 MESH		277
10	93004190	SAFETY LOCK SET		188		93515230	FILTER JOINT G1/4"		1 031
11	93004290	PATTERN ADJUSTMENT		454	32	93002280	FILTER JOINT JIC 1/2"		1 031
12	93004260	AIR VALVE		705		93005680	FILTER JOINT NPSM 1/4"		1 031
13	93004330	AIR VALVE SPRING		120	33	93516230	FILTER NUT		320
14	93004240	COLLET		380	C	93004210	PACKING SET		411
15	93004250	NEEDLE BUSHING		376	D	93004850	TIP FILTER SET		248
16	93004270	FLUID NEEDLE SPRING	250 bar	121	D	93004860	TIP PACKING SET		240
17	93004280	AIR VALVE GUIDE	120 bar	121		03004520	SWIVEL JOINT - GAS		841
18*	930144A0	LONG FILTER JOINT		686	34	93005960	SWIVEL JOINT - NPSM		841
19*	930140A0	LONG FILTER CASE		2 674	35	94006030	ADAPTER G1/4" F - NPSM 1/4" M		512
	VFM2002	FILTER 50 MESH	LONG FILTER	33	36	93004400	NEEDLE GUIDE PLUG		232
	VFM2004	FILTER 100 MESH		33		930155A0	LONG FILTER UPGRADE KIT (18* + 19* + 23*)		3 581
	VFM2005	FILTER 150 MESH		33					
	VFM2006	FILTER 200 MESH		33					



MSGS-200 EVO NOZZLE TIPS



SELECTION CHART

APPLICATION	°Angle	10°		20°		30°		40°		50°	
	Ø inch (mm)	Mark	Code								
NATURAL AND CLEAR PAINTS, OILS, RELEASE AGENTS, STAINS	0,007 (0,18)	0710	14216770	0720	14216830	0730	14216910	0740	14216521		
	0,009 (0,23)	0910	14216780	0920	14216840	0930	14216920	0940	14216541	0950	14216551
SYNTETIC RESIN AND PVC PAINTS, SOLVENT AND WATER PAINTS	0,011 (0,28)	1110	14216790	1120	14216850	1130	14216930	1140	14216581	1150	14216591
PRIMER, FILLER, RUST PROTECTION PAINTS, LATEX PAINTS, DISPERSION PAINTS, ROOF COATINGS, GLUE	0,013 (0,33)	1310	14216800	1320	14216860	1330	14216940	1340	14216621	1350	14216631
	0,015 (0,38)	1510	14216810	1520	14216870	1530	14216950	1540	14216671	1550	14216681
	0,016 (0,41)	1610	14216820	1620	14216880	1630	14216960	1640	14216710	1650	14216720
	0,018 (0,46)			1820	14216890	1830	14216970	1840	14216571	1850	14216761
	0,020 (0,50)					2030	14216980	2040	14215920	2050	14215830
	0,022 (0,56)			2220	14216900	2230	14216990	2240	14215930	2250	14215840
	0,024 (0,61)					2430	14217000	2440	14215940	2450	14215850
	0,027 (0,69)							2740	14215950	2750	14215860
FLAME RETARDANT, SPRAY PUTTY, CORROSION PROTECTION, FILLED COLOURS	0,029 (0,74)							2940	14215960	2950	14215870
	0,031 (0,79)							3140	14215970	3150	14215880
	0,033 (0,84)										
	0,035 (0,89)							3540	14215980	3550	14215890
	0,039 (0,99)									3950	14215900
	0,041 (1,04)										

60°		70°		80°		90°		LONG FILTER		SHORT FILTER	
Mark	Code	Mark	Code	Mark	Code	Mark	Code	Code	Code	Code	Code
								VFM2006 200 Mesh (74µ)			
									VFM2005 150 Mesh (100µ)	VFM2803/S 200 Mesh (74µ)	
1160	14215680	1170	14118410					VFM2004 100 Mesh (149µ)			VFM2005 150 Mesh (100µ)
1360	14215690	1370	14118420	1380	14215560						
1560	14215700	1570	14118430	1580	14215570						
1660	14215710	1670	14118440	1680	14215580	1690	14118310		VFM2003 65 Mesh (274µ)		
1860	14215720	1870	14118450	1880	14215590	1890	14118320				
2060	14215730	2070	14215910	2080	14215600	2090	14118330				
2260	14215740	2270	14216430	2280	14215610	2290	14118340				
2460	14215750	2470	14216440	2480	14215620	2490	14118350				
2760	14215760	2770	14216450	2780	14215630	2790	14118360				
2960	14215770	2970	14216460	2980	14215640	2990	14118370	VFM2002 50 Mesh (297µ)	VFM2801 60 Mesh (250µ)		
3160	14215780	3170	14216470	3180	14215650	3190	14118380				
3360	14215790										
3560	14215800	3570	14216480	3580	14215660	3590	14118390	VFM2001 30 Mesh (595µ)			
3960	14215810										
4160	14215820	4170	14216490	4180	14215670	4190	14118400				



Long FILTER

Short FILTER



ICON-M433N & M333N MULTI SPRAY PUMPS

FEATURES



iCon
MULTI SPRAY
PUMP UNIT



From general wood to metal painting, ICON® Multi Spray Pumps for medium to high pressure applications are ideally suited to the requirements of the industrial sector. Available also on Wall Mount with Suction Hose Set or Hopper Set.

TECHNICAL DATA


		ICON-M433N	ICON-M333N
Plunger Pump		PP-3688N	PP-3260N
Pressure Ratio		36:1	32:1
Paint Filter	Delivery Paint Filter	TF-8N (100 Mesh)	
	Fluid Suction Filter	15 mesh	50 mesh
Max. Fluid Working Pressure		252 bar (25.2 MPa)	224 bar (22.4 MPa)
Max. Air Inlet Pressure		7.0 bar (0.7 MPa)	
Compressor Required Power		> 1.5 Kw	
Fluid Output	Max. Fluid Delivery	88 ml/cyc	60 ml/cyc
	Max. Volume/Min.	5.2 l/min	3.6 l/min
No. Of Cycles Per Minute		60 cyc	

ICON-M433N & M333N MULTI SPRAY KITS

THE KIT INCLUDES



AVAILABLE also with:




ICON-M433N & M333N




ORDER INFORMATION

CODE	MODEL	CONFIGURATION	SEK			
ICON-M433N & ICON-M333N MULTI SPRAY UNIT						
14050230	ICON-M433N	MULTI SPRAY UNIT (36:1) Supplied with SUCTION HOSE SET	47 259			
14050240	ICON-M333N	MULTI SPRAY UNIT (32:1) Supplied with SUCTION HOSE SET	41 528			
ICON-M433N MULTI SPRAY KIT						
CODE	MODEL	TYPE OPTION	GUN MODEL	TYPE OF FILTER	TWIN HOSES	SEK
ICON-M433N MULTI SPRAY KITS			MSGS-200 MULTI SPRAY GUN			
14000140	ICON-M433N-S1	SUCTION HOSE SET	MSGS-200-250L	Long - 100 Mesh	NHT-25075 N IC (7.5 m)	56 749
14000550	ICON-M433N-S5	HOPPER SET (6 lt.)	MSGS-200-250L	Long - 100 Mesh	NHT-25075 N IC (7.5 m)	56 749
ICON-M333N MULTI SPRAY KITS			MSGS-200 MULTI SPRAY GUN			
14000150	ICON-M333N-S1	SUCTION HOSE SET	MSGS-200-250L	Long - 100 Mesh	NHT-25075 N IC (7.5 m)	50 977
14000530	ICON-M333N-S5	HOPPER SET (6 lt.)	MSGS-200-250L	Long - 100 Mesh	NHT-25075 N IC (7.5 m)	50 977
ASSEMBLY CONVERSION KITS						
04005460	WALL MOUNT CONVERSION KIT					6 692
04005870	HOPPER SET G1/2" (6 lt.) for ICON-M433N					4 651
04005510	HOPPER SET G1/2" (6 lt.) for ICON-M333N					4 393
04445770	PACKING PROTECTION LIQUID (OIL) 500 ml					518
Page 106-107	TIP					



ICON-M433N & M333N MULTI SPRAY PUMPS

ICON-M433N & M333N CONFIGURATION




REF.	CODE	DESCRIPTION	ICON-M433N	ICON-M333N	SEK
1	04445670	CART FRAME SET	X	X	O.D
2	14050130	PLUNGER PUMP SET - PP-3688N	X	--	O.D
2	14050140	PLUNGER PUMP SET - PP-3260N	--	X	O.D
3	1457000000	DELIVERY PAINT FILTER SET - TF-8N	X	X	8 867
4	04444920	ELBOW MALE ADAPTOR - 1/2"x ø12	X	X	124
5	04444740	TIP TRAY	X	X	250
6	94447890	BOLT and NUT SET for PUMP - HEX. SOCKET BOLT (4 pcs.) + NUT (4 pcs.) + SPRING WASHER (4 pcs.) + WASHER (4 pcs.)	X	X	44
7	04001270	FILTER STAY	X	X	110
8	06350612	BOLT WITH HEX. HOLE - M6x10	X	X	10
10	04444690	AIR HOSE	X	--	82
11	04444760	SUCTION FILTER SET - M28x1.5 15 mesh	--	X	453
11	UL10000701	COMPLETE SUCTION FILTER SET - M15x50 mesh	--	X	313
12	ME100001	GROUND WIRE SET	X	X	78
13	06155024	SCREW - M5x10	X	--	9
14	94444750	SUCTION HOSE SET - 15 MESH	X	--	3 262
14	0101010000	SUCTION HOSE SET - 50 MESH FILTER M15	--	X	2 840
15	00100030	DRAIN HOSE - 8x6		X	37
16	04445770	PACKING PROTECTION LIQUID	X	X	518
17	04445760	HOOK SPANNER	X	X	621
18	94006030	ADAPTER - G1/4"F - NPSM 1/4"M	X	X	512

SPARE PARTS




CART FRAME SET



REF.	CODE	DESCRIPTION	SEK
1	94445680	CART FRAME	3 090
2	04444730	HANDLE FRAME	1 743
3	04445720	WHEEL WASHER	110
4	94444960	WHEEL SET - WHEELS (2 pcs.) + WASHERS (2 pcs.) + SELF LOCKING RINGS (2 pcs.)	1 611
5	04447890	BOLT WITH HEX. HOLE - M8	19
6	06361081	HEX. NUT - M8	19
7	06363080	WASHER - M8	19
8	94444790	SELF-TAPPING SCREW WITHOUT TIP (4 pcs.)	9
9	04447900	SELF LOCKING RING	11
10	94445740	AIR REGULATOR SET - AIR REGULATOR SET (1 pc.) + SOCKET BUTTON HEAD SCREW (4 pcs.)	10 989

PLUNGER PUMP SET



REF.	CODE	DESCRIPTION	SEK
1	04946700	AIR MOTOR SET for ICON-M433N	O.D
1	04946750	AIR MOTOR SET for ICON-M333N	O.D
2	04938220	CONNECTING ROD	239
3	04946730	FLUID PUMP SET for ICON-M433N	O.D
3	04946760	FLUID PUMP SET for ICON-M333N	O.D
4	06362120	SPRING WASHER - M12	19
5	06361121	HEX. NUT - M12	19
6	94938230	COUPLING SET - ICON-M433N COUPLINGS (2 pcs.) + BOLT WITH HEXAGON HOLE (2 pcs.)	700
6	94943870	COUPLING SET - ICON-M333N COUPLINGS (2 pcs.) + BOLT WITH HEXAGON HOLE (2 pcs.)	306
7	94939540	BOLT WITH HEX. HOLE (2 pcs.) - M4x20	11
8	04938240	ROD COVER	114
9	04938260	FLUID OUTPUT PACKING	14
10	04938250	FLUID OUTPUT JOINT	442




ICON-M433N & M333N MULTI SPRAY PUMPS

AIR MOTOR SET

REF.	CODE	DESCRIPTION	ICON-M433N	ICON-M333N	SEK
1	94938600	BOTTOM MODULE	x	--	2 946
1	94944860	BOTTOM MODULE	--	x	2 432
2	94938620	METAL SET	METAL ø 22 x ø 32 x L22 + SEEGER	--	355
2	94944870	METAL SET	METAL ø 18 x ø 25 x L25 + SEEGER	x	188
3*	94943830	"U" PACKING SET	"U" PACKING + SEEGER	--	59
3*	94946600	"U" PACKING SET	"U" PACKING + SEEGER	x	59
4	94939290	AIR PISTON	x	--	1 559
4	94944900	AIR PISTON	--	x	983
5	94939300	PISTON ROD	x	--	801
5	94944910	PISTON ROD	--	x	712
6*	04943730	'O' RING	ø 5.34 x ø 145.42	--	68
6*	04944980	'O' RING	ø 5.34 x ø 113.7	x	68
7	96471162	WASHER	M16 (2 pcs.)	--	19
7	96471142	WASHER	M14 (2 pcs.)	x	19
8	04939460	SELF LOCKING HEX. NUT	M16	--	15
8	04944960	SELF LOCKING HEX. NUT	M14	x	11
9	94939270	CYLINDER	x	--	1 466
9	94944880	CYLINDER	--	x	752
10	94943740	'O' RING SET	ø 3 x ø 154 (2 pcs.)	--	100
10	94944990	'O' RING SET	ø 3 x ø 119.5 (2 pcs.)	x	72
11	94939320	PILOT AIR HOSE SET	PILOT AIR HOSE (2 pcs.) + 'O' RING (4 pcs.)	x	230
12*	96637607	'O' RING SET	'O' RING ø 1.5 x ø 6.5 (4 pcs.)	x	43
13	94939310	HEAD MODULE	x	--	2 293
13	94944920	HEAD MODULE	--	x	2 245
14	94939480	BOLT NUT SET	BOLT M10 x L180 (4 pcs.) + NUT M10 (4 pcs.) + SPRING WASHER M10 (4 pcs.)	--	607
14	94944970	BOLT NUT SET	BOLT M8 x L180 (4 pcs.) + NUT M10 (4 pcs.) + SPRING WASHER M10 (4 pcs.)	x	554
15	94939350	MODULE PACKING SET	(2 pcs.)	x	57
16	94939520	BOLT WITH HEX. HOLE SET	M5xL35 (2 pcs.)	x	9
17	04939340	SUB PLATE PACKING	x	x	46
18	94939330	SUB PLATE	x	x	1 654
19	94946720	AIR OPERATING VALVE SET	AIR OPERATING VALVE + SUB PLATE PACKING	x	3 695
20	94939530	BOLT WITH HEX. HOLE SET	M5x75 (4 pcs.)	x	58
21	04939450	PUMP STAY "L"	x	--	132
21	04944950	PUMP STAY "L"	--	x	132
22	04939440	PUMP STAY "R"	x	--	132
22	04944940	PUMP STAY "R"	--	x	132
23	94939490	BOLT WITH HEX. HOLE + SPRING WASHER	BOLT M8x16 (4 pcs.) + SPRING WASHER M8 (4 pcs.)	x	22
24	94447750	CYLINDER COVER	x	--	1 515
24	94447830	CYLINDER COVER	--	x	1 153
25	94946710	DOUBLE ACTION PILOT VALVE	x	x	2 727
	04001490	AIR MOTOR MAINTENANCE KIT	x	--	720
	04002030	AIR MOTOR MAINTENANCE KIT	--	x	711

(*) Spare parts included in MAINTENANCE KIT


SPARE PARTS



ICON-M433N & M333N MULTI SPRAY PUMPS




FLUID PUMP SET FOR ICON-M433N



REF.	CODE	DESCRIPTION	SEK
1	04001520	SUCTION TUBE WITH FLANGE	6 537
2	04938380	SPRING HOLDER	201
3	04938370	UPPER SPRING	193
4*	04938320	UPPER "V" PACKING MALE ADAPTOR	217
5*	04001500	UPPER PACKINGS KIT ("V" PACKINGS PE 3 pcs.+ PTFE 2 pcs.)	527
6*	04938350	UPPER "V" PACKING FEMALE ADAPTOR	236
7	940175A0	PACKING NUT KIT (PACKING NUT+'O' RING)	851
7-1	960053A0	'O' RING	55
8	04938490	THINNER CUP	52
9	04938360	LOWER SPRING	217
10*	04938470	LOWER "V" PACKING MALE ADAPTOR	229
11*	04001510	LOWER PACKINGS KIT ("V" PACKINGS PE 3 pcs.+ PTFE 2 pcs.)	544
12	94938400	SUCTION ROD	4 954
13*	04938420	VALVE HOLDER PACKING	34
14*	06662045	BALL 9/16"	51
15*	04938430	VALVE HOLDER PIN	79
16	94938410	VALVE HOLDER	788
17*	04000210	SUCTION TUBE PACKING	100
18	94938300	SUCTION CONNECTOR	2 217
19	94938310	VALVE ADAPTOR	1 672
20*	04938390	LOWER PIN	68
21*	04000140	ADAPTOR PACKING	96
22*	06662100	BALL 1"	276
23*	04938440	LOWER "V" PACKING FEMALE ADAPTOR	302
	04002020	FLUID PUMP MAINTENANCE KIT	2 146

(*) Spare parts included in MAINTENANCE KIT

FLUID PUMP SET FOR ICON-M333N




REF.	CODE	DESCRIPTION	SEK
1	04002100	SUCTION TUBE WITH FLANGE	4 958
2	94943910	SUCTION CONNECTOR	2 105
3	04944740	SPRING HOLDER	128
4	940176A0	PACKING NUT KIT (PACKING NUT+'O' RING)	842
4-1	960053A0	'O' RING	55
6	04944730	UPPER SPRING	296
7	04944720	LOWER SPRING	104
8	04938490	THINNER CUP	52
9*	04943990	UPPER "V" PACKING FEMALE ADAPTOR	193
10*	04943960	UPPER "V" PACKING MALE ADAPTOR	189
11*	04002040	UPPER PACKINGS KIT ("V" PACKINGS PE 3 pcs.+ PTFE 2 pcs.)	519
13*	04944810	LOWER "V" PACKING FEMALE ADAPTOR	175
14*	04002060	LOWER PACKINGS KIT ("V" PACKINGS PE 3 pcs.+ PTFE 2 pcs.)	441
16*	04944840	LOWER "V" PACKING MALE ADAPTOR	157
19	04000240	SUCTION TUBE PACKING	96
20	94944750	SUCTION ROD	4 829
21*	06662040	BALL 1/2"	51
22*	04944780	VALVE SEAT	153
23*	04944770	VALVE HOLDER PACKING	438
24	04944790	BALL GUIDE	101
25	04944760	VALVE HOLDER	752
26*	04944800	'O' RING $\phi 2 \times \phi 13$	43
27	04943920	VALVE ADAPTOR	578
28*	04943930	VALVE SEAT	176
29*	06662050	BALL 5/8"	183
30	04943940	BALL GUIDE	101
31*	04943950	ADAPTOR PACKING	110
32*	04946590	'O' RING $\phi 2.5 \times \phi 17$	9
	04002120	FLUID PUMP MAINTENANCE KIT	2 156

(*) Spare parts included in MAINTENANCE KIT

SPARE PARTS


AIR REGULATOR SET

REF.	CODE	DESCRIPTION	SEK
1	04444640	PANEL	2 077
2	04444800	AIR REGULATOR	1 424
3	044445850	"T" ADAPTOR - 1/2" FMF	121
4	04444910	NIPPLE - 1/2"	41
5	04444930	ELBOW UNION - 1/2" MF	88
6	04444860	REDUCER - G1/2"-G1/4"	30
7	UL30010501	SPECIAL NIPPLE - R1/4" - G1/4"	56
8	04444650	PRESSURE GAUGE	484
9	04444940	ELBOW UNION - 1/8" - $\phi 6$	56
10	04444850	"T" ADAPTOR - 1/2" FFF	124
11	04444920	ELBOW MALE ADAPTOR - 1/2"x $\phi 12$	124
12	UL30036000	SAFETY VALVE	462
13	04444950	FEMALE ADAPTOR - 1/4" - $\phi 6$	44
14	04444870	BULKHEAD CONNECTOR - 1/4"	64
15	04444840	3-WAY VALVE - 1/2"	764
16	04447940	ELBOW UNION - 1/8" - $\phi 8$	67
17	04444670	AIR HOSE 1 - $\phi 6$ - 160 mm	26
18	04447920	AIR HOSE 2 - $\phi 6$ - 200 mm	26
19	04444680	AIR HOSE 3 - $\phi 8$ - 80 mm	34
20	04447930	AIR HOSE 5 - $\phi 12$	82
21	04444830	TOP MOUNTING RING	132
22	04447820	EXHAUST FILTER	99
23	04001230	ELBOW JOINT - 1/4"	68
24	04001130	ELBOW UNION - 1/2" $\phi 8$	71



AIR OPERATING VALVE


REF.	CODE	DESCRIPTION	SEK
1	94939360	CHANGEOVER MAIN BODY	1 488
2	04939410	SPOOL	320
3*	94000440	'O' RING SET $\phi 4 \times \phi 28$	14
4*	04939370	CHANGEOVER BLOCK	197
5	94939380	SEAT PLATE SET [ref. 5 (1 pc.) + ref. 6 (4 pcs.)]	1 326
6	94943720	HEX. SOCKET COUNTERSUNK SCREW	45
7	04939390	SIDE CAP	471
8	94943770	'O' RING $\phi 3 \times \phi 38$	26
9	94939400	DETENT PISTON SET [ref. 9 (2 pcs.) + ref. 10 (2 pcs.)]	87
10	04943810	'O' RING $\phi 1 \times \phi 3$	9



DOUBLE ACTION PILOT VALVE

REF.	CODE	DESCRIPTION	SEK
1	94938610	VALVE HOUSING	1 085
2*	-	'O' RING - $\phi 2 \times \phi 21.5$	
3	94939220	VALVE	293
4*	-	'O' RING - $\phi 2 \times \phi 14$	
5	94939230	CAP	728
6	-	'O' RING - $\phi 1.5 \times \phi 22$	
7	04939240	SPOOL SPRING	41
8	94939260	SPOOL	814
9	04939250	VALVE SPRING	46
10*	-	'O' RING - $\phi 1.5 \times \phi 9$	
	04001390	PILOT VALVE 'O' RING KIT	136

(*) Spare parts included in 'O' RING KIT



ICON-M233N MULTI SPRAY PUMP

FEATURES



Very compact and easily transportable ICON® X3 Multi Spray Pumps for medium to high pressure applications, are ideally suited to the requirements of the industrial sector. Available also on Wall Mount and with Suction Hose Set or Hopper Set.

TECHNICAL DATA		ICON-M233N
Plunger Pump		PP-3025N
Pressure Ratio		30:1
Paint Filter	Delivery Paint Filter	TF-1S (100 Mesh)
	Fluid Suction Filter	50 mesh
Max. Fluid Working Pressure		210 bar (21 MPa)
Max. Air Inlet Pressure		7.0 bar (0.7 MPa)
Air Consumption		110 NI/min. at 30 cyc/min.
Fluid Output	Max. Fluid Delivery	25 ml/cyc
	Max. Volume/Min.	2.5 l/min
No. of Cycles per Minute		100 cyc



ICON-M233N MULTI SPRAY KITS

THE KIT INCLUDES



Multi Spray Pump



Multi Spray Gun
MSGS-200 EVO



Conductive high pressure Twin
Hose NHT-25075 N IC
(Air/Fluid) Page: 157

ICON-M233N



ICON-M233N

ICON-M233N Assembled on Cart Frame

ORDER INFORMATION

CODE	MODEL	TYPE OPTION	GUN MODEL	TYPE OF FILTER	TWIN HOSES	SEK
ICON-M233N MULTI SPRAY PUMP & KIT						
140012A0	ICON-M233N-S	PUMP UNIT				29 468
140003A0	ICON-M233N-S1	SUCTION HOSE SET	MSGS-200-250L	Long - 100 Mesh	NHT-25075 N IC (7.5 m)	38 886

ICON-M233N Assembled on Wall Mount

ORDER INFORMATION

CODE	MODEL	TYPE OPTION	GUN MODEL	TYPE OF FILTER	TWIN HOSES	SEK
ICON-M233N MULTI SPRAY PUMP & KIT						
140024A0	ICON-M233N-HWM	PUMP UNIT				27 038
140020A0	ICON-M233N-HWM1	HOPPER SET (6 lt.)	MSGS-200-250L	Long - 100 Mesh	NHT-25075 N IC (7.5 m)	36 449

CODE	DESCRIPTION	SEK
04445770	PACKING PROTECTION LIQUID (OIL) 500 ml	518



Packing protection liquid

ICON-M233N Multi Spray Kit



Version with
HOPPER SET (6lt.)




Version with
wall mount BRACKET



ICON-M233N MULTI SPRAY PUMP

ICON-M233N CONFIGURATION



REF.	CODE	DESCRIPTION	SEK
1	-	PLUNGER PUMP (PP-3025N)	
2	94444790	SELF-TAPPING SCREW WITHOUT TIP (4 pcs.)	9
3a	940188A0	AIR REGULATOR SET for CART FRAME version	4 883
3b	940189A0	AIR REGULATOR SET for WALL MOUNT version	4 934
4	ME100001	GROUND WIRE SET	78
5	940157A0	AIR HOSE 0,3 m	21
6	940085A0	CART FRAME	5 050
7	960055A0	HEX. SOCKET BUTTON HEAD SCREW M8x20 SET (4 pcs)	94
8	0101010000	SUCTION HOSE SET - 50 MESH FILTER M15	2 840
9	04005510	HOPPER SET 6 lt.	4 393
10	960056A0	HEX. SOCKET BOLT M6x10 SET (2 pcs)	18
11	940052A0	FILTER STAY	542
12	140002A0	DELIVERY PAINT FILTER SET TF-15	4 733
13	94006030	ADAPTER G1/4"F - NPSM 1/4"M	512
14	940192A0	WALL MOUNT SUPPORT	647
15	940060A0	AIR HOSE 0,5 m	34
	940212A0	AIR EXTENTION HOSE KIT	936


SPARE PARTS



ICON-M233N


PLUNGER PUMP SET

REF.	CODE	DESCRIPTION	SEK
1	940000A0	AIR MOTOR	17 461
2	940036A0	CONNECTING ROD	568
3	940193A0	COUPLING KIT	919
4	940093A0	ROD COVER LEFT	572
5	940094A0	ROD COVER RIGHT	572
6	940014A0	FLUID PUMP SET	19 297
7	960047A0	HEX. SOCKET FLANGE BOLT M5x12	45
8	940170A0	SCREWS & WASHERS SET (3+3+3 pcs.)	679




FLUID PUMP SET

REF.	CODE	DESCRIPTION	SEK
1	940031A0	PACKING HOLDER	367
2	960011A0	O-RING 2.0-29.5	21
3	940112A0	FLANGE	942
4	940126A0	V-PACKING FEMALE ADAPTOR (UPPER)	119
5	940069A0	V-PACKING SET (UPPER) (3 PE + 2 PTFE)	1 269
6	940123A0	V-PACKING MALE ADAPTOR (UPPER)	111
7	940122A0	MULTI WAVE SPRING	339
8	940121A0	SPRING HOLDER (UPPER)	101
9	940015A0	SUCTION TUBE	7 377
10	940032A0	FLUID OUTPUT JOINT	207
11	960040A0	PLUG	18
12	940166A0	SUCTION ROD	2 869
13	940127A0	SPRING HOLDER (LOWER)	103
14	940128A0	NESTED SPRING	520
15	940129A0	V-PACKING MALE ADAPTOR (LOWER)	116
16	940070A0	V-PACKING SET (LOWER) (3 PE + 2 PTFE)	1 269
17	940132A0	V-PACKING FEMALE ADAPTOR (LOWER)	122
18	06662025	BALL 5/16"	62
19	940021A0	VALVE HOLDER	1 029
20	960014A0	SEEGER 20	8
21	04944770	VALVE HOLDER PACKING	438
22	06662050	BALL 5/8"	183
23	960015A0	O-RING 3.53-23.39	93
24	940033A0	VALVE ADAPTOR	1 500



ICON-M233N MULTI SPRAY PUMP

AIR MOTOR SET



REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
1	940073A0	PILOT VALVE SET	1 249	8.4	940004A0	AIR PISTON	995
1.1	940007A0	PILOT VALVE CAP	394	8.5	960003A0	SELF LOCKING HEX. NUT	8
1.2*	96997009	O-RING ϕ 1.5-13.5	18	9	940008A0	CYLINDER	921
1.3	940006A0	PILOT VALVE SPRING	171	10	940010A0	HEAD MODULE	2 020
1.4	940005A0	PILOT VALVE SHAFT	295	11	960006A0	HEX. SOCKET BOLT M6x120	231
1.5*	96997003	O-RING ϕ 1.5-5.5	66	12	960010A0	MUFFLER	324
1.6*	96997012	O-RING ϕ 1.5-3.5	189	13	96350525	HEX. SOCKET BOLT M5x25	8
2	960000A0	SEEGER 18	18	14	940174A0	AIR OPERATING VALVE	7 003
3	940002A0	METAL	72	15	04447820	EXHAUST FILTER	99
4	940001A0	BOTTOM MODULE	2 009	16	UL300309	"L" QUICK COUPLING	120
5*	960001A0	U-PACKING	52	17	UL30030000	T-JOINT	95
6	960002A0	SEEGER 24	26	18	UL30036000	SAFETY VALVE	462
7*	960004A0	O-RING ϕ 5.33-89.69	70	19*	060031A0	O-RING ϕ 1.78-7.65	57
8	940065A0	PISTON ROD SET	2 440	20*	060008A0	O-RING ϕ 2.62-15.54	21
8.1	940159A0	PISTON ROD	631		940072A0	O-RING SET FOR AIR MOTOR & AIR OPERATING VALVE	1 455
8.2*	960052A0	O-RING ϕ 1.5-6	44				
8.3	06363080	WASHER	19				

(* Spare parts included in 'O' Ring Set

SPARE PARTS




ICON-M233N

For CART FRAME Version For WALL MOUNT Version




AIR REGULATOR SET

REF.	CODE	DESCRIPTION	SEK
1	UI00070001	AIR REGULATOR	912
2a	940156A0	PANEL (for Cart Frame version)	810
2b	UL00005201	PLATE FOR AIR REGULATOR (for Wall Mount version)	290
3	UL300700	HEX. NUT M4	3
4	UL300201	L-JOINT	103
5	UL300101	NIPPLE	67
6	UL30034901	BALL VALVE WITH EXHAUST HOLE	890
7	UL300309	"L" QUICK COUPLING	120
8	UL30010501	SPECIAL NIPPLE R1/4" - G1/4"	56
9	02004003	PRESSURE GAUGE (bar - psi)	439
10	06350455	BOLT WITH HEX. HOLE M4x55	55
11	UL300303	T-JOINT	64




CART FRAME SET

REF.	CODE	DESCRIPTION	SEK
1	940113A0	CART FRAME STRUCTURE	4 590
2	940169A0	SCREWS, NUTS & WASHER SET (4+4+8 pcs.)	368
3	UL300811	SPLIT PIN	3
4	UL200001	WHEEL	196
5	960019A0	RUBBER CAP	42
6	940192A0	WALL MOUNT SUPPORT	647
7	940089A0	CONNECTION ELEMENT	139



TF-1S DELIVERY PAINT FILTER SET

REF.	CODE	DESCRIPTION	SEK
1	940053A0	FILTER BODY	938
2	VFM2704	FILTER 100 MESH	167
3	940054A0	CYLINDER	542
4	940055A0	WASHER	90
5	940056A0	FILTER SPRING	192
6	960021A0	O-RING 3.53-32.92	104
7	96859022	SWIVEL JOINT R1/4"M - G1/4"F	700
8	UL300462	JOINT G1/4" - R1/4"	844
9	UL30090100	DRAIN VALVE	2 177
10	UL300302	HOSE JOINT	37



SUCTION HOSE SET

REF.	CODE	DESCRIPTION	SEK
4	UL10000701	COMPLETE SUCTION FILTER SET - M15x50 mesh for ICON M333N A333N M233N A233N	313
4-1	0040720100	FILTER 50 MESH	103
4-2	00407203	FILTER STOPPER	53



5

PAIN
T SUPPLY SYSTEM

HIGH
PRESSURE
AIRLESS
EQUIPMENTS



AL96-S5 AUTOMATIC AIRLESS SPRAY GUN

FEATURES




Automatic Airless Spray Gun, designed for high pressure automatic applications.

TECHNICAL DATA

Max. Operating Pressure	250 bar
Air and Fluid Connection	G1/4"

ORDER INFORMATION

CODE	MODEL
NOZZLE TIP NON INCLUDED (Nozzle Tip reference page 107)	
13698520	AL96-S5 AUTOMATIC AIRLESS SPRAY GUN



SPARE PARTS

REF.	CODE	DESCRIPTION	MODEL	SEK	REF.	CODE	DESCRIPTION	SEK
	94966400	TIP PACKING		86	5-8	06996607	MINI 'Y' PACKING	205
1	93547180	NOZZLE HOLDER	(11/16") AL96-S5	568	5-9	03932590	PISTON SET	2 018
2	93545180	NOZZLE GLAND	(11/16") AL96-S5	2 758	5-10	93029591	PISTON PACKING	307
1	03503170	NOZZLE HOLDER	(M18x1.5) AL96	568	5-11	06994603	SCREW	29
2	93803170	NOZZLE GLAND SET	(M18x1.5) AL96	2 758	5-12	06383086	HEXAGON NUT	15
3-1	03161590	FLUID NIPPLE		898	5-13	06120810	SCREW	72
3-2	03512580	AIR NIPPLE		244	6	03223600	PISTON SPRING	353
4	03811580	BOLT SET		418	7	03182590	COLLAR	205
5	93906590	NEEDLE SET		5 807	8	03225600	PISTON SPRING HOLDER	882
5-1	93808170	NEEDLE BAR SET		645		93978600	TIP FILTER (OPTIONAL)	2 253
5-2	03504180	SPRING HOLDER		205	11	03174780	TIP FILTER	159
5-3	03844170	CONICAL SPRING WASHER	(8 pcs./1 pk.)	92	12	03590600	FILTER ADAPTOR	1 637
5-4	03067951	PACKING HOLDER		115	13	04591460	NOZZLE PACKING	95
5-5 - 5-6	03846170	NEEDLE PACKING SET		265		VFM2802/B	FILTER 100 Mesh	252
5-7	03505180	NEEDLE PACKING SEAT		229				

ALG7 | ALG72 TE WB AIRLESS MANUAL SPRAY GUN



FEATURES



Airless Spray Gun, designed for high pressure application is ideal for the Nautical and Building sector and available also for cladding of wooden and steel structures.

TECHNICAL DATA

Max. Operating Fluid Pressure	100 bar
Max. Operating Pressure	250 bar
Fluid Connection	G1/4"
Paint filter (included)	100 Mesh


ORDER INFORMATION

CODE	MODEL	SEK
NOZZLE TIP NON INCLUDED (Nozzle Tip reference page 107)		
13088270	ALG7 TE WB AIRLESS MANUAL SPRAY GUN (TRIGGER 4 Fingers)	3 284
13088280	ALG72 TE WB AIRLESS MANUAL SPRAY GUN (TRIGGER 2 Fingers)	4 309



SPARE PARTS

REF.	CODE	DESCRIPTION	SEK	REF.	CODE	DESCRIPTION	SEK
	94966400	TIP PACKING	86	9	93074790	NEEDLE SPRING SEAT	645
1	03501170	HAND GUARD	407	10	03529180	PACKING	83
2	93547180	NOZZLE HOLDER	(11/16") 568	11	VFM2008	FILTER 100 Mesh	Yellow 48
3	93545180	NOZZLE GLAND SET	(11/16") 2 758	12-1	03503190	HANDLE	ALG 7 WB 1 185
4	93504170	SAFETY GUARD	566	12-2	93511180	HANDLE	ALG 72 WB 1 185
6	03502180	NEEDLE SEAT	260	13	93003951	UNIVERSAL JOINT	G 1/4" 2 035
7	93807170	NEEDLE SET	1 738	14	03504190	TRIGGER STUD	212
7-1	93808170	NEEDLE BAR SET	645	15	06994103	HEX. CAP NUT	37
7-2	03504180	SPRING HOLDER	205	16-1	03805180	TRIGGER SET (4 fingers)	ALG 7 WB 1 138
7-3	03844170	CONICAL SPRING WASHER	(8 pcs./1 pk.) 92	16-2	93806180	TRIGGER SET (2 fingers)	ALG 72 WB 1 185
7-4	03067951	PACKING HOLDER	115	18	93507190	OUTER HANDLE	1 262
7-5, 7-6	03846170	NEEDLE PACKING SET	265	19	03525170	STOPPER	ALG 72 WB 58
7-7	03505180	NEEDLE PACKING SEAT	229				
7-8	03500190	NEEDLE SPRING HOLDER	645				
7-9	06994603	SCREW	29				
8	03501190	NEEDLE SPRING	244				



FG-61 & FG-62 EXTRUSION FLOW GUNS

FEATURES



Extrusion Flow Guns, designed for application of medium - high viscosity fluids, such as adhesives and sealants.


TECHNICAL DATA	FG-61	FG-62
Max. Operating Pressure	250 bar	
Fluid Connection	G1/4"	G3/8"

ORDER INFORMATION

CODE	MODEL	SEK
NOZZLE TIP NON INCLUDED (Nozzle Tip reference page 107)		
13398260	FG-61 EXTRUSION FLOW GUN (G1/4")	13 390
13398270	FG-61 EXTRUSION FLOW GUN (G3/8")	13 390

SPARE PARTS

REF.	CODE	DESCRIPTION	SEK
1	03546200	NOZZLE TIP HOLDER	486
2	03807200	NOZZLE GLAND SET	1 752
4	03574200	NEEDLE SEAT	209
5-1	93809200	NEEDLE BAR SET	2 674
5-2	03504180	SPRING HOLDER	205
5-3	03844170	CONICAL SPRING WASHER (8 pcs./1 pk.)	92
5-4	03067951	PACKING HOLDER	115
5-5, 5-6	03846170	NEEDLE PACKING SET	265
5-7	03505180	NEEDLE PACKING SEAT	229
5-8	03500190	NEEDLE SPRING HOLDER	645
5-9	06994603	SCREW	29
6	03501190	NEEDLE SPRING	244
7	03502190	NEEDLE SPRING SEAT	252
8	03505200	TRIGGER STUD	147



REF.	CODE	DESCRIPTION	SEK
9	06994103	HEXAGON CAP NUT (2 pcs./1 pk.)	37
10	03811200	TRIGGER SET	1 047
11-1	03810200	UNIVERSAL JOINT NPS 3/8"	1 731
11-2	03813200	UNIVERSAL JOINT G 1/4"	1 512
11-3	03814200	UNIVERSAL JOINT G 3/8"	1 731
13	03638200	COLLAR (option)	188

ACCESSORIES FOR AIRLESS HIGH PRESSURE

ORDER INFORMATION


CODE	DESCRIPTION	SEK
VTR101515	ADJUSTABLE ANGLE SPRAYHEAD 7/8"	1 174
VTR110233	AIRLESS EXTENSION, ALUMINIUM 38 cm 11/16" 290 BAR	1 020
VTR110234	AIRLESS EXTENSION, ALUMINIUM 51 cm 11/16" 290 BAR	1 241



AIRLESS TIPS



REVERSIBLE & FLAT AIRLESS TIPS



HOW TO GET YOUR CODE

VTR207209 Example: VTR207 2 09

Tip Series
Pattern width
Orifice ø inch

PRE-ATOMIZED REVERSIBLE TIPS

Code: VTR201XXX

AIRLESS REVERSIBLE TIPS

Code: VTR207XXX



ORDER INFORMATION

ORIFICE	STAIN OR LAQUER	OIL	LATEX PAINT	HEAVY LATEX	ELASTOMETRIC / BLOCK FILLER																					
ø inch	,009"	,011"	,013"	,015"	,017"	,019"	,021"	,023"	,025"	,027"	,029"	,031"	,033"	,035"	,039"	,043"	,045"	,047"	,049"	,051"	,053"	,055"	,063"	,065"		
ø mm	0,23	0,28	0,33	0,38	0,43	0,46	0,53	0,58	0,64	0,69	0,74	0,79	0,84	0,89	0,99	1,1	1,14	1,19	1,24	1,31	1,35	1,4	1,6	1,65		
PATTERN WIDTH																										
4" - 6"	209	211	213	215	217	219	221	223	225																	
6" - 8"	309	311	313	315	317	319	321	323	325	327	329	331	333	335	339	343										
8" - 10"	409	411	413	415	417	419	421	423	425	427	429	431	433	435	439	443	445	447	449	451	453	455	463	465		
10" - 12"	509	511	513	515	517	519	521	523	525	527	529	531	533	535	539	543	545	547	549	551	553	555	563	565		
12" - 14"	609	611	613	615	617	619	621	623	625	627	629	631	633	635	639	643	645	647	649	651	653	655	663	665		
14" - 16"			713	715	717	719	721	723	725	727	729	731	733	735	739	743	745	747	749	751	753	755	763	765		
16" - 18"			813	815	817	819	821	823	825	827	829	831	833	835	839	843										
18" - 20"			913	915	917	919	921	923	925	927	929	931	933	935	939	943										
FLOW RATE																										
l/min	0,34	0,45	0,68	0,91	1,17	1,44	1,78	2,15	2,54	2,91	3,40	3,90	4,43	4,96	6,17	7,30	8,21	8,93	9,73	10,56	11,36	12,30	16,12	16,77		

PRE-ATOMIZED REVERSIBLE & FLAT AIRLESS TIPS

ORIFICE	PATTERN WIDTH			
ø inch	,008"	,010"	,012"	,014"
ø mm	0,20	0,25	0,30	0,36
4" - 6" - 100-150	208	210	212	214
6" - 8" - 150-200	308	310	312	314
8" - 10" - 200-250	408	410	412	414
10" - 12" - 250-300		510	512	514
12" - 14" - 300-350		610	612	614
FLOW RATE				
l/min	0,26	0,42	0,57	0,79

SAFETY GUARD for Reversible Tips



GASKET



ACCESSORIES

CODE	DESCRIPTION	SEK
VTR101251	GASKET	30
VTR207xxx	T93R MAXX REVERSIBLE AIRLESS TIP 500 BAR	625
VTR207998	T93R MAXX SAFETY GUARD 11/16" 500 BAR	603
VTR207999	T93R MAXX SAFETY GUARD 7/8" 500 BAR	603



ICON-A433N & A333N AIRLESS PUMPS

FEATURES



From general wood to metal painting, ICON® Airless Pumps for high pressure applications are ideally suited to the requirements of the industrial sector. Available also on Wall Mount with Suction Hose Set or Hopper Set.

TECHNICAL DATA

		ICON-A433N	ICON-A333N
Plunger Pump		PP-3688N	PP-3260N
Pressure Ratio		36:1	32:1
Paint Filter	Delivery Paint Filter	TF-8N (100 Mesh)	
	Fluid Suction Filter	15 mesh	50 mesh
Max. Fluid Working Pressure		252 bar (25.2 MPa)	224 bar (22.4 MPa)
Max. Air Inlet Pressure		7.0 bar (0.7 MPa)	
Compressor Required Power		> 1.5 Kw	
Fluid Output	Max. Fluid Delivery	88 ml/cyc	60 ml/cyc
	Max. Volume/Min.	5.2 l/min	3.6 l/min
No. Of Cycles Per Minute		60 cyc	

iCon
AIRLESS
PUMP UNIT



ICON-A433N and -A333N



ICON-A433N & ICON-A333N AIRLESS PUMP Units

ORDER INFORMATION

CODE	MODEL	CONFIGURATION	SEK
ICON-A433N & ICON-A333N AIRLESS UNIT			
14050180	ICON-A433N	AIRLESS UNIT (36:1) supplied with SUCTION HOSE SET	44 384
14050190	ICON-A333N	AIRLESS UNIT (32:1) supplied with SUCTION HOSE SET	38 966

CODE	DESCRIPTION	SEK
04445770	PACKING PROTECTION LIQUID (OIL) 500 ml	518



Packing protection liquid



ICON-A433N and A333N UNITS KIT

THE KIT INCLUDES



AVAILABLE also with:

SUCTION HOSE

HOPPER SET
6 lt.



ICON-A433N & ICON-A333N AIRLESS Kits

ORDER INFORMATION

CODE	MODEL	TYPE OPTION	GUN MODEL	FILTER SIZE	HOSE	SEK
ICON-A433N AIRLESS KIT			ALG-7 ALG-72 TE WB AIRLESS GUN			
14000160	ICON-A433N-S1	SUCTION HOSE	ALG-7 TE WB or ALG-72 TE WB	100 MESH	NH-35075 (7.5 m)	48 528
14000660	ICON-A433N-S2	HOPPER SET				48 528
ICON-A333N AIRLESS KIT			ALG-7 ALG-72 TE WB AIRLESS GUN			
14000170	ICON-A433N-S1	SUCTION HOSE	ALG-7 TE WB or ALG-72 TE WB	100 MESH	NH-35075 (7.5 m)	43 321
14000650	ICON-A433N-S2	HOPPER SET				43 321
ASSEMBLY CONVERSION KITS						
04005460	WALL MOUNT CONVERSION KIT					6 692
04005870	HOPPER SET G1/2" (6 lt.) for ICON-A433N					4 651
04005510	HOPPER SET G1/2" (6 lt.) for ICON-A333N					4 393




ICON-A433N & A333N AIRLESS PUMPS

SPARE PARTS




ICON-A433N & A333N CONFIGURATION




REF.	CODE	DESCRIPTION	ICON-A433N	ICON-A333N	SEK
1	04445810	CART FRAME SET	X	X	O.D
2	14050130	PLUNGER PUMP SET - PP-3688N	X	--	O.D
2	14050140	PLUNGER PUMP SET - PP-3260N	--	X	O.D
3	1457000000	DELIVERY PAINT FILTER SET - TF-8N	X	X	8 867
4	04444920	ELBOW MALE ADAPTOR - 1/2"x ø12	X	X	124
5	04444740	TIP TRAY	X	X	250
6	94447890	BOLT and NUT SET for PUMP - HEX. SOCKET BOLT (4 pcs.) + NUT (4 pcs.) + SPRING WASHER (4 pcs.) + WASHER (4 pcs.)	X	X	44
7	04001270	FILTER STAY	X	X	110
8	06350612	BOLT WITH HEX. HOLE - M6x10	X	X	10
10	04444690	AIR HOSE	X	--	82
11	04444760	SUCTION FILTER SET - M28x1.5 15 mesh	--	X	453
11	UL10000701	COMPLETE SUCTION FILTER SET - M15x50 mesh	--	X	313
12	ME100001	GROUND WIRE SET	X	X	78
13	06155024	SCREW - M5x10	X	--	9
14	94444750	SUCTION HOSE SET - 15 MESH	X	--	3 262
14	0101010000	SUCTION HOSE SET - 50 MESH FILTER M15	--	X	2 840
15	00100030	DRAIN HOSE - 8x6	--	X	37
16	04445770	PACKING PROTECTION LIQUID	X	X	518
17	04445760	HOOK SPANNER	X	X	621

CART FRAME SET



REF.	CODE	DESCRIPTION	SEK
1	94445680	CART FRAME	3 090
2	04444730	HANDLE FRAME	1 743
3	04445720	WHEEL WASHER	110
4	94444960	WHEEL SET WHEELS (2 pcs.) + WASHERS (2 pcs.) + SELF LOCKING RINGS (2 pcs.)	1 611
5	04447890	BOLT WITH HEX. HOLE	M8 19
6	06361081	HEX. NUT	M8 19
7	06363080	WASHER	M8 19
8	94444790	SELF-TAPPING SCREW WITHOUT TIP (4 pcs.)	9
9	04447900	SELF LOCKING RING	11
10	94445790	AIR REGULATOR SET AIR REGULATOR SET (1 pc.) + SOCKET BUTTON HEAD SCREW (4 pcs.)	8 157

PLUNGER PUMP SET



REF.	CODE	DESCRIPTION	SEK
1	04946700	AIR MOTOR SET for ICON-A433N	O.D
1	04946750	AIR MOTOR SET for ICON-A333N	O.D
2	04938220	CONNECTING ROD	239
3	04946730	FLUID PUMP SET for ICON-M433N	O.D
3	04946760	FLUID PUMP SET for ICON-M333N	O.D
4	06362120	SPRING WASHER - M12	19
5	06361121	HEX. NUT - M12	19
6	94938230	COUPLING SET - ICON-M433N COUPLINGS (2 pcs.) + BOLT WITH HEXAGON HOLE (2 pcs.)	700
6	94943870	COUPLING SET - ICON-M333N COUPLINGS (2 pcs.) + BOLT WITH HEXAGON HOLE (2 pcs.)	306
7	94939540	BOLT WITH HEX. HOLE (2 pcs.) - M4x20	11
8	04938240	ROD COVER	114
9	04938260	FLUID OUTPUT PACKING	14
10	04938250	FLUID OUTPUT JOINT	442



ICON-A433N & A333N AIRLESS PUMPS

AIR MOTOR SET


REF.	CODE	DESCRIPTION	ICON-A433N	ICON-A333N	SEK
1	94938600	BOTTOM MODULE	x	--	2 946
1	94944860	BOTTOM MODULE	--	x	2 432
2	94938620	METAL SET METAL ø 22 x ø 32 x L22 + SEEGER	x	--	355
2	94944870	METAL SET METAL ø 18 x ø 25 x L25 + SEEGER	--	x	188
3*	94943830	"U" PACKING SET "U" PACKING + SEEGER	x	--	59
3*	94946600	"U" PACKING SET "U" PACKING + SEEGER	--	x	59
4	94939290	AIR PISTON	x	--	1 559
4	94944900	AIR PISTON	--	x	983
5	94939300	PISTON ROD	x	--	801
5	94944910	PISTON ROD	--	x	712
6*	04943730	'O' RING ø 5.34 x ø 145.42	x	--	68
6*	04944980	'O' RING ø 5.34 x ø 113.7	--	x	68
7	96471162	WASHER M16 (2 pcs.)	x	--	19
7	96471142	WASHER M14 (2 pcs.)	--	x	19
8	04939460	SELF LOCKING HEX. NUT M16	x	--	15
8	04944960	SELF LOCKING HEX. NUT M14	--	x	11
9	94939270	CYLINDER	x	--	1 466
9	94944880	CYLINDER	--	x	752
10	94943740	'O' RING SET ø 3 x ø 154 (2 pcs.)	x	--	100
10	94944990	'O' RING SET ø 3 x ø 119.5 (2 pcs.)	--	x	72
11	94939320	PILOT AIR HOSE SET PILOT AIR HOSE (2 pcs.) + 'O' RING (4 pcs.)	x	x	230
12*	96637607	'O' RING SET 'O' RING ø 1.5 x ø 6.5 (4 pcs.)	x	x	43
13	94939310	HEAD MODULE	x	--	2 293
13	94944920	HEAD MODULE	--	x	2 245
14	94939480	BOLT NUT SET BOLT M10 x L180 (4 pcs.) + NUT M10 (4 pcs.) + SPRING WASHER M10 (4 pcs.)	x	--	607
14	94944970	BOLT NUT SET BOLT M8 x L180 (4 pcs.) + NUT M10 (4 pcs.) + SPRING WASHER M10 (4 pcs.)	--	x	554
15	94939350	MODULE PACKING SET (2 pcs.)	x	x	57
16	94939520	BOLT WITH HEX. HOLE SET M5xL35 (2 pcs.)	x	x	9
17	04939340	SUB PLATE PACKING	x	x	46
18	94939330	SUB PLATE	x	x	1 654
19	94946720	AIR OPERATING VALVE SET AIR OPERATING VALVE + SUB PLATE PACKING	x	x	3 695
20	94939530	BOLT WITH HEX. HOLE SET M5x75 (4 pcs.)	x	x	58
21	04939450	PUMP STAY "L"	x	--	132
21	04944950	PUMP STAY "L"	--	x	132
22	04939440	PUMP STAY "R"	x	--	132
22	04944940	PUMP STAY "R"	--	x	132
23	94939490	BOLT WITH HEX. HOLE + SPRING WASHER BOLT M8x16 (4 pcs.) + SPRING WASHER M8 (4 pcs.)	x	x	22
24	94447750	CYLINDER COVER	x	--	1 515
24	94447830	CYLINDER COVER	--	x	1 153
25	94946710	DOUBLE ACTION PILOT VALVE	x	x	2 727
	04001490	AIR MOTOR MAINTENANCE KIT	x	--	720
	04002030	AIR MOTOR MAINTENANCE KIT	--	x	711

(*) Spare parts included in MAINTENANCE KIT

SPARE PARTS



ICON-A433N & ICON-A333N





ICON-A433N & A333N AIRLESS PUMPS



FLUID PUMP SET FOR ICON-A433N

FLUID PUMP SET FOR ICON-A333N



REF.	CODE	DESCRIPTION	SEK
1	04001520	SUCTION TUBE WITH FLANGE	6 537
2	04938380	SPRING HOLDER	201
3	04938370	UPPER SPRING	193
4*	04938320	UPPER "V" PACKING MALE ADAPTOR	217
5*	04001500	UPPER PACKINGS KIT ("V" PACKINGS PE 3 pcs.+ PTFE 2 pcs.)	527
6*	04938350	UPPER "V" PACKING FEMALE ADAPTOR	236
7	940175A0	PACKING NUT KIT (PACKING NUT+'O' RING)	851
7-1	960053A0	'O' RING	55
8	04938490	THINNER CUP	52
9	04938360	LOWER SPRING	217
10*	04938470	LOWER "V" PACKING MALE ADAPTOR	229
11*	04001510	LOWER PACKINGS KIT ("V" PACKINGS PE 3 pcs. + PTFE 2 pcs.)	544
12	94938400	SUCTION ROD	4 954
13*	04938420	VALVE HOLDER PACKING	34
14*	06662045	BALL 9/16"	51
15*	04938430	VALVE HOLDER PIN	79
16	94938410	VALVE HOLDER	788
17*	04000210	SUCTION TUBE PACKING	100
18	94938300	SUCTION CONNECTOR	2 217
19	94938310	VALVE ADAPTOR	1 672
20*	04938390	LOWER PIN	68
21*	04000140	ADAPTOR PACKING	96
22*	06662100	BALL 1"	276
23*	04938440	LOWER "V" PACKING FEMALE ADAPTOR	302
	04002020	FLUID PUMP MAINTENANCE KIT	2 146

(*) Spare parts included in MAINTENANCE KIT


REF.	CODE	DESCRIPTION	SEK
1	04002100	SUCTION TUBE WITH FLANGE	4 958
2	94943910	SUCTION CONNECTOR	2 105
3	04944740	SPRING HOLDER	128
4	940176A0	PACKING NUT KIT (PACKING NUT+'O' RING)	842
4-1	960053A0	'O' RING	55
6	04944730	UPPER SPRING	296
7	04944720	LOWER SPRING	104
8	04938490	THINNER CUP	52
9*	04943990	UPPER "V" PACKING FEMALE ADAPTOR	193
10*	04943960	UPPER "V" PACKING MALE ADAPTOR	189
11*	04002040	UPPER PACKINGS KIT ("V" PACKINGS PE 3 pcs. + PTFE 2 pcs.)	519
13*	04944810	LOWER "V" PACKING FEMALE ADAPTOR	175
14*	04002060	LOWER PACKINGS KIT ("V" PACKINGS PE 3 pcs. + PTFE 2 pcs.)	441
16*	04944840	LOWER "V" PACKING MALE ADAPTOR	157
19	04000240	SUCTION TUBE PACKING	96
20	94944750	SUCTION ROD	4 829
21*	06662040	BALL 1/2"	51
22*	04944780	VALVE SEAT	153
23*	04944770	VALVE HOLDER PACKING	438
24	04944790	BALL GUIDE	101
25	04944760	VALVE HOLDER	752
26*	04944800	'O' RING ϕ 2 x ϕ 13	43
27	04943920	VALVE ADAPTOR	578
28*	04943930	VALVE SEAT	176
29*	06662050	BALL 5/8"	183
30	04943940	BALL GUIDE	101
31*	04943950	ADAPTOR PACKING	110
32*	04946590	'O' RING ϕ 2.5 x ϕ 17	9
	04002120	FLUID PUMP MAINTENANCE KIT	2 156

(*) Spare parts included in MAINTENANCE KIT

SPARE PARTS


AIR REGULATOR SET

REF.	CODE	DESCRIPTION	SEK
1	04445640	PANEL	2 077
2	04444930	ELBOW UNION	1/2" MF 88
3	04444860	REDUCER	G1/2"-G1/4" 30
4	UL30010501	SPECIAL NIPPLE	R1/4" - G1/4" 56
5	04445650	ELBOW JOINT	1/2" 147
6	04444830	TOP MOUNTING RING	132
7	04444950	FEMALE ADAPTOR	1/4"- ϕ 6 44
8	04444910	NIPPLE	1/2" 41
9	04444850	"T" ADAPTOR	1/2" FFF 124
10	UL30036000	SAFETY VALVE	462
11	04444670	AIR HOSE	ϕ 6 26
12	04444920	ELBOW MALE ADAPTOR	1/2" x ϕ 12 124
13	04444940	ELBOW UNION	1/8" x ϕ 6 56
14	04444650	PRESSURE GAUGE	484
15	04444840	3-WAY VALVE	1/2" 764
16	04444800	AIR REGULATOR	1 424
17	04447820	EXHAUST FILTER	99




AIR OPERATING VALVE

REF.	CODE	DESCRIPTION	SEK
1	94939360	CHANGEOVER MAIN BODY	1 488
2	04939410	SPOOL	320
3*	94000440	'O' RING SET ϕ 4 x ϕ 28	14
4*	04939370	CHANGEOVER BLOCK	197
5	94939380	SEAT PLATE SET [ref. 5 (1 pc.) + ref. 6 (4 pcs.)]	1 326
6	94943720	HEX. SOCKET COUNTERSUNK SCREW	45
7	04939390	SIDE CAP	471
8	94943770	'O' RING ϕ 3 x ϕ 38	26
9	94939400	DETENT PISTON SET [ref. 9 (2 pcs.) + ref. 10 (2 pcs.)]	87
10	04943810	'O' RING ϕ 1 x ϕ 3	9



DOUBLE ACTION PILOT VALVE

REF.	CODE	DESCRIPTION	SEK
1	94938610	VALVE HOUSING	1 085
2*	-	'O' RING - ϕ 2 x ϕ 21.5	
3	94939220	VALVE	293
4*	-	'O' RING - ϕ 2 x ϕ 14	
5	94939230	CAP	728
6	-	'O' RING - ϕ 1.5 x ϕ 22	
7	04939240	SPOOL SPRING	41
8	94939260	SPOOL	814
9	04939250	VALVE SPRING	46
10*	-	'O' RING - ϕ 1.5 x ϕ 9	
	04001390	PILOT VALVE 'O' RING KIT	136



(*) Spare parts included in 'O' RING KIT



ICON-A233N AIRLESS PUMP

FEATURES



Very compact and easily transportable ICON® X3 Airless Pumps for high pressure applications, are ideally suited to the requirements of the industrial sector. Available also on Wall Mount and with Suction Hose Set or Hopper Set.

TECHNICAL DATA		ICON-A233N
Plunger Pump		PP-3025N
Pressure Ratio		30:1
Paint Filter	Delivery Paint Filter	TF-1S (100 Mesh)
	Fluid Suction Filter	50 mesh
Max. Fluid Working Pressure		210 bar (21 MPa)
Max. Air Inlet Pressure		7.0 bar (0.7 MPa)
Air Consumption		110 NI/min. at 30 cyc/min.
Fluid Output	Max. Fluid Delivery	25 ml/cyc
	Max. Volume/Min.	2.5 l/min
No. of Cycles per Minute		100 cyc



ICON-A233N AIRLESS KITS

THE KIT INCLUDES



iCon X3
Airless Pump



Airless Spray Gun
ALG-7 TE WB
or ALG-72 TE WB



Reversible tip
Page 127



Conductive high pressure
Hose NH-25
code: 14156860
Page: 157

ICON-A233N



ICON-A233N Assembled on Cart Frame



ORDER INFORMATION

CODE	MODEL	ASSEMBLED WITH	AIRLESS SPRAY GUN	GUN FILTER	HIGH PRESSURE PAINT HOSE 7,5 mt	SEK
ICON-A233N AIRLESS PUMP and KIT assembled on CART FRAME						
140027A0	ICON-A233N-S	SUCTION HOSE (w/50 mesh filter)	-	-	-	28 903
140026A0	ICON-A233N-S1		ALG -7 TE WB or ALG-72 TE WB	100 Mesh	NH-25075 14156860	33 210
140029A0	ICON-A233N-H	HOPPER SET (6lt.) (w/50 mesh filter)	-	-	-	29 188
140028A0	ICON-A233N-H1		ALG -7 TE WB or ALG-72 TE WB	100 Mesh	NH-25075 14156860	33 557

ICON-A233N Assembled on Wall Mount

ORDER INFORMATION

CODE	MODEL	ASSEMBLED WITH	AIRLESS SPRAY GUN	GUN FILTER	HIGH PRESSURE PAINT HOSE 7,5 mt	SEK
ICON-A233N AIRLESS PUMP and KIT assembled on WALL MOUNT						
140031A0	ICON-A233N-SWM	SUCTION HOSE (w/50 mesh filter)	-	-	-	26 033
140030A0	ICON-A233N-SWM1		ALG -7 TE WB or ALG-72 TE WB	100 Mesh	NH-25075 14156860	30 258
140033A0	ICON-A233N-HWM	HOPPER SET (6lt.) (w/50 mesh filter)	-	-	-	26 236
140032A0	ICON-A233N-HWM1		ALG -7 TE WB or ALG-72 TE WB	100 Mesh	NH-25075 14156860	30 373

CODE	DESCRIPTION	SEK
04445770	PACKING PROTECTION LIQUID (OIL) 500 ml	518



Packing protection liquid

The unit is supplied on **CART** which, based on the design, it also includes the **WALL BRACKET**




Version with wall mount **BRACKET**



ICON-A233N AIRLESS PUMPS

ICON-A233N CONFIGURATION



REF.	CODE	DESCRIPTION	SEK
1	-	PLUNGER PUMP (PP-3025N)	
2	94444790	SELF-TAPPING SCREW WITHOUT TIP (4 pcs.)	9
3a	940190A0	AIR REGULATOR SET for CART FRAME version	3 681
3b	940191A0	AIR REGULATOR SET for WALL MOUNT version	3 433
4	ME100001	GROUND WIRE SET	78
5	940157A0	AIR HOSE 0,3 m	21
6	940085A0	CART FRAME	5 050
7	960055A0	HEX. SOCKET BUTTON HEAD SCREW M8x20 SET (4 pcs)	94
8	0101010000	SUCTION HOSE SET - 50 MESH FILTER M15	2 840
9	04005510	HOPPER SET 6 lt.	4 393
10	960056A0	HEX. SOCKET BOLT M6x10 SET (2 pcs)	18
11	940052A0	FILTER STAY	542
12	140002A0	DELIVERY PAINT FILTER SET TF-1S	4 733
13	94006030	ADAPTER G1/4"F - NPSM 1/4"M	512
14	940192A0	WALL MOUNT SUPPORT	647
15	940060A0	AIR HOSE 0,5 m	34


SPARE PARTS



ICON-A233N


PLUNGER PUMP SET

REF.	CODE	DESCRIPTION	SEK
1	940000A0	AIR MOTOR	17 461
2	940036A0	CONNECTING ROD	568
3	940193A0	COUPLING KIT	919
4	940093A0	ROD COVER LEFT	572
5	940094A0	ROD COVER RIGHT	572
6	940014A0	FLUID PUMP SET	19 297
7	960047A0	HEX. SOCKET FLANGE BOLT M5x12	45
8	940170A0	SCREWS & WASHERS SET (3+3+3 pcs.)	679




FLUID PUMP SET

REF.	CODE	DESCRIPTION	SEK
1	940031A0	PACKING HOLDER	367
2	960011A0	O-RING 2.0-29.5	21
3	940112A0	FLANGE	942
4	940126A0	V-PACKING FEMALE ADAPTOR (UPPER)	119
5	940069A0	V-PACKING SET (UPPER) (3 PE + 2 PTFE)	1 269
6	940123A0	V-PACKING MALE ADAPTOR (UPPER)	111
7	940122A0	MULTI WAVE SPRING	339
8	940121A0	SPRING HOLDER (UPPER)	101
9	940015A0	SUCTION TUBE	7 377
10	940032A0	FLUID OUTPUT JOINT	207
11	960040A0	PLUG	18
12	940166A0	SUCTION ROD	2 869
13	940127A0	SPRING HOLDER (LOWER)	103
14	940128A0	NESTED SPRING	520
15	940129A0	V-PACKING MALE ADAPTOR (LOWER)	116
16	940070A0	V-PACKING SET (LOWER) (3 PE + 2 PTFE)	1 269
17	940132A0	V-PACKING FEMALE ADAPTOR (LOWER)	122
18	06662025	BALL 5/16"	62
19	940021A0	VALVE HOLDER	1 029
20	960014A0	SEEGER 20	8
21	04944770	VALVE HOLDER PACKING	438
22	06662050	BALL 5/8"	183
23	960015A0	O-RING 3.53-23.39	93
24	940033A0	VALVE ADAPTOR	1 500



ICON-A233N AIRLESS PUMP

AIR MOTOR SET



REF.	CODE	DESCRIPTION	SEK
1	940073A0	PILOT VALVE SET	1 249
1.1	940007A0	PILOT VALVE CAP	394
1.2*	96997009	O-RING ø 1.5-13.5	18
1.3	940006A0	PILOT VALVE SPRING	171
1.4	940005A0	PILOT VALVE SHAFT	295
1.5*	96997003	O-RING ø 1.5-5.5	66
1.6*	96997012	O-RING ø 1.5-3.5	189
2	960000A0	SEEGER 18	18
3	940002A0	METAL	72
4	940001A0	BOTTOM MODULE	2009
5*	960001A0	U-PACKING	52
6	960002A0	SEEGER 24	26
7*	960004A0	O-RING ø 5.33-89.69	70
8	940065A0	PISTON ROD SET	2 440
8.1	940159A0	PISTON ROD	631
8.2*	960052A0	O-RING ø 1.5-6	44
8.3	06363080	WASHER	19

REF.	CODE	DESCRIPTION	SEK
8.4	940004A0	AIR PISTON	995
8.5	960003A0	SELF LOCKING HEX. NUT	8
9	940008A0	CYLINDER	921
10	940010A0	HEAD MODULE	2 020
11	960006A0	HEX. SOCKET BOLT M6x120	231
12	960010A0	MUFFLER	324
13	96350525	HEX. SOCKET BOLT M5x25	8
14	940174A0	AIR OPERATING VALVE	7 003
15	04447820	EXHAUST FILTER	99
16	UL300309	"L" QUICK COUPLING	120
17	UL30030000	T-JOINT	95
18	UL30036000	SAFETY VALVE	462
19*	060031A0	O-RING ø 1.78-7.65	57
20*	060008A0	O-RING ø 2.62-15.54	21
	940072A0	O-RING SET FOR AIR MOTOR & AIR OPERATING VALVE	1 455

(*) Spare parts included in 'O' Ring Set

SPARE PARTS




ICON-A233N

For CART FRAME Version For WALL MOUNT Version




AIR REGULATOR SET

REF.	CODE	DESCRIPTION	SEK
1	UI00070001	AIR REGULATOR	912
2a	940156A0	PANEL (for Cart Frame version)	810
2b	UL00005201	PLATE FOR AIR REGULATOR (for Wall Mount version)	290
3	UL300700	HEX. NUT M4	3
4	UL300201	L-JOINT	103
5	UL300101	NIPPLE	67
6	UL30034901	BALL VALVE WITH EXHAUST HOLE	890
7	UL300309	"L" QUICK COUPLING	120
8	UL30010501	SPECIAL NIPPLE R1/4" - G1/4"	56
9	02004003	PRESSURE GAUGE (bar - psi)	439
10	06350455	BOLT WITH HEX. HOLE M4x55	55




CART FRAME SET

REF.	CODE	DESCRIPTION	SEK
1	940113A0	CART FRAME STRUCTURE	4 590
2	940169A0	SCREWS, NUTS & WASHER SET (4+4+8 pcs.)	368
3	UL300811	SPLIT PIN	3
4	UL200001	WHEEL	196
5	960019A0	RUBBER CAP	42
6	940192A0	WALL MOUNT SUPPORT	647
7	940089A0	CONNECTION ELEMENT	139



TF-1S DELIVERY PAINT FILTER SET

REF.	CODE	DESCRIPTION	SEK
1	940053A0	FILTER BODY	938
2	VFM2704	FILTER 100 MESH	167
3	940054A0	CYLINDER	542
4	940055A0	WASHER	90
5	940056A0	FILTER SPRING	192
6	960021A0	O-RING 3.53-32.92	104
7	96859022	SWIVEL JOINT R1/4"M - G1/4"F	700
8	UL300462	JOINT G1/4" - R1/4"	844
9	UL30090100	DRAIN VALVE	2 177
10	UL300302	HOSE JOINT	37



SUCTION HOSE SET

REF.	CODE	DESCRIPTION	SEK
4	UL10000701	COMPLETE SUCTION FILTER SET - M15x50 mesh for ICON M333N A333N M233N A233N	313
4-1	0040720100	FILTER 50 MESH	103
4-2	00407203	FILTER STOPPER	53



DELIVERY PAINT FILTERS




CUPS
ADAPTERS
& FILTERS

and
CUPS

TF-8N DELIVERY PAINT FILTER SET

For ALS-423 TX -433 TX | MSU-323 CTX -423 TX -433 TX- | MSU-113N
ICON PUMPS: Icon-M433N & -M333N | Icon-A433N & A333N


CODE	DESCRIPTION	REF.	SEK	
1457000000	TF-8 N DELIVERY PAINT FILTER SET		8 867	
0457000200	BODY	D-1	2 136	
0457000100	CYLINDER	D-2	2 153	
0457000300	SCREW	D-3	558	
0457000400	NUT	D-4	144	
06639045	'O' RING	D-5	62	
VFM2503	FILTER 100 Mesh	D-6	76	
UL300453	NIPPLE	R 1/4" M- R 3/8" M	D-7	343
UL30090100	DRAIN VALVE	G 1/4" FF	D-8	2 177
UL300302	HOSE JOINT	R 1/4" M - M8X6	D-9	37
UL300402	UNION JOINT	MF 3/8"	D-10	802
UL30046300	FLUID OUTPUT JOINT	M 3/8" - G 1/4" M	D-11	432



TF-1S DELIVERY PAINT FILTER SET

For Icon M233N | A233N

CODE	DESCRIPTION	REF.	SEK
140002A0	TF-1S DELIVERY PAINT FILTER SET		4 733
940053A0	FILTER BODY	1	938
VFM2704	FILTER 100 MESH	2	167
940054A0	CYLINDER	3	542
940055A0	WASHER	4	90
940056A0	FILTER SPRING	5	192
960021A0	O-RING 3.53-32.92	6	104
96859022	SWIVEL JOINT R1/4" M - G1/4" F	7	700
UL300462	JOINT G1/4" - R1/4"	8	844
UL30090100	DRAIN VALVE	9	2 177
UL300302	HOSE JOINT	10	37



GRAVITY CUPS



Central 600 ml ORDER INFORMATION

MODEL	CODE	CONNECTION	Available for	SEK
PC-G600P-2	14019100	G1/4" (PF1/4")	WS-400 - LS-400 W300 WB (opt.)	881
PCG-6P-2-AZ	W0CUPAZ90	G1/4" (PF1/4")	AZ3 HTE 2 - AZ3 HTE-S Impact AZ4 HTE S Junior	431
PCGP-6P-2B-AZ	W0CUPAZ85	G1/4" (PF1/4")	AZ3 HTE P.A.S. Concept	1 588
PCG-6-PE	14011001	M16 x 1.5F	W-400 Classic Series	709
PCG-6P-2B-AZ	W0012820100	G1/4" (PF1/4")	AZ3 HTE 2 - AZ3 HTE 2 AV	236



Central 250 ml ORDER INFORMATION

MODEL	CODE	CONNECTION	Available for	SEK
PCG-3P-1	VPE250	G1/8" (PF1/8")	LPH-80 (opt.)	211



Central 200 ml ORDER INFORMATION

MODEL	CODE	CONNECTION	Available for	SEK
PCG-2P-2	W0CUPAZ40IN	G1/4" (PF1/4")	W300 WB - AZ4 HTE-S Impact Junior	511
PCG-2P-2B-AZ	W0CUPAZ40	G1/4" (PF1/4")	AZ40 HTE	233



Central 70 ml ORDER INFORMATION

MODEL	CODE	CONNECTION	Available for	SEK
PCG-1P-1	13678980	G1/8" (PF1/8")	LPH-80	269
PCG-1P-1B-AZ	W0012320100	G1/8" (PF1/8")	AZ5	129
PCG-1P-2	13001200	G1/4" (PF1/4")	AZ4 HTE-S Impact Junior	269



Side 200 ml & 130 ml ORDER INFORMATION

MODEL	CODE	CONNECTION	CAPACITY	Available for	SEK
PCG-52 AG	14018186F	G1/4" (PF1/4")	200 ml	RG-3L - WIDER1 W-71 - W101	566
PC-61	14018190	G1/4" (PF1/4")	130 ml	RG-3L - LPH-50 WIDER1 - W-71 - W101	1 084



Side 400 ml ORDER INFORMATION

MODEL	CODE	CONNECTION	Available for	SEK
PC 4	14018070	G3/8" (PF3/8")	W-77	939
PC 4S	14018080	G1/4" (PF1/4")	WIDER1/ W-71/ W101	939



Side 250 ml ORDER INFORMATION

MODEL	CODE	CONNECTION	Available for	SEK
PC 5	14018090	G1/4" (PF1/4")	WIDER1/ W-71/ W101	875



Side 220 ml ORDER INFORMATION

MODEL	CODE	CONNECTION	Available for	SEK
PC 51	14018180	G1/4" (PF1/4")	WIDER1/ W-71/ W101	1 147



GRAVITY CUPS SPARE PARTS ORDER INFORMATION

MODEL	DESCRIPTION	Available for	SEK
04001080	LID SET	PC 4 / PC 4S	432
04001100	LID SET	PC 5	475
04001191	LID SET	PC 61	216



ALUMINIUM GRAVITY CUPS

Central 1 liter ORDER INFORMATION

MODEL	CODE	CONNECTION	Available for	SEK
PCG10EM	VAIU6034E	M16 x 1.5F	W-400 Series	998
PCG10D	VAIU6038	G1/4" (PF1/4")	WS-400 SR2 - LS-400 SR2 W-300 WB	999



Central 700 ml ORDER INFORMATION

MODEL	CODE	CONNECTION	Available for	SEK
PCG7D-2	VAIU6032D	G1/4" (PF1/4")	WS-400 - LS-400 W-300 WB	998
PCG7EM	VAIU6033E	M16 x 1.5F	W-400 Serie	951



Central 400 ml

MODEL	CODE	CONNECTION	Available for	SEK
PCG4D-2	VAIU6031D	G1/4" (PF1/4")	WS-400 - LS-400 W-300 WB	835



Central 150 ml ORDER INFORMATION

MODEL	CODE	CONNECTION	Available for	SEK
PCG2D-2	VAIU6030D	G1/4" (PF1/4")	WS-400 - LS-400 W-300 WB	752
PCG2B-1	VAIU6036D	G1/8" (PF1/8")	LPH-80	721



Central 70 ml ORDER INFORMATION

MODEL	CODE	CONNECTION	Available for	SEK
PCG2D-1	VAIU6050	G1/8" (PF1/8")	LPH-80	539



GRAVITY & SUCTION CUPS



BLACK GRAVITY CUPS for UV CURED PAINT

MODEL	CODE	CONNECTION	Cty	Available for	SEK
UV CUP	WOCUPAZ91	G1/4" (PF1/4")	600 ml	AZ3 HTE Impact	450
PCG-6P-M-S1	13000330	G1/4" (PF1/4")	600 ml	W-400 Serie	911
PCG-2P-2-S1	140025A0	G1/4" (PF1/4")	200 ml	W-300 WB UV	511
PCG-1P-1-S1	13000230	G1/8" (PF1/8")	70 ml	LPH-80	304



SUCTION CONTAINERS for MANUAL SPRAY GUNS

Central 1 liter ORDER INFORMATION

MODEL	CODE	CONNECTION	Available for	SEK
PCL 10B3	14018621	G3/8" (PF3/8")	W-200 INTEGRA W-77 W-200	1 124
AG-1	04006100	G3/8" (PF3/8")	AZ1 HTE S AZ1 HTE 2S	522



SUCTION CONTAINERS

CENTRAL 1lt. ORDER INFORMATION

MODEL	CODE	CONNECTION	Available for	SEK
PC 12	14018200	G3/8" (PF3/8")	W-200 INTEGRA / W-77 / W-200	1 499
PC 1	14018000	G3/8" (PF3/8")	W-200 INTEGRA / W-77 / W-200	1 665
PC 1S	14018020	G1/4" (PF1/4")	WIDER1/ W-71/ W-101	1 665



CENTRAL 1lt. ORDER INFORMATION

MODEL	CODE	CONNECTION	Available for	SEK
PCL 10B 2	14018601	G1/4" (PF1/4")	WIDER1/ W-71/ W-101	1 147



CENTRAL 700 ml ORDER INFORMATION

MODEL	CODE	CONNECTION	Available for	SEK
PCL 7B 2	14018641	G1/4" (PF1/4")	WIDER1/ W-71/ W-101	1 040
PCL 7B 3	14018661	G3/8" (PF3/8")	W-200 INTEGRA / W-77 / W-200	1 040



CENTRAL 600 ml ORDER INFORMATION

MODEL	CODE	CONNECTION	Available for	SEK
PC 2	14018040	G1/4" (PF1/4")	WIDER1/ W-71/ W-101	1 336



CENTRAL 400 ml ORDER INFORMATION

MODEL	CODE	CONNECTION	Available for	SEK
PC 3	14018060	G1/4" (PF1/4")	WIDER1/ W-71/ W-101	1 731



SUCTION CONTAINER SPARE PARTS ORDER INFORMATION

MODEL	DESCRIPTION	Available for	SEK
04903000	LID	PC 1	1 084
04903050	LID	PC 2	792
04901000	PACKING SET	PC 1 / PC 1S / PC 2	100
04002200	PACKING	PC 12	92
94008300	LID PACKING SET	PCL 7B / PCL 10B	135
04904302	NON DRIP SET	PCL 7B / PCL 10B	127

ADAPTERS

3M PPS 2.0 ADAPTERS ORDER INFORMATION

CODE	MODEL	TYPE	AVAILABLE FOR	SEK
26036	CUPS ADAPTORS 3M PPS 2.0	6	W-300 - AZ4 - AZ3 HTE2 AV - AZ3 HTE S IMPACT	420
26032		2	W-400	420
20677		43	WS-400 - LS-400	420
20480		31	LPH-80	420

3M PPS 2.0 ADAPTER



MIRKA PCS ADAPTERS ORDER INFORMATION

CODE	MODEL	TYPE	AVAILABLE FOR	SEK
9190171101	PCS Spray Gun Adapter	1	W-400	420
9190171104		4	WS-400 - LS-400	420
9190171115		15	LPH-80	420
9190171116		16	W-300 - AZ4 - AZ3 HTE2 AV - AZ3 HTE S IMPACT	420

MIRKA PCS ADAPTER



MICRON & MESH | FILTER



MICRON & MESH

MICRON (MY)

Micron (MY-cron) is a unit of length equal to one millionth of a meter, or one thousandth of a millimeter. One micron corresponds to 0,00004 inch or 0,001 mm.

MESH

The apertures or interstices of the filter and weave specified in the measure mesh. Mesh value is typically reported as the number of openings per inch. This value does not take into account the weave or filter thread thickness and this means that the mesh value does not always have a definite relation to the hole size.

CORRESPONDENCE TABLE MESH - MICRON

MESH	NOMINAL PARTICLE SIZE STICKING	MICRON
10	.065"	1666
20	.035"	897
30	.023"	590
40	.015"	384
50	.011"	282
60	.009"	230
70	.008"	205
80	.007"	180
90	.0051"	130
100	.0055"	141
150	.0046"	118
200	.0033"	84
250	.0024"	60
400	.0018"	45
700	.0012"	30

HIGH T.E.C. PAINT FILTERS

The High T.E.C. filter consists of a filter housing, in order to couple the filter between the gun and the fluid hose.

It is available in 3 filtrations. It has a large filtration surface and can be used with hydro-soluble products.

FILTER HOUSING: In Derlin material for solvent and waterbased paint.

FILTER: In polyamide (PA) plain weave - PLASTIC BODY: In polypropylene (PP).

ORDER INFORMATION

CODE	DESCRIPTION	SEK
3838	HIGH T.E.C. FILTER HOUSING, F 3/8"-M 3/8"	369
18110960	FILTER 60 Micron GREEN	48
18110961	FILTER 275 Micron WHITE	48
18110962	FILTER 100 Micron BLUE	48
18110963	FILTER 160 Micron YELLOW	48
18110964	FILTER 10 Micron RED	74
18110965	FILTER 30 Micron ORANGE	48



PAINT FILTERS



ORDER INFORMATION

CODE	DESCRIPTION	SIZE	SEK
PIC. 1			
VFM2201	FILTER	30 Mesh	80
VFM2202	FILTER	60 Mesh	80
VFM2203	FILTER	100 Mesh	85
VFM2204	FILTER	150 Mesh	96
VFM2205	FILTER	200 Mesh	96
PIC. 2			
VFM2301	FILTER	30 Mesh	74
VFM2302	FILTER	60 Mesh	74
VFM2303	FILTER	100 Mesh	80
VFM2304	FILTER	150 Mesh	85
VFM2305	FILTER	200 Mesh	85
PIC. 3			
VFM2401	FILTER	20 Mesh	159
VFM2402	FILTER	30 Mesh	159
VFM2403	FILTER	45 Mesh	159
VFM2404	FILTER	55 Mesh	159
VFM2405	FILTER	70 Mesh	159
VFM2406	FILTER	85 Mesh	168
VFM2407	FILTER	140 Mesh	168
VFM2408	FILTER	170 Mesh	181
VFM2409	FILTER	200 Mesh	181
VFM2410	FILTER	325 Mesh	205
VFM2411	FILTER	100 Mesh	168
VFM2412	FILTER	60 Mesh	168
PIC. 4			
VFM2801/B	FILTER	60 Mesh	252
VFM2802/B	FILTER	100 Mesh	252
VFM2803/B	FILTER	200 Mesh	252
VFM2801/S	FILTER	60 Mesh	257
VFM2802/S	FILTER	100 Mesh	275
VFM2803/S	FILTER	200 Mesh	277
PIC. 5			
VFM2801/N	FILTER	60 Mesh	52
VFM2802/N	FILTER	100 Mesh	52
VFM2803/N	FILTER	200 Mesh	56
PIC. 6			
VFM2801/L	FILTER	60 Mesh	214
VFM2802/L	FILTER	100 Mesh	214
VFM2803/L	FILTER	200 Mesh	283

PIC. 1



PIC. 2



PIC. 3



PIC. 4



PIC. 5



PIC. 6



PAINT FILTERS

CODE	DESCRIPTION	SIZE	COLOUR	SEK	
Pic. 1					
VFM2001	FILTER (OPTIONAL)	30 Mesh	GREEN	33	
VFM2002	FILTER (OPTIONAL)	50 Mesh	WHITE	33	
VFM2003	FILTER (OPTIONAL)	65 Mesh	BLACK	33	
VFM2004	FILTER (OPTIONAL)	100 Mesh	YELLOW	33	
VFM2005	FILTER (OPTIONAL)	150 Mesh	BLUE	33	
VFM2006	FILTER (STANDARD)	200 Mesh	RED	33	
Pic. 2					
VFM2007	FILTER	50 Mesh	RED	48	
VFM2008	FILTER	100 Mesh	YELLOW	48	
Pic. 3					
VFM2101	FILTER	50 Mesh	GREEN	45	
VFM2102	FILTER	80 Mesh	WHITE	45	
VFM2103	FILTER	150 Mesh	YELLOW	45	
VFM2104	FILTER	295 Mesh	RED	55	
Pic. 4					
VFM2501	FILTER	30 Mesh	BLUE	ø 25 mm /H 155 mm	73
VFM2502	FILTER	60 Mesh	BLACK	ø 25 mm /H 155 mm	73
VFM2503	FILTER	100 Mesh	YELLOW	ø 25 mm /H 155 mm	76
VFM2504	FILTER	150 Mesh	RED	ø 25 mm /H 155 mm	79
VFM2505	FILTER	200 Mesh	WHITE	ø 25 mm /H 155 mm	86
Pic. 5					
VFM2600A	FILTER	20 Mesh	GREEN	205	
VFM2601	FILTER	30 Mesh	BLUE	205	
VFM2602	FILTER	50 Mesh	ORANGE	205	
VFM2603	FILTER	70 Mesh	YELLOW	205	
VFM2604	FILTER	100 Mesh	BLACK	205	
VFM2605	FILTER	150 Mesh	RED	205	
VFM2606	FILTER	200 Mesh	WHITE	205	
Pic. 6					
VFM2701	FILTER	30 Mesh	BLUE	156	
VFM2702	FILTER	50 Mesh	ORANGE	156	
VFM2703	FILTER	70 Mesh	YELLOW	163	
VFM2704	FILTER	100 Mesh	BLACK	167	
VFM2705	FILTER	150 Mesh	RED	167	
VFM2706	FILTER	200 Mesh	WHITE	176	
Pic. 7					
VFM3010	FILTER	30 Mesh		ø 87 mm nylon	42
0040720100	FILTER	50 Mesh		ø 87 mm nylon	103
VFM3012	FILTER	100 Mesh		ø 83 mm nylon	99
Pic. 8					
VFM3013	FILTER	20 Mesh		ø 87,5 mm	59

PIC. 1



PIC. 2



PIC. 3



PIC. 4



PIC. 5



PIC. 6



PIC. 7



PIC. 8



PAINT FILTERS



ANEST IWATA FILTER - ORDER INFORMATION

CODE	DESCRIPTION	MESH	SEK
W2COM5052	FLUID TUBE 3/8" STAINLESS STEEL		745
VLA-000	ANEST IWATA FILTER HOUSING STAINLESS STEEL 3/8" BSP		471
VLA-070-1	FILTER STAINLESS STEEL	70 Mesh	239
VLA-100-1	FILTER STAINLESS STEEL	100 Mesh	239
VLA-150-1	FILTER STAINLESS STEEL	150 Mesh	239
VLA-200-1	FILTER STAINLESS STEEL	200 Mesh	239



Fluid tube

Filter

Filter housing

ANEST IWATA FILTER - ORDER INFORMATION

CODE	DESCRIPTION	MESH	THREAD	SEK	
VFM20910	FILTER	10 Mesh	1"	ø 50 mm/H 40	600
VFM20901	FILTER	15 Mesh	1"	ø 50 mm/H 40	600
VFM20902	FILTER	15 Mesh	1/2"	ø 50 mm/H 40	600
VFM20903	FILTER	15 Mesh	3/4"	ø 50 mm/H 40	600
VFM20904	FILTER	15 Mesh	3/8"	ø 50 mm/H 40	600
VFM20905	FILTER	15 Mesh	15x1 mm	ø 50 mm/H 40	600
VFM20906	FILTER	15 Mesh	28x1,5 mm	ø 50 mm/H 40	600
VFM21901	FILTER	30 Mesh	1"	ø 50 mm/H 40	600
VFM21902	FILTER	30 Mesh	1/2"	ø 50 mm/H 40	600
VFM21903	FILTER	30 Mesh	3/4"	ø 50 mm/H 40	600
VFM21904	FILTER	30 Mesh	3/8"	ø 50 mm/H 40	600
VFM21905	FILTER	30 Mesh	15x1 mm	ø 50 mm/H 40	600
VFM21906	FILTER	30 Mesh	28x1,5 mm	ø 50 mm/H 40	600
VFM22901	FILTER	60 Mesh	1"	ø 50 mm/H 40	600
VFM22902	FILTER	60 Mesh	1/2"	ø 50 mm/H 40	600
VFM22903	FILTER	60 Mesh	3/4"	ø 50 mm/H 40	600
VFM22904	FILTER	60 Mesh	3/8"	ø 50 mm/H 40	600
VFM22905	FILTER	60 Mesh	15x1 mm	ø 50 mm/H 40	600
VFM22906	FILTER	60 Mesh	28x1,5 mm	ø 50 mm/H 40	600



PAINT FILTERS FOR SUCTION CUPS - ORDER INFORMATION

CODE	DESCRIPTION	MESH	THREAD	SEK
04904311	FILTER	130 Mesh	PCL 7B - PCL 10B - PC 1S - AG-1	27
04904311X	FILTER	50 Mesh	PCL 7B - PCL 10B - PC 1S - AG-1	23
04904312	FILTER	75 Mesh	PCL 7B - PCL 10B - PC 1S - AG-1	23



PAINT FILTERS



Paint Filters 60 mesh (250µ) ORDER INFORMATION

FILTERS		WS-400 evo	LS-400 entech	W-400 series	W-300 WB	LPH-300	AZ3 HTE2	Impact AZ3 HTE-S	AZ40	Qty.	SEK
MODELS		60 Mesh (250 µ)	● 600 ml	● 600 ml	● 600 ml	● 600 ml					36
		94011240									
		60 Mesh (250 µ)			● 600 ml					(5 pcs./1 pk.)	140
		035155005									
		50 Mesh (297 µ)			● 200 ml	● 200 ml	● 600 ml	● 600 ml	● 600 ml	(5 pcs./1 pk.)	310
		W2KIT06									

● standard cup
 ● optional cup



HOSES,
 COUPLINGS
 & REGULATORS



PAINT HOSES

NH-25 HIGH PRESSURE PAINT HOSE

CLAMPED WITH SWIVEL JOINTS:	G1/4"
INNER DIAMETER (Ø INCH):	3/16"
MAX. WORKING PRESSURE:	250 bar - 3626 PSI - 25 Mpa
MAX. WORKING TEMPERATURE:	-40°C ÷ 70°C / -40°F ÷ 158°F
ELECTRICAL RESISTENCE:	<1MΩ
CONFORM OR EXCEED STANDARDS:	SAE J517/100R7 - UNI EN 855-ISO 3949
FEATURES	Internal core in polyamide, reinforcement in two polyester fiber braids, external cover in anti-abrasion polyurethane.

CODE	DESCRIPTION	LENGHT	SEK
14156850	NH-25050 HIGH PRESSURE PAINT HOSE	5 m	1 250
14156860	NH-25075 HIGH PRESSURE PAINT HOSE	7,5 m	1 450
14156870	NH-25100 HIGH PRESSURE PAINT HOSE	10 m	1 691
14000100	NH-25150 HIGH PRESSURE PAINT HOSE	15 m	2 116
14156880	NH-25200 HIGH PRESSURE PAINT HOSE	20 m	2 529
14156890	NH-25300 HIGH PRESSURE PAINT HOSE	30 m	3 396

NH - 25



NH-35 HIGH PRESSURE PAINT HOSE

CLAMPED WITH SWIVEL JOINTS:	G1/4"
INNER DIAMETER (Ø INCH):	3/16"
MAX. WORKING PRESSURE:	350 bar - 5076 PSI - 35 Mpa
MAX. WORKING TEMPERATURE:	-40°C ÷ 70°C / -40°F ÷ 158°F
ELECTRICAL RESISTENCE:	<1MΩ
CONFORM OR EXCEED STANDARDS:	SAE 100R1-EN 853 1ST, 15N-EN 857 15C
FEATURES	Internal core in polyamide, reinforcement in high tensile steel braid, external cover in anti-abrasion polyurethane.

CODE	DESCRIPTION	LENGHT	SEK
14156900	NH-35050 HIGH PRESSURE PAINT HOSE	5 m	1 363
14156910	NH-35075 HIGH PRESSURE PAINT HOSE	7,5 m	1 635
14156920	NH-35100 HIGH PRESSURE PAINT HOSE	10 m	1 932
14000110	NH-35150 HIGH PRESSURE PAINT HOSE	15 m	2 529
14156930	NH-35200 HIGH PRESSURE PAINT HOSE	20 m	3 011
14156940	NH-35300 HIGH PRESSURE PAINT HOSE	30 m	4 176

NH - 35



NHT-25 N - HIGH PRESSURE TWIN HOSE

MODELS:	NHT-25 N
CLAMPED WITH SWIVEL JOINTS:	NPSM 1/4"
INNER DIAMETER (Ø INCH):	3/16"
MAX. WORKING PRESSURE:	250 bar - 3626 PSI - 25 Mpa
MAX. WORKING TEMPERATURE:	-40°C ÷ 70°C / -40°F ÷ 158°F
ELECTRICAL RESISTENCE:	<1MΩ
CONFORM OR EXCEED STANDARDS:	SAE J517/100R7 - UNI EN 855-ISO 3949
FEATURES PAINT HOSE:	Internal core in polyamide, reinforcement in two polyester fiber braids, external cover in anti-abrasion polyurethane.
FEATURES AIR HOSE:	In Polyurethane - Inner diameter ø: 5 mm - Swivel joint: G1/4" Max. working pressure: 17 bar - 246 PSI - 1.7 Mpa Max. working Temperature: -20°C ÷ 60°C / -4°F ÷ 140°F

CODE	PAINT	AIR	DESCRIPTION	LENGHT	SEK
NHT-25 N	NPSM 1/4"	G1/4"	NHT-25050 N - HP TWIN HOSE	5 m	1 975
			NHT-25075 N - HP TWIN HOSE	7,5 m	2 373
			NHT-25100 N - HP TWIN HOSE	10 m	2 828
			NHT-25150 N - HP TWIN HOSE	15 m	3 324
			NHT-25200 N - HP TWIN HOSE	20 m	4 474
			NHT-25300 N - HP TWIN HOSE	30 m	6 108
HIGH PRESSURE TWIN HOSES for ICON PUMPS (Air hose longer than Paint hose)					
14000520	NPSM 1/4"	G1/4"	NHT-25075 N IC - HP TWIN HOSE	7,5 m	2 373
14000240	G1/4"	G1/4"	NHT-25075 IC - HP TWIN HOSE	7,5 m	2 373

NHT - 25 N



TWIN HOSES CLIPS SET (4 pcs./1 pk)

Code: 040134A0
78 SEK



for AIRLESS & MULTI SPRAY & LOW PRESSURE UNITS



LOW PRESSURE HOSE KIT

CODE	DESCRIPTION	LENGHT	SEK
LOW PRESSURE HOSE KIT			
08590050	LOW PRESSURE HOSE KIT	1,5 mt/6 mm	614
08590051	LOW PRESSURE HOSE KIT	2 mt/6 mm	692
08590052	LOW PRESSURE HOSE KIT	2 mt/8 mm	816
04925150	LOW PRESSURE HOSE KIT	5 mt/6 mm	1 165
04925151	LOW PRESSURE HOSE KIT	5 mt/8 mm	1 466
04925400	LOW PRESSURE HOSE KIT	8 mt/6 mm	1 643
04925401	LOW PRESSURE HOSE KIT	8 mt/8 mm	2 070
04924150	LOW PRESSURE HOSE KIT	10 mt/6 mm	1 966
04924151	LOW PRESSURE HOSE KIT	10 mt/8 mm	2 470
04921802	LOW PRESSURE HOSE KIT	15 mt/6 mm	2 597
04921803	LOW PRESSURE HOSE KIT	15 mt/8 mm	3 530
HIGH PRESSURE HOSE with couplings in SS			
04921150	1 mt 1/8" WHIPEND (FEMALE + MALE)	1 mt	749




LOW PRESSURE



HIGH PRESSURE

SUCTION HOSE SET with 50 MESH FILTER

CODE	DESCRIPTION	REF.	SEK
SUCTION HOSE for Icon-M333N & Icon-A333N			
0101010000	SUCTION HOSE SET - 50 MESH FILTER M15		2 840
UL10000701	COMPLETE SUCTION FILTER SET - M15x50 mesh for ICON M333N A333N M233N A233N	4	313
0040720100	FILTER 50 MESH	4-2	103
VFM3012	FILTER 100 MESH	4-2	99
00407203	FILTER STOPPER	4-3	53



SUCTION COVER

SUCTION HOSE SET with 15 MESH FILTER

CODE	DESCRIPTION	REF.	SEK
94444750	SUCTION HOSE SET - 15 MESH - for Icon-M433N & Icon-A433N		3 262
04444760	FILTER 15 MESH	1	453



AIR & PAINT HOSES



PREMIUM ANTISTATIC AIR HOSE

ORDER INFORMATION

CODE	DESCRIPTION	SEK
50500235	ANTISTATIC SPRAY BOOTH HOSE WITH FITTINGS (10 mt)	1 823
50500235-12,5	ANTISTATIC SPRAY BOOTH HOSE WITH FITTINGS (12,5 mt)	2 097
DE120019	ANTISTATIC SPRAY BOOTH HOSE (mt)	120



BREATHING ANTISTATIC AIR HOSE

ORDER INFORMATION

CODE	DESCRIPTION	SEK
50500247	BREATHING AIR HOSE 10 mt	2 193
50500247-12,5	BREATHING AIR HOSE 12,5 mt	2 656




Antistatic, with couplings. EN14593/EN14594

AIR HOSE & PAINT HOSE IN DESIRED LENGTH

Air- and painthoses by standard hoses, are fully assembled. Can also be ordered in desired length.

AIR HOSE (price per meter) - ORDER INFORMATION

CODE	DESCRIPTION	SEK
08591000	AIR HOSE 6 mm WITH GROUND WIRE	127
08591100	AIR HOSE 8 mm WITH GROUND WIRE	240
50500010	AIR HOSE 6 mm GREEN (Std)	78
50500012	AIR HOSE 8 mm GREEN (Std)	101
50500019	AIR HOSE 10 mm GREEN (Std)	125
50500037	AIR HOSE 19 mm N-20 BAR	109
50500012C	AIR HOSE 8 mm (LEADING)	118



PAINT HOSE (price per meter) - ORDER INFORMATION

CODE	DESCRIPTION	SEK
08590061	PAINT HOSE 6 mm TRANSPARENCY	114
08590061S1	PAINT HOSE 6 mm TRANSPARENCY WITH GROUND WIRE	130
LPV14	PAINT HOSE 6 mm BLACK (Std)	102
LPV15	PAINT HOSE 8 mm BLACK (Std)	129



HOSE REELS - ORDER INFORMATION

CODE	DESCRIPTION	SEK
15567610	AIR HOSE WITH GROUND WIRE 6 mm/100 mt	10 669
15567640	AIR HOSE WITH GROUND WIRE 8 mm/100 mt	22 048
14157210S1	PAINT HOSE WITH GROUND WIRE 6 mm/100 mt	10 348
14157210	PAINT HOSE WITHOUT GROUND WIRE 6 mm/100 mt	10 140
50500011	AIR HOSE 6 mm/100 mt	7 670
50500013	AIR HOSE 8 mm/60 mt	6 188
50500020	AIR HOSE 10 mm/50 mt	6 456



TEFLON HOSES

We have a great selection of teflon hoses in PTFE in different dimensions, both transparent and white. We also have black hoses for UV coatings. Get in touch to find out more!



HOSE CLIPS - ORDER INFORMATION

CODE	DESCRIPTION	SEK
08592001	HOSE CLIP 5 - 7 mm	18
08592002	HOSE CLIP 7 - 9 mm	18
08592000	HOSE CLIP 9 - 11 mm	18
08591113	HOSE CLIP 11 - 13 mm	18
08591115	HOSE CLIP 13 - 15 mm	18
08591118	HOSE CLIP 15 - 18 mm	18



COUPLINGS



QUICK COUPLING with seal - ORDER INFORMATION

CODE	DESCRIPTION	SEK
930620A0	QUICK COUPLING 1/4" MALE	67
150016A0	QUICK COUPLING 1/4" MALE (5 pcs/1 pk)	255



SWIVEL QUICK COUPLING FOR AIR - ORDER INFORMATION

CODE	DESCRIPTION	SEK
VGRSWM	SWIVEL QUICK COUPLING 1/4" MALE	175
VGRSWF	SWIVEL QUICK COUPLING 1/4" FEMALE	175



QUICK COUPLING FOR PAINT - ORDER INFORMATION

CODE	DESCRIPTION	SEK
78-312	MALE 3/8"	880
78-311	FEMALE 3/8"	880



SAFETY QUICK COUPLING FOR AIR - ORDER INFORMATION

CODE	DESCRIPTION	SEK
1025S1008	SAFETY QUICK COUPLING FEMALE (8 mm)	528
1025S1009	SAFETY QUICK COUPLING FEMALE (9 mm)	528
1025S1010	SAFETY QUICK COUPLING FEMALE (10 mm)	528



SAFETY COUPLING | QUICK COUPLING FOR AIR - ORDER INFORMATION

CODE	DESCRIPTION	SEK
AIDESG071809	SAFETY COUPLING FEMALE (BLACK)	305
AIDERG071809	QUICK COUPLING FEMALE (GREY)	265

AIR HOSE "L" SWIVEL JOINT - ORDER INFORMATION

CODE	DESCRIPTION	SEK
14375800	AIR HOSE "L" SWIVEL JOINT	366



HOSE COUPLING NIPPEL- ORDER INFORMATION

CODE	DESCRIPTION	SEK
05171406	HOSE COUPLING 1/4" 6 mm, STAINLESS	86
05171408	HOSE COUPLING 1/4" 8 mm, STAINLESS	86
05173806	HOSE COUPLING 3/8" 6 mm, STAINLESS	86
05173808	HOSE COUPLING 3/8" 8 mm, STAINLESS	86



QUICK COUPLING FOR AIR (CEJN MODEL 320) - ORDER INFORMATION

CODE	DESCRIPTION	SEK
103201002	QUICK COUPLING FEMALE 6 mm HOSE COUPLING	232
103201003	QUICK COUPLING FEMALE 8 mm HOSE COUPLING	232
103201004	QUICK COUPLING FEMALE 10 mm HOSE COUPLING	232
103201202	QUICK COUPLING FEMALE 1/4"	232
103201204	QUICK COUPLING FEMALE 3/8"	232
103205002	COUPLING MALE 6 mm	58
103205003	COUPLING MALE 8 mm	58
103205004	COUPLING MALE 10 mm	58
103205152	COUPLING MALE 1/4"	58
103205154	COUPLING MALE 3/8"	58



QUICK FLUID ADJUSTER - ORDER INFORMATION

CODE	DESCRIPTION	SEK
930721A0	QUICK FLUID ADJUSTER for WS-400, LS-400, W-400, W-300, WS-200, W-200 INTEGRA*, WIDER 1*	1170

SWIFT ADJUSTMENTS

With the QFA, you can effortlessly adjust paint delivery from fully open to reduced flow in a matter of seconds. No more hassle, just smooth and seamless adjustments!

EASY TO USE

Designed for convenience, the QFA is user-friendly and intuitive. Simply twist, turn, and dial in the perfect paint flow for your project.

ENHANCE PRODUCTIVITY

By streamlining the adjustment process, the QFA helps you save valuable time and get more done without compromising on quality.



PRESSURE GAUGES

HVC-1 AIR PRESSURE REGULATOR

FEATURES

- Air Pressure Gauge/Regulator
- Joints G1/4"
- Body in Anodized Aluminum
- Chrome plated steel gauge case
- Glass clock face
- Control range 0-6 bar (Pressure resistant up to 12 bar)



Air Pressure Regulator



ORDER INFORMATION

CODE	DESCRIPTION	SEK
150003A0	HVC-1 AIR PRESSURE REGULATOR	850

HVC-2 AIR PRESSURE REGULATOR

FEATURES

- Air Pressure Gauge/Regulator
- Female plug G1/4"
- Male plug G1/4"
- Body in Anodized Aluminum
- Chrome plated steel gauge case
- Glass clock face
- Control range 0-6 bar (Pressure resistant up to 12 bar)
- Automatic shut off valve



Air Pressure Regulator



ORDER INFORMATION

CODE	DESCRIPTION	SEK
150011A0	HVC-2 AIR PRESSURE REGULATOR	1 139

IMPACT CONTROLLER 2

FEATURES

- Air Pressure Gauge/Regulator
- Joints G1/4"
- Chrome plated aluminium body
- Steel gauge case
- Control range 0-10 bar



Air Pressure Regulator



ORDER INFORMATION

CODE	DESCRIPTION	SEK
W2012920700	IMPACT CONTROLLER2 - AIR PRESSURE REGULATOR	701

AIR FILTER REGULATORS 1/2"



Our Air Filter Regulators are high quality stages filter units providing safe, breathable air for the spraybooth. They provides enough air to run two spray guns, plus high quality breathable air for up to two air-fed masks. Feature a robust die cast alloy filter body with glass windows that enable you to see the condition of the filters. The gauge is built into regulator for safety, which is easily removed for cleaning. They also include one-twist quick release bowls, for ease of maintenance, and nitrile rubber seals for longer life.

SINGLE-STAGE 1/2"



AIR QUALITY

ORDER INFORMATION

CODE	DESCRIPTION	SEK
89250112	AIR FILTER REGULATOR 1/2"F - SINGLE-STAGE 5µ NM	4 869
89250041	FILTRATION CARTRIDGE 5µ NM	218



DOUBLE-STAGE 1/2"



AIR QUALITY

ORDER INFORMATION

CODE	DESCRIPTION	SEK
89250222	AIR FILTER REGULATOR 1/2"F - DOUBLE-STAGE	10 018
89250051	FILTRATION CARTRIDGE 3 µ NM	2 638
89250052	FILTRATION CARTRIDGE 0,01 µ NM	1 320



TRI-STAGE 1/2"




AIR QUALITY


ORDER INFORMATION

CODE	DESCRIPTION	SEK
89250232	AIR FILTER REGULATOR 1/2"F - TRI-STAGE	12 494
89250051	FILTRATION CARTRIDGE 3 µ NM	2 638
89250052	FILTRATION CARTRIDGE 0,01 µ NM	1 320
89250053	ACTIVE CARBON FILTER	1 990







HEALTH
PROTECTION



The facility also houses two fresh conference rooms where we can accommodate up to 25 guests.



We have a center for education and training.



ANEST IWATA OVERALL - PREMIUM QUALITY

Premium Overall provides high protection against overspray and prevents pollution of the painting job by fibers, dust and lint. Designed for full comfort with antistatic fiber.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Category I according to the European Directive 2016/425
Basic PPE protects against minimal risks.

OVERALL'S SIZE CHART

SIZE	S	M	L	XL
EU	46	48	50	52-54
HIGH	170-174 cm	174-178 cm	178-182 cm	182-190 cm
CHEST	86-94 cm	94-102 cm	102-110 cm	110-118 cm
WAIST	70-78 cm	78-86 cm	86-94 cm	94-102 cm

ORDER INFORMATION

CODE	DESCRIPTION	SIZE	SEK
150006A0	PREMIUM OVERALL	S	1 695
150007A0	PREMIUM OVERALL	M	1 695
150008A0	PREMIUM OVERALL	L	1 695
150009A0	PREMIUM OVERALL	XL	1 695



VISIONSHIELD PROTECTIVE GOGGLES

Polycarbonate lenses for medium energy hi-speed particles
The frame offers protection against large dust particles and liquid droplets.

ORDER INFORMATION

CODE	DESCRIPTION	SEK
AGN020-441-3P0	VISIONSHIELD GOGGLES	471

CONFORMS TO EN166:2001



VISIONSHIELD PROTECTIVE GLASSES

Designed with soft rubber frame, with Polycarbonate lenses and adjustable non-slip nose pad.

ORDER INFORMATION

CODE	DESCRIPTION	SEK
ASA770-15K-4P0	VISIONSHIELD GLASSES	359

CONFORMS TO EN166:2001



AIR FED 2020 FULL FACE MASK



Compressed air-supplied respirator full face mask provides protection against airborne dusts, mists, gases and vapours. This system offers respiratory protection to class LDH 3 and hence offers a protection factor of up to 200 i.e.


EQUIPPED WITH:
Browguard and vizor - Cover for vizor - Waistbelt
Pre-set air regulator - Carbon filter - Gun hose fittings 1,25 m



HOSE/AIRLINE BREATHING APPARATUS CONFORMS TO EN166:2001
VISOR CONFORMS TO EN166:2001

ORDER INFORMATION

CODE	DESCRIPTION	REF.	QTY.	SEK
VIUAF2020KIT	2020 AIR FED MASK			6 493
VIUAF2020HEAD	2020 HEADPIECE ONLY	1		3 279
VIUAF2020/K10-SV	VISOR PEEL OFF COVERS	2	(10 pcs)	308
VIUAF2020/K50-SV	VISOR PEEL OFF COVERS	2	(50 pcs)	1 305
VIUAF2020CHIN	CHIN GUARD AND FACESCREEN	5		751
VIUAF2020DIFF	DIFFUSER TUBE	4		729
VIUAF2101K5	HYGIENE KIT	6	(5 pcs)	1 271
VIUAF2103K5	NAPE COVERS	7	(5 pcs)	1 266
VIUAF2207	BELT REGULATOR	8		3 206
VIUAF2206	5 µ CARBON FILTER	9		577
VIUAF2003	BELT ONLY			2 621
VIUAF2400	BRACKET ONLY			197
I-UK-AH008-FT26	STUB HOSE			577
VIUAF2010HRNS	ADJ HARNESS			387



VIPER HALF FACE GUARD MASK

HALF MASK with INTERCHANGEABLE COMBINED FILTERS

Half mask respirators with two different types of filtration designed for the protection against dust, gases and vapors. Built-in inhalation valves in the filter. Low inhalation resistance



High Efficiency Particles Filters
CONFORM TO: EN143:2000 + A1:2006



ORDER INFORMATION

CODE	DESCRIPTION	QTY.	SEK
150001A0	VIPER GUARD MASK (A2P3R Half Face Mask)		884
VIUGVGM123	A2P3R FILTER SET	(2 pcs)	364



CLEANING & MAINTENANCE




9

CLEANING & MAINTENANCE

DISASSEMBLING & CLEANING

Disassembly of fluid needle, fluid nozzle and air cap



Cleaning and drying of the spray gun

IMPORTANT. During the cleaning operation be sure to always use a compatible cleaner with the spray gun parts.



Cleaning of atomizing parts



IMPORTANT. During the manual cleaning operations, be sure to never use any brushes with metal bristles, which could damage the internal parts or the surface of the spray gun.

ASSEMBLING

Assembling and maintenance



IMPORTANT. The use of silicone-free Anest Iwata spray gun grease in maintenance operations, has proved to be a needful means to guarantee the perfect functionality of all moving parts and thread sections of the spray gun and to increase their resistance to wear.



PCA 12.0 & HCA 12.0

ANEST IWATA Manual Pressure Atomizers are especially suited for automotive industry, motorcycle and bicycle garages, machine and metalworking industries and workshops.
1 Lt. Capacity with special adjustable nozzle (ø 0.8 mm) with nickel-plated brass piston pump.

Available in 2 different models:

PREMIUM QUALITY Version PCA 12.0 & HIGH QUALITY Version HCA 12.0

PREMIUM QUALITY

ORDER INFORMATION

CODE	DESCRIPTION	SEK
W2COM6226	SPRAY GUN CLEANING APPLICATOR PCA 12.0 Premium Quality (Super Seal BMS 210)	1 671

PCA12.0
PREMIUM QUALITY Cleaning Applicator



AGGRESSIVE CLEANERS

with **SUPER SEAL BMS 201**



Acids ●
Alkalis ●
Solvents ●
RESISTANT

HIGH QUALITY

ORDER INFORMATION

CODE	DESCRIPTION	SEK
W2COM6225	SPRAY GUN CLEANING APPLICATOR HCA 12.0 High Quality (Viton Seal FPM)	831

HCA12.0
HIGH QUALITY Cleaning Applicator




MILD CLEANERS

with **VITON SEAL FPM**



SPARE PARTS

CODE	DESCRIPTION	REF.	SEK
W2KIT70	MAINTENANCE KIT		185
	PROTECTION WASHER	1	
	NUT	2	
	PRESSURE SPRING	3	
	WASHER	4	
	SUCTION VALVE	5	
	BALL 7/32"	6	
	SUCTION FILTER CPL.	7	
	PRESSURE VALVE	8	
	BALL 1/8"	9	
W2KIT71	PACKING SET - HCA (FPM - GREEN)		320
	O-RING 7,66x1,78	10	
	GASKET 57.5x53x2 PE	11	
	PRESSURE TUBE JOINT	12	
	SLEEVE	13	
W2KIT72	PACKING SET - PCA (BMS 210 - BLACK)		1 562
	O-RING 7,66x1,78	10	
	GASKET 57.5x53x2 PE	11	
	PRESSURE TUBE JOINT	12	
	SLEEVE	13	
W2KIT73	PISTON SET	14	323
W2KIT74	ADJUSTABLE NOZZLE SET Ø 0.8 mm	15	752



CLEANING & MAINTENANCE TOOLS



Our Spray Gun Cleaning & Maintenance Kits include the same important tools which Technical Services use to clean and restore spray gun to perfect working conditioning. The kits come in two versions: Complete and Essential.

MAINTENANCE COMPLETE TOOL KIT

Contents: 1 Big Surface Brush (W2COM6125)
1 Flat Brush (W2COM6124) - 1 Big Twisted Brush (W2COM6126)
1 Brush in Bamboo (W2COM6163) - 2 Twisted Brushes (1x Ø 10 mm W2COM6162 - 1x Ø 5 mm W2COM6161)
1 Tiny Twisted Brush (W2COM6127)
1 Very Tiny Twisted Brush (W2COM6128)
12 Cleaning Needles (W2COM6164)
1 Premier Maintenance Grease (W2COM6165).



MAINTENANCE ESSENTIAL TOOL KIT

Contents: 1 Big Surface Brush (W2COM6125)
1 Flat Brush (W2COM6124) - 1 Big Twisted Brush (W2COM6126)
1 Brush in Bamboo (W2COM6163) - 5 Twisted Brushes (2x Ø 10 mm W2COM6162 - 3x Ø 5 mm W2COM6161)
1 Premier Maintenance Grease (W2COM6165).



NR.	CODE	DESCRIPTION	QTY.	SEK
1	W2KIT55SV	SPRAY GUN MAINTENANCE COMPLETE TOOL KIT	-	886
2	930707A0	SPRAY GUN MAINTENANCE ESSENTIAL TOOL KIT	-	442
3	W2COM6124	FLAT BRUSHES	(5 pcs./1pk.)	153
4	W2COM6163	BRUSHES IN BAMBOO	(5 pcs./1pk.)	159
5	W2COM6125	BIG SURFACE BRUSHES	(3 pcs./1pk.)	324
6	W2COM6126	BIG TWISTED BRUSHES ø 15mm	(5 pcs./1pk.)	245
7	W2COM6162	TWISTED BRUSHES ø 10mm	(5 pcs./1pk.)	157
8	W2COM6161	TWISTED BRUSHES ø 5mm	(5 pcs./1pk.)	189
9	W2COM6127	TINY TWISTED BRUSHES ø 3mm	(4 pcs./1pk.)	434
10	W2COM6128	VERY TINY TWISTED BRUSHES	(4 pcs./1pk.)	642
11	W2COM6164	CLEANING NEEDLES	(12 pcs./1pk.)	369
12	930171A0	UNIVERSAL SPANNER		118
13	W2COM6129	SPANNER FOR LOCK ADJ. & NEEDLE PACKING		87
14	03506480K	ALLEN WRENCHES (for Series 2)	(3 pcs./1pk.)	86
15	93280881	SPANNER for LPH-80/RG-3L		237
16	W2COM6165	PREMIER MAINTENANCE GREASE (20 ml)		79
17	13908061	AG-6 AIR DUSTER GUN		532

The bristles of all brushes are resistant to solvents and paint thinner and they are ideal to clean all types of spray guns.




MAGNETIC SUPPORTS & GUN HOLDERS

MAGNETIC STAND - Magnetic Support

FEATURES

- Practical for every body shop fast, flexible and reliable adhesion on all metal surfaces thanks to an extra-strong all-surface magnet.
- Hold up to 20 kg (each holder, measured on a clean metal surface).
- Significant space savings in working area.
- Easy removal from spray both.



ORDER INFORMATION

CODE	DESCRIPTION	REF.	SEK
W2COM6052	MAGNETIC SPRAY GUN HOLDER (for 3 Spray Guns)	1	922
W2COM6120	MAGNETIC SPRAY GUN HOLDER (1 Single Spray Gun)	2	471
W2COM6093	MAGNETIC ADAPTOR HOLDER (for PPS-RPS Adaptors)	3	245
W2COM6094	MAGNETIC AIR HOSE HOLDER (Max. Hose length 20 m)	4	1 000

GRAVITY GUN HOLDERS

FEATURES

- Suitable to hold Gravity Guns after use or during the filling of the cup
Available in 3 versions with base:
- Single Central Gravity (wall mountable)
 - Multiple Central Gravity (3 places)
 - Single Side Gravity



ORDER INFORMATION

CODE	DESCRIPTION	REF.	SEK
W2501000500	CENTRAL GRAVITY GUN HOLDER (3 SPRAY GUNS)	A	1 292
W2501000100	CENTRAL GRAVITY GUN HOLDER (1 SPRAY GUN) WALL MOUNTABLE	B	365
W2501000600	SIDE GRAVITY GUN HOLDER (Single)	C	527

MAGNETIC SPRAY TESTER



FEATURES


- Portable spray pattern tester for regular monitoring of the spray pattern quality.
- Fast, flexible and reliable adhesion of the spray pattern tester on all metallic surfaces thanks to an extra-strong full-surface magnet.
- Easy wall mounting: no drilling, no screws
- Perfect horizontal alignment by an integrated vial in the spray ruler.
- Dimensions: 46 cm (B) x 75 cm (H) x 5 cm (T)



ORDER INFORMATION

CODE	DESCRIPTION	SEK
W2COM6118EN	MAGNETIC SPRAY TESTER (COMPLETE SET)	2 989
W2KIT51	PAPER BLOCKS (2 Blocks of 30 Sheets)	661
W2COM6151	LEVEL VIAL	68
W2COM6153	SPRAY RULER	341

HOW TO USE



with **SPRAY RULER & LEVEL VIAL**



ADG-1B AQUADRY PAINT DRYER GUN


Aquadry kit it's a versatile system to speed up the drying process of water based coatings, its exclusive configuration provides an extremely uniform air flow system. The use of a single device is particularly suitable for small areas, while the system mounted on the stand is particularly suitable for larger surfaces and commercial vehicles.

TECHNICAL DATA	
MAX. PRESSURE	7 bar
MAX. AIR CONSUMPTION	2 x 600 lt./min



ORDER INFORMATION


CODE	DESCRIPTION	REF.	SEK
UIKIT60100	AQUADRY SET (STAND, HOSES + 2 DRYER GUNS)		7 840
13908402	AQUADRY PAINT DRYER GUN ADG-1B	1	2 289
930620AO	QUICK COUPLING WITH SEAL - MALE	2	67
W2950291400	QUICK JOINT FEMALE BRASS G-1/4"F	3	178
UL300312	QUICK JOINT 1/4" M - ø10	4	104
UL300300	"T" JOINT 1/4" FFF	5	116
UL300309	"L" QUICK COUPLING 1/4" M - ø10	6	120
00100032	AIR HOSE 10X8	7	56
UL30010501	SPECIAL NIPPLE R. 1/4"- G1/4"	8	56
VIEAQ005	STAND ONLY	9	O.D
93453450	NOZZLE	10	1 375
93454450	NUT	11	373
93451460	SCREEN FILTER	12	187
93455461	COVER	13	373



AI JET FLAT AIR NOZZLE DRYER

The AI JET Flat Air Nozzles series are ideal to be used for the processes of drying and curing of water-based paints. The flow of compressed air, passes through the nozzle and it is distributed through 16 holes (ø 1.5 mm), this system allows the drying process in shorter times on surfaces of small and medium size. AI JET is supplied with ball valve and quick coupling joint M.

TECHNICAL DATA	
NOISE LEVEL	70 db (A) at 2 bar
AIR CONSUMPTION	18 m3/h at 2 bar
MAX. PRESSURE	6 bar
MAX. TEMPERATURE	50°C



DIMENSIONS



ORDER INFORMATION

CODE	DESCRIPTION	SEK
W2COM6214	AI JET AIR NOZZLE DRYER SET	610
W2COM6235	AIR NOZZLE	483
930620AO	QUICK COUPLING WITH SEAL - MALE.	67

DEMO TROLLEY



ANEST IWATA Demo trolley is a practical and lightweight trolley to tow, perfect for protecting your valuable tools. Externally is made of sturdy and shockproof plastic material, durable but lightweight with a professional design. The inside is a foam lined safe housing which can snugly fit five spray guns. In addition, there are spaces cut out of foam designed to preserve the enclosures that can contain both the fluid nozzle and needle sets and the air cap sets, such as: 15 rotating telescopic enclosures to protect fluid needles and fluid nozzles and 7 enclosures with lid to protect the air caps.

TECHNICAL DATA	
DIMENSIONS	604 (W) x 473 (D) x 283 (H) mm
EMPTY WEIGHT	9 Kg
IP 67 CLASSIFICATION	100% recyclable material



ORDER INFORMATION

CODE	DESCRIPTION	SEK
VPATR-IW01	DEMO TROLLEY CASES KIT	O.D
VR0TRPACK	CASES KIT SINGLE (22 parts)	O.D

Spray guns are not included in Demo trolley.

MARKER CAPS

Marker caps for individual labeling of spray guns



ORDER INFORMATION

CODE	DESCRIPTION	SEK
93710530	MARKER CAPS (5 pcs./1 pk.) (yellow, green, red, black, blue)	68

MINI AIR DUSTER GUN

FEATURES

- Mini blow gun for dust cleaning and drying of tools and jobstations
- Compact, lightweight, precise and powerful with high flow and low air consumption
- Ergonomically designed and ultramodern with a max operating pressure of 12 bar

ORDER INFORMATION

CODE	DESCRIPTION	SEK
DE510015	MINI AIR DUSTER GUN	343



10

GARAGE EQUIPMENT




AZ PVA & AZ PVA TN

AZ PVA SPRAY GUN FOR BODY COATINGS

with 1 lt. PIN LOCK CUP

ORDER INFORMATION

REF.	CODE	DESCRIPTION	SEK
	W0011300000	AZ PVA SPRAY GUN with 1 lt. Aluminium Pin Lock Cup	1 222
1	W2011340100	EXTERNAL AIR CAP SET	58
2	W2011340900	JAM NUT	26
3	W2011340200	HEAD CONNECTION	193
4	W2011340300	FLUID NOZZLE	128
6	W2011320100	AIR VALVE SET	124
6-1	W2011330300	AIR VALVE	48
6-2	W2011330200	AIR VALVE SEAT SET	58
6-3	W2020140200	AIR VALVE	11
7	W2COM4008	TRIGGER STUD	15
8	W2011340700	TRIGGER	58
17	W2052191414	AIR NIPPLE G1/4" M	26
C	W2KIT48	PACKING SET (7 pcs./1 pk.)	68
10	04002460	CONTAINER SET	951
10-1	04002480	LID SET	345
10-2	04002500	SUCTION HOSE	197
10-3	04006130	CONTAINER 1 lt.	282




AZ PVA TN SPRAY GUN FOR BODY COATINGS

with SUCTION HOSE

ORDER INFORMATION

REF.	CODE	DESCRIPTION	SEK
	W0012200000	AZ PVA TN SPRAY GUN with SUCTION TUBE	1 125
1	W2012240600	OUTER NOZZLE	136
2	W4020130102	MILLED NUT FOR OUTER NOZZLE	34
3	W2030640100	AIR CAP SET	64
5	W2011320100	AIR VALVE SET	124
5-1	W2011330300	AIR VALVE	48
5-2	W2011330200	AIR VALVE SEAT SET	58
5-3	W2020140200	AIR VALVE	11
6	W2COM4008	TRIGGER STUD	15
7	W2011340700	TRIGGER	58
9	W2012220200	KIT LID WITH HOSE	449
9-1	W2012240400	LID	353
9-2	W2012240500	SUCTION HOSE	96
17	W2052191414	AIR NIPPLE G1/4" M	26
C	W2500100800	PACKING SET (3 pcs./1 pk.)	55



P6 - PL 6 & AE7 SPRAYERS



P6 & PL 6 SPRAYERS FOR OIL, PETROLEUM

& DETERGENT with 1 lt. PIN LOCK CUP AG-1

ORDER INFORMATION


REF.	CODE	DESCRIPTION	SEK
	W0020100000	P6 SPRAYER with 1 lt. ALUMINIUM CUP with 260 mm EXTENSION TUBE	1 101
	W0020200000	PL6 SPRAYER with 1 lt. ALUMINIUM CUP with 500 mm EXTENSION TUBE	1 202
1	W2020120100	OUTER TUBE SET 260 mm	253
1	W2020220100	OUTER TUBE SET 500 mm	405
1-1	W2020140400	NOZZLE	67
1-2	W2020130100	TUBE 260 mm	189
1-2	W2020230100	TUBE 500 mm	365
2	W2020140500	AIR CAP SET	31
3	W2020140600	INNER TUBE 260 mm	159
3	W2020240100	INNER TUBE 500 mm	197
5	W2011320100	AIR VALVE SET	124
5-1	W2011330300	AIR VALVE	48
5-2	W2011330200	AIR VALVE SEAT SET	58
5-3	W2020140200	AIR VALVE	11
6	W2COM4008	TRIGGER STUD	15
7	W2011340700	TRIGGER	58
C	W2KIT47	PACKING SET (6 pcs./1 pk.)	135
17	W2052191414	AIR NIPPLE G1/4" M	26
18	W2COM5048	FLUID NIPPLE G 3/8" M	31
9	04006100	AG-1 CONTAINER SET 1lt.	522
10	04006110	LID SET	252
10-1	04010000	SUCTION TUBE	64
11	04006130	CONTAINER 1 lt.	282
F	W2KIT42	LID PACKING SET (2 pcs./1 pk.)	63



AE7 SPRAYER FOR MIXED AIR & WATER

ORDER INFORMATION


REF.	CODE	DESCRIPTION	SEK
	W0020500000	AE7 SPRAYER	1 997
1	W2020530100	NOZZLE OUTER 210 mm	361
2	W2020540100	FLUID NOZZLE	37
3	W2020540200	NOZZLE CONNECTION	79
5	W2011320100	AIR VALVE SET	124
5-1	W2011330300	AIR VALVE	48
5-2	W2011330200	AIR VALVE SEAT SET	58
5-3	W2020140200	AIR VALVE	11
6	W2COM4008	TRIGGER STUD	15
7	W2011340700	TRIGGER	58
9	W2020540500	AIR NIPPLE	56
10	W2020530200	DRAIN VALVE	720
11	W2020540300	CONNECTION PLATE	43
12	W2020540400	HEXAGON NUT	27
13	W2052293812	CONNECTION HOSE	52
17	W2052191414	AIR NIPPLE G1/4" M	26
C	W2500200100	PACKING SET (5 pcs./1 pk.)	56



S8 & SP8 BLOWING GUNS

S8 BLOWING GUN

SP8 BLOWING GUN with Extension Nozzle



ORDER INFORMATION


REF.	CODE	DESCRIPTION	SEK
	W0030100000	S8 BLOWING GUN	518
	W0030200000	S8 BLOWING GUN with Quick Coupling 1/4"	518
	W0030700000	SP8 BLOWING GUN with Nozzle Extension 240 mm	635
	W0030300000	SP8 BLOWING GUN with Nozzle Extension 240 mm with Quick Coupling 1/4"	635
1 A	W2030140200	NOZZLE S8	64
1 B	W2030720100	KIT OUTER HOSE 240 mm SP8	236
1 B-1	W2030740200	OUTER HOSE SP8	56
1 B-2	W2030740300	HOSE 240 mm SP8	181
4	W2011320100	AIR VALVE SET	124
4-1	W2011330300	AIR VALVE	48
4-2	W2011330200	AIR VALVE SEAT SET	58
4-3	W2020140200	AIR VALVE	11
5	W2COM4008	TRIGGER STUD	15
6	W2011340700	TRIGGER	58
C	W2500300300	PACKING SET (4 pcs./1 pk.)	51
17	W2052191414	AIR NIPPLE G1/4" M	26

ST - ST 1 & ST1 S

ST SANDBLASTING GUN with SAND SUCTION HOSE

ORDER INFORMATION


REF.	CODE	DESCRIPTION	SEK
	W0030500050	ST SANDBLASTING GUN ø 5.0 mm with 1.5 m SAND SUCTION HOSE	1 488
	W0030510150	ST SANDBLASTING GUN ø 5.0 mm	1 422
	W0030500060	ST SANDBLASTING GUN ø 6.0 mm with 1.5 m SAND SUCTION HOSE	1 488
	W0030510160	ST SANDBLASTING GUN ø 6.0 mm	1 422
1	W2030520150	NOZZLE SET ø 5 mm	443
1	W2030520160	NOZZLE SET ø 6 mm	443
1-1	W2030540100	CONNECTION AIR CAP	181
1-2	W2030540550	HARDENED STEEL OUTER NOZZLE ø 5 mm	370
1-2	W2030540560	HARDENED STEEL OUTER NOZZLE ø 6 mm	370
1-3	W2030540400	STAINLESS STEEL INNER NOZZLE	77
4	W2011320100	AIR VALVE SET	124
4-1	W2011330300	AIR VALVE	48
4-2	W2011330200	AIR VALVE SEAT SET	58
4-3	W2020140200	AIR VALVE	11
5	W2COM4008	TRIGGER STUD	15
6	W2011340700	TRIGGER	58
7	W0030530100	SUCTION HOSE SET	575
17	W2052191414	AIR NIPPLE G1/4" M	26
C	W2500300100	PACKING SET (5 pcs./1 pk.)	56



ST1 & ST1 S SANDBLASTING GUN

ORDER INFORMATION

REF.	CODE	DESCRIPTION	SEK
	W0030600000	ST1 SANDBLASTING GUN with 1 lt. PIN LOCK CUP AG-1	1 321
	W0030800000	ST1 S SANDBLASTING GUN with 3 m SAND SUCTION HOSE	1 321
1	W2030640300	NOZZLE	391
2	W2030640200	JAM NUT	31
3	W2030640100	AIR CAP SET	64
6	W2011320100	AIR VALVE SET	124
6-1	W2011330300	AIR VALVE	48
6-2	W2011330200	AIR VALVE SEAT SET	58
6-3	W2020140200	AIR VALVE	11
7	W2COM4008	TRIGGER STUD	15
8	W2011340700	TRIGGER	58
17	W2052191414	AIR NIPPLE G1/4"	26
18	W2COM5048	FLUID NIPPLE G3/8" M	31
C	W2KIT47	PACKING SET (6 pcs./1 pk.)	135
C	W2500300200	PACKING SET (4 pcs./1 pk.) (ST1S)	55
M	W0030830100	SUCTION HOSE (ST1S)	419
9	04006100	AG-1 CONTAINER SET	522
10	04006110	LID SET	252
10-1	04010000	SUCTION TUBE	64
11	04006130	CONTAINER 1 lt.	282
F	W2KIT42	LID PACKING SET (2 pcs./1 pk.)	63



11

SPECIAL PRODUCTS



FLOOR BOARD | TAK RAG



FEATURES

Heavy floor board forming an effective protection for the floor. The width varies. Supplied on rolls.

FLOOR BOARD - ORDER INFORMATION

CODE	DESCRIPTION	SEK
50500029	FLOOR BOARD P31, 75 m ²	1 047

TAK RAG - ORDER INFORMATION

CODE	DESCRIPTION	SEK
T-601P-100	TAK RAG STANDARD 100 pcs (1 box)	962



STICKY MAT | VISCOSITY METER



FEATURES

AVMC applies the highest industry standards in the process of sticky mat development, resulting in high level of stickyness and dust removal effectivity, while maintaining thin profile which prevents physical issues with installation, such as stumbling, or car/bed wheel obstruction.

All AVMC sticky mats pass the ISO quality standards. This is certified by CSN EN ISO 9001:2009 norm and the ISO 13485:2016 norm. Both of these norms assure world-wide quality standards.

STICKY MAT - ORDER INFORMATION

CODE	DESCRIPTION	SEK
SMEX24453020W	STICKY MAT WHITE 115 x 60 cm 30 LAYER/MAT (20PCS/BOX)	6 136

VISCOSITY METER - ORDER INFORMATION

CODE	DESCRIPTION	SEK
04522142	FB4 VISCOSITY METER	102



Viscosity Meter

AGITATORS | TANK COVER



FEATURES

We have a wide selection of different types of agitators, tank covers and accessories.

AGITATORS - ORDER INFORMATION

CODE	DESCRIPTION	SEK
20181101	AGITATOR FOR 20 lt TANK COVER	6 018
20181102	AGITATOR 20 lt WITH FRAME	6 074
20011204	AGITATOR 200 lt WITH CLAMP	7 236
14338300	AGITATOR PA-1	6 863
HA-5	AGITATOR WITH REDUCTION AND HANDLE	7 450

TANK COVER - ORDER INFORMATION

CODE	DESCRIPTION	SEK
20171100	TANK COVER STAINLESS STEEL	1 759

AGITATORS ACCESSORIES - ORDER INFORMATION

CODE	DESCRIPTION	SEK
50500005	PROPELLER PLASTIC	258
50500007	PROPELLER ALU. 20-200 lt. Ø160 mm SHAFTHOLE Ø15 mm	102
F-6-H	INSPECTION DOOR TO TANK COVER IN TEMPERED GLASS	940
5050M003	GALVANIZED SQUIRREL MIXER FOR 10-20 lt TANK	855
5050M005	STAINLESS SQUIRREL MIXER FOR 20 - 40 lt TANK	2 293
5050M012	GALVANIZED STEEL SHAFT WITH SQUIRREL POLYPROPYLENE MIXING CAGE FOR 10 - 20 lt. 492 mm.	406
5050M055	STAINLESS SHAFT WITH SQUIRREL MIXER FOR 40 - 200 lt. LENGTH 1000 mm.	4 666
5050M100	STAINLESS SHAFT WITH SQUIRREL MIXER FOR 200 lt. LENGTH 1000 mm	7 439
50500100	SUCTION HOSE 800 MM COMPLETE WITH COUPLINGS (PYTON)	1 320
50500102	ADAPTER STAINLESS STEEL 1/2" - 3/8"	643
50500105	STAINLESS ADAPTER AGITATOR	1 212
50500111	ADAPTER STAINLESS STEEL AGITATOR - SQUIRREL 200 lt	880
50500018	SUCTION PIPE, 20 lt FOR TANK COVER STAINLESS STEEL 320 mm	1 488



LOW PRESSURE KIT LP1N | LP12N - ORDER INFORMATION

CODE	DESCRIPTION	SEK
LP1N	LOW PRESSURE KIT LP1N - STAINLESS STEEL	35 100
	PUMP: DPS 120 SS 30 lt/min. AVAILABLE AS WALL - LID - WHEEL CART - STAND SET. HOPPER OR SUCTION SET.	
	GUN: 1 pcs W200 INTEGRA DIAM 0,8 - 2,0 mm	
	HOSE SET: LOW PRESSURE, OPTIONALLY 6/8 mm, 1 - 15 mt	
LP12N	LOW PRESSURE KIT LP12N TWO WAY - STAINLESS STEEL	51 300
	PUMP: DPS 120 SS 30 lt/min. TWO WAY FOR USE OF 2 GUNS	
	GUNS: 2 pcs W200 INTEGRA DIAM 0,8 - 2,0 mm	
	HOSE SET: LOW PRESSURE, OPTIONALLY 6/8 mm, 1 - 15 mt	

LOW PRESSURE KIT LP2 | LP22 - ORDER INFORMATION

CODE	DESCRIPTION	SEK
LP2	LOW PRESSURE KIT 2 (LP2)	27 540
	PUMP: DPS 120 30 lt/min. AVAILABLE AS WALL - LID - WHEEL CART - STAND SET. HOPPER OR SUCTION SET.	
	GUN: 1 pcs W200 INTEGRA DIAM 0,8 - 2,0 mm	
	HOSE SET: LOW PRESSURE, OPTIONALLY 6/8 mm, 1 - 15 mt	
LP22	LOW PRESSURE KIT 22 (LP22) TWO WAY	42 012
	PUMP: DPS 120 30 lt/min. TWO WAY FOR USE OF 2 GUNS	
	GUNS: 2 pcs W200 INTEGRA DIAM 0,8 - 2,0 mm	
	HOSE SET: LOW PRESSURE, OPTIONALLY 6/8 mm, 1 - 15 mt	

LOW PRESSURE KIT LP4 - ORDER INFORMATION

CODE	DESCRIPTION	SEK
LP4	LOW PRESSURE KIT 4 (LP4)	8 840
	TANK: AT-2E 2 lt PRESSURE TANK	
	GUN: 1 pcs W200 INTEGRA DIAM 0,8 - 2,0 mm	
	HOSE SET: LOW PRESSURE 2 mt/6 mm	

LOW PRESSURE KIT LP5 - ORDER INFORMATION

CODE	DESCRIPTION	SEK
LP5	LOW PRESSURE KIT 5 (LP5)	5 928
	TANK: AT-2E 2 lt PRESSURE TANK	
	GUN: 1 pcs AZ1 HTE 2P DIAM 1,0 - 3,5 mm	
	HOSE SET: LOW PRESSURE 2 m/6 mm	

LOW PRESSURE KIT LP7 - ORDER INFORMATION

CODE	DESCRIPTION	SEK
LP7	LOW PRESSURE KIT 7 (LP7)	17 820
	PUMP: DPS90 DIAPHRAGM PUMP, 10 lt/min, FOR SOLVENT-BORNE PAINTS. COMES COMPLETE ON STAND SET WITH AIR REGULATORS, PAINT REGULATOR, OUTLET FILTER AND SUCTION HOSE EQUIPPED WITH A PAINTFILTER.	
	GUN: 1 pcs AZ1 HTE 2P DIAM 1,0 - 3,5 mm	
	HOSE SET: LOW PRESSURE 8 mt/8 mm	

LOW PRESSURE KIT LP7 WB - ORDER INFORMATION

CODE	DESCRIPTION	SEK
LP7 WB	LOW PRESSURE KIT 7 (LP7 WB)	25 364
	PUMP: DPS90 DIAPHRAGM PUMP, 10 lt/min. Stainless steel. FOR SOLVENT-BORNE PAINTS. COMES COMPLETE ON STAND SET WITH AIR REGULATORS, PAINT REGULATOR, OUTLET FILTER AND SUCTION HOSE EQUIPPED WITH A PAINTFILTER.	
	GUN: 1 pcs AZ1 HTE 2P DIAM 1,0 - 3,5 mm	
	HOSE SET: LOW PRESSURE 8 mt/8 mm	

LOW PRESSURE KIT LP10 - ORDER INFORMATION

CODE	DESCRIPTION	SEK
LP10	LOW PRESSURE KIT 10 (LP10)	14 580
	TANK: PET-10, 10 lt PRESSURE TANK WITH INNER TANK AND SUCTION PIPE IN STAINLESS STEEL, AIR REGULATORS AND HANDLE.	
	GUN: 1 pcs W200 INTEGRA DIAM 0,8 - 2,0 mm	
	HOSE SET: LOW PRESSURE 5 mt/6 mm	

LOW PRESSURE KIT LP15 - ORDER INFORMATION

CODE	DESCRIPTION	SEK
LP15	LOW PRESSURE KIT 15 (LP15)	11 880
	TANK: PET-10, 10 lt PRESSURE TANK WITH INNER TANK AND SUCTION PIPE IN STAINLESS STEEL, AIR REGULATORS AND HANDLE.	
	GUN: 1 pcs AZ1 HTE 2P DIAM 1,0 - 3,5 mm	
	HOSE SET: LOW PRESSURE 5 mt/6 mm	



12

THIS PRICE LIST
IS VALID
FROM 01/01/2025

All prices, part numbers and images are subject to change without notice.

Terms and Conditions apply to the ANEST IWATA Scandinavia AB.

If the order value is less than 500 SEK (excluding VAT) there will be an additional 50 SEK in handling fee.

For the notice of the complaints written or by telephone please contact: ANEST IWATA Scandinavia AB
info@anest-iwata-se.com Telephone: +46 31 340 28 60
Further instructions (for example to return goods) must be agreed in advance with ANEST IWATA Scandinavia AB.

The desire to exchange goods or return of goods must be notified in advance to: ANEST IWATA Scandinavia AB
Telephone: +46 31 340 28 60

Exchange and return are only possible if Anest Iwata Scandinavia AB has been informed accordingly.

The returned goods must be in unused, perfect condition, undamaged original packaging carried out.

Used, obsolete and unserviceable goods are generally excluded from return.

Catalogues, price lists or other advertising matters of the seller are only an indication of the type of products and no prices or other information contained herein shall be binding for the seller.

Anest Iwata Scandinavia AB does not accept any responsibility for errors or omissions contained in its price lists or promotional matters.

All prices/items/designs are subject to be changed without previous notice.

PRICING

COMPLAINTS

GOODS
EXCHANGE
RETURNS

OTHER

CERTIFICATE

Certificate
No. 6181-07

Inspecta Sertifointi Oy has granted this certificate as proof that the quality management system of

Anest Iwata Scandinavia AB
Partille

complies with the requirements of the standard

ISO 9001:2015

Certification covers

Trade and store-keeping of spray painting equipment and related accessories.

The certificate is issued on 2022-11-30 (first issue 2010-10-12).
The certificate is valid until 2026-02-01.

Maija Vanttaja, Managing Director

The certificate is valid on condition that the quality management system of the organization remains in compliance with the aforementioned standard and the General Regulations ABC 200. The validity of the certificate can be verified on the Internet at www.kiwa.com/fi.

Inspecta Sertifointi Oy
P.O. Box 1000,
Sörnäistenkatu 2
FI-00581 Helsinki,
Finland
Tel. + 358 10 521 600

Inspecta Sertifointi Oy

FINAS
Finnish Accreditation Service
9002 (EN ISO/IEC 17021-1)





PROFESSIONAL COATING EQUIPMENT SPECIALIST

EUROPE

ANEST IWATA Strategic Center S.r.l.
Cardano al Campo (VA) - ITALY
info@anest-iwata-st.com
www.anest-iwata-coating.com

ANEST IWATA Deutschland GmbH
Leipzig - GERMANY
info@anest-iwata-de.com
www.anest-iwata-coating.com

ANEST IWATA France S.A.
Saint Quentin Fallavier, Lyon - FRANCE
info@anest-iwata-fr.com
www.anest-iwata-coating.com

ANEST IWATA U.K. Ltd.
St. Neots Cambridgeshire - ENGLAND
info@anest-iwata-uk.com
www.anest-iwata-coating.com

ANEST IWATA Iberica S.L.U.
Saint Adrià del Besos Barcelona - SPAIN
info@anest-iwata-ib.com
www.anest-iwata-coating.com

ANEST IWATA Scandinavia AB.
Partille, Göteborg - SWEDEN
info@anest-iwata-se.com
www.anest-iwata-coating.com

ANEST IWATA Polska Sp. Z o.o.
Jasin / Swarzędz - POLAND
info@anest-iwata-pl.com
www.anest-iwata-coating.com

NORTH AMERICA

ANEST IWATA Americas, INC.
West Chester - Ohio - U.S.A.
inquiry@anestiwata.com
www.anestiwata.com

MÉXICO

ANEST IWATA México, S.De R.L.De C.V.
Guanajuato - MÉXICO
info@anestiwatamexico.com
www.anestiwatamexico.com

BRAZIL

AIRZAP-ANEST IWATA INDÚSTRIA COMÉRCIO Ltda.
Sao Paulo - BRAZIL
contato@anest-iwata.net.br
www.anest-iwata.net.br

AUSTRALIA

ANEST IWATA Australia Pty Ltd.
Sidney - AUSTRALIA
info@anest-iwata.com.au
www.anest-iwata.com.au

SOUTH AFRICA

ANEST IWATA South Africa Pty Ltd.
Johannesburg - REPUBLIC OF SOUTH AFRICA
www.anest-iwata.co.za

ASIA

ANEST IWATA KOREA Corporation
Ansan City - KOREA
inquiry@aikr.co.kr - www.aikr.co.kr

ANEST IWATA Motherson Coating Equipment Ltd.
Noida - INDIA
sales@aim.motherson.com
www.motherson.com
anest-iwata-motherson.html

ANEST IWATA Shanghai Corporation
Shanghai - CHINA
customer@anest-iwata-sh.com
www.anest-iwata-sh.com

ANEST IWATA Vietnam CO. Ltd.
Ho Chi Minh City - VIETNAM
info@anest-iwata.vn
www.anest-iwatasoutheastasia.com

PT. ANEST IWATA Indonesia
Jakarta - INDONESIA
www.anest-iwatasoutheastasia.com

ANEST IWATA Southeast Asia CO. Ltd.
Bangkok - THAILAND
info@anest-iwata.co.th
www.anest-iwatasoutheastasia.com

HEADQUARTER

ANEST IWATA Corporation
Yokohama - JAPAN
www.anest-iwata.co.jp

ANEST IWATA Strategic Center S.r.l.

Cardano al Campo (VA) - ITALY
info@anest-iwata-st.com
www.anest-iwata-coating.com